

PAVEMENT MANAGEMENT HISTORICAL PAVEMENT INDEX REPORT

Data from 1993 - 2002
Compiled January, 2003

District Five

Prepared by:
Idaho Transportation Department
Division of Planning



DEFINITIONS OF TERMS USED IN THE ANNUAL INDEXLIST REPORT

D: The Idaho Transportation Department maintenance district number. It can be 1 - 6.

Route: The Route Number of the Highway (097 means State Highway 97, 084 means Interstate 84).

MACS Code (Segment Code): six-digit number that identifies the section of highway according to the code in the Milepost and Coded Segment (MACS) System.

Beginning Milepost: The milepost at the beginning of the test section of highway.

Ending Milepost: The milepost at the ending of the test section of highway.

DIR: Refers to direction of testing on a divided highway. Ascending means in the direction of ascending mileposts. Descending means the opposite direction.

YEAR: Shows the year to which the indices correspond.

RI (Roughness Index): Formerly called PSI, this index is a 0 - 5 rating of the pavement section's roughness. This number is now obtained via profile measuring equipment.

CI (Crack Index): The CI is a rating similar to the RI, 5.0 corresponding to a section with little or no cracking and 0.0 representing sections with extreme cracking. Pavements are rated annually by the Pavement Management Engineer.

SN (Skid Number): A value (typically between 20 - 100) that represents a relative pavement friction index as measured by the locked-wheel skidmeter.

FINAL INDEX: This is the final pavement index for the section. It represents a weighted average of the CI and RI, based on factors such as traffic volume and traffic speed.

REMARKS: This area is to report any pavement related rehabilitation project for that pavement section and year. Also this area can be used for the user's own comments.

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	000.000	008.123	ASC	1993	3.60	3.50	44	3.55			
						1994	3.50	3.50	44	3.50	0.00		
						1995	3.50	3.00	23	3.25	0.00		
						1996	3.50	3.00	17	3.25	0.06		
						1997	3.30	3.00	17	3.15	0.08		
						1998	3.10	3.00	21	3.05	0.05		
						1999	3.00	3.00	19	3.00	0.05		
						2000	2.90	3.00	19	2.94	0.05		
						2001	3.30	3.00	19	3.15	0.03		
						2002	3.40	3.10	19	3.25	0.07	GRIND AND JOINT SEAL (CONC)	2002
5	I-15	001330	000.000	008.123	DES	1993	3.60	3.00	45	3.30			
						1994	3.50	3.00	45	3.25	0.02		
						1995	3.50	3.00	18	3.25	0.02		
						1996	3.50	3.00	16	3.25	0.04		
						1997	3.20	3.00	15	3.10	0.04		
						1998	3.10	3.00	20	3.05	0.06		
						1999	3.00	3.00	18	3.00	0.05		
						2000	2.90	2.90	18	2.90	0.05		
						2001	2.90	2.90	18	2.90	0.05		
						2002	3.50	3.40	18	3.45	0.05	GRIND AND JOINT SEAL (CONC)	2002
5	I-15	001330	008.123	016.229	ASC	1993	3.70	3.50	45	3.60			
						1994	3.60	3.30	45	3.45	0.01		
						1995	3.60	3.30	21	3.45	0.01		
						1996	3.70	3.30	16	3.50	0.04		
						1997	3.50	3.30	16	3.40	0.05		
						1998	3.40	3.30	22	3.35	0.06		
						1999	3.30	3.30	19	3.30	0.06	SEALCOAT	1999
						2000	3.20	3.30	19	3.24	0.06		
						2001	3.30	3.20	19	3.25	0.05		
						2002	3.60	3.10	19	3.35	0.05	GRIND AND JOINT SEAL (CONC)	2002
5	I-15	001330	008.123	016.229	DES	1993	3.60	3.00	45	3.30			
						1994	3.40	3.00	45	3.20	0.01		
						1995	3.40	3.00	18	3.20	0.01		
						1996	3.60	2.80	15	3.20	0.05		
						1997	3.40	2.80	15	3.10	0.05		
						1998	3.20	2.80	19	3.00	0.05		
						1999	3.20	2.80	17	3.00	0.05	SEALCOAT	1999
						2000	3.10	2.80	17	2.95	0.05		
						2001	3.10	2.80	17	2.95	0.05		
						2002	3.50	3.40	17	3.45	0.05	GRIND AND JOINT SEAL (CONC)	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
5	I-15	001330	016.229	021.540	ASC	1993	3.60	4.50	46	4.04		
						*1994	3.40	4.00	46	3.69	0.02	
						1995	3.30	3.80	39	3.54	0.02	
						1996	4.00	3.80	36	3.90	0.17	
						1997	3.90	3.80	38	3.85	0.18	
						1998	3.80	3.80	51	3.80	0.22	
						1999	3.80	3.80	46	3.80	0.24	SEALCOAT
						2000	3.80	3.80	46	3.80	0.22	
						2001	3.90	3.80	46	3.85	0.28	
						2002	3.60	3.70	46	3.64	0.30	
5	I-15	001330	016.229	021.540	DES	1993	3.80	4.50	47	4.14		
						*1994	3.60	4.50	47	4.04	0.00	
						1995	3.40	4.50	43	3.94	0.01	
						1996	3.90	4.50	34	4.19	0.10	
						1997	3.80	4.50	39	4.14	0.10	
						1998	3.70	4.50	50	4.09	0.12	
						1999	3.80	4.50	44	4.14	0.15	SEALCOAT
						2000	3.80	4.50	44	4.14	0.17	
						2001	3.70	4.50	44	4.09	0.17	
						2002	3.40	3.70	44	3.54	0.21	
5	I-15	001330	021.540	024.936	ASC	1993	2.30	2.00	46	2.15		
						*1994	2.30	2.00	46	2.15	0.00	
						1995	3.50	5.00	29	4.24	0.00	PLANT MIX OVERLAY
						1996	3.90	5.00	44	4.44	0.07	
						1997	3.70	5.00	47	4.34	0.08	
						1998	3.70	5.00	55	4.34	0.05	
						1999	3.70	3.40	55	3.55	0.04	
						2000	3.70	3.00	55	3.35	0.05	
						2001	3.60	3.00	55	3.30	0.06	
						2002	3.50	3.00	55	3.25	0.08	
5	I-15	001330	021.540	024.936	DES	1993	2.40	1.80	46	2.10		
						*1994	2.30	1.80	46	2.05	0.01	
						1995	3.50	5.00	59	4.24	0.00	PLANT MIX OVERLAY
						1996	4.00	5.00	42	4.49	0.08	
						1997	3.80	5.00	46	4.39	0.09	
						1998	3.80	5.00	54	4.39	0.04	
						1999	3.80	4.50	53	4.14	0.04	
						2000	3.80	4.50	53	4.14	0.05	
						2001	3.80	4.20	53	3.99	0.05	
						2002	3.60	4.20	53	3.89	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
5	I-15	001330	024.936	030.870	ASC	1993	2.80	2.00	47	2.40									
						*1994	2.80	2.00	47	2.40	0.00	PLANT MIX OVERLAY	1995						
							1995	3.50	5.00	27	4.24	0.00							
							1996	4.10	5.00	42	4.54	0.07							
							1997	3.90	5.00	47	4.44	0.09							
							1998	3.90	5.00	55	4.44	0.05							
							1999	4.00	4.00	55	4.00	0.05							
							2000	3.90	4.00	55	3.94	0.05							
							2001	3.90	4.00	55	3.94	0.05							
							2002	3.70	4.00	55	3.84	0.06							
						5	I-15	001330	024.936	030.870	DES	1993	2.60	2.00	48	2.30			
												*1994	2.50	2.00	48	2.25	0.00	PLANT MIX OVERLAY	1995
	1995	3.50	5.00	42	4.24							0.00							
	1996	4.00	5.00	41	4.49							0.07							
	1997	3.80	5.00	43	4.39							0.09							
	1998	3.70	5.00	52	4.34							0.06							
	1999	3.80	5.00	53	4.39							0.05							
	2000	3.80	5.00	53	4.39							0.05							
	2001	3.80	5.00	53	4.39							0.05							
	2002	3.60	4.80	53	4.19							0.07							
5	I-15	001330	030.870	036.150	ASC							1993	3.80	3.50	50	3.65			
												*1994	3.70	3.50	50	3.60	0.00		
							1995	3.60	3.50	28	3.55	0.00							
							1996	3.70	3.50	22	3.60	0.04							
							1997	3.50	3.50	21	3.50	0.05							
							1998	3.40	3.50	29	3.44	0.02							
							1999	3.40	3.50	26	3.44	0.03							
							2000	3.30	3.50	26	3.39	0.02							
							2001	3.40	3.50	26	3.44	0.03							
							2002	3.10	3.50	26	3.29	0.02							
						5	I-15	001330	030.870	036.150	DES	1993	3.50	3.50	50	3.50			
												*1994	3.40	3.50	50	3.44	0.00		
	1995	3.40	3.50	25	3.44							0.00							
	1996	3.60	3.50	22	3.55							0.04							
	1997	3.40	3.50	23	3.44							0.05							
	1998	3.30	3.50	29	3.39							0.02							
	1999	3.30	3.50	28	3.39							0.03							
	2000	3.20	3.50	28	3.34							0.03							
	2001	3.30	3.50	28	3.39							0.03							
	2002	3.00	3.50	28	3.24							0.03							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5	I-15	001330	036.150	039.200	ASC	*1993	2.80	1.80	48	2.30		
						1994	3.00	5.00	44	3.99	0.00	HOT IN PLACE RECYCLE WITH OVERLAY 1994
						1995	3.00	4.00	53	3.49	0.00	
						1996	4.30	4.00	44	4.15	0.05	
						1997	4.10	2.60	44	3.35	0.09	
						1998	4.00	2.60	52	3.30	0.04	
						1999	4.00	2.50	57	3.25	0.05	
						2000	3.90	2.40	57	3.15	0.06	
						2001	3.80	2.40	57	3.10	0.06	
						2002	3.30	2.40	57	2.85	0.09	
5	I-15	001330	036.150	039.200	DES	*1993	2.80	2.00	50	2.40		
						1994	3.00	5.00	48	3.99	0.00	HOT IN PLACE RECYCLE WITH OVERLAY 1994
						1995	3.00	3.50	52	3.24	0.00	
						1996	4.40	3.50	45	3.95	0.05	
						1997	4.20	2.60	45	3.40	0.10	
						1998	4.10	2.60	53	3.35	0.03	
						1999	4.10	2.60	54	3.35	0.03	
						2000	4.10	2.60	54	3.35	0.04	
						2001	4.00	2.60	54	3.30	0.04	
						2002	3.60	2.40	54	3.00	0.06	
5	I-15	001330	039.200	046.670	ASC	*1993	3.90	4.00	54	3.94		
						1994	3.60	4.00	54	3.79	0.02	
						1995	3.60	4.00	39	3.79	0.02	
						1996	4.10	4.00	44	4.05	0.10	SEALCOAT
						*1997	3.90	3.90	47	3.90	0.11	
						1998	4.00	3.90	55	3.95	0.11	
						1999	4.00	3.90	53	3.95	0.11	
						2000	3.90	3.90	53	3.90	0.11	
						2001	4.00	3.90	53	3.95	0.12	
						2002	3.80	3.90	53	3.84	0.14	
5	I-15	001330	039.200	046.670	DES	*1993	3.70	4.00	54	3.84		
						1994	3.70	4.00	54	3.84	0.02	
						1995	3.70	4.00	38	3.84	0.02	
						1996	4.00	4.00	45	4.00	0.12	SEALCOAT
						*1997	3.90	4.00	47	3.94	0.12	
						1998	3.90	4.00	52	3.94	0.11	
						1999	3.90	4.00	51	3.94	0.11	
						2000	3.90	4.00	51	3.94	0.12	
						2001	3.90	4.00	51	3.94	0.11	
						2002	3.70	3.70	51	3.70	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
5	I-15	001330	046.670	054.800	ASC	1993	3.50	2.00	55	2.75									
						1994	3.60	4.00	54	3.79	0.02	LEVELING COURSE	1994						
						1995	3.60	4.00	39	3.79	0.02								
						1996	4.10	4.00	44	4.05	0.10	SEALCOAT	1996						
						*1997	3.90	3.90	47	3.90	0.11								
						1998	4.00	5.00	56	4.49	0.06	MILL INLAY AND OVERLAY	1998						
						1999	4.10	5.00	55	4.54	0.07								
						2000	4.10	5.00	55	4.54	0.09								
						2001	4.10	4.70	55	4.39	0.09								
						2002	3.70	4.70	55	4.19	0.10								
						5	I-15	001330	046.670	054.800	DES	1993	3.60	2.50	54	3.05			
												1994	3.70	4.00	54	3.84	0.02	LEVELING COURSE	1994
												1995	3.70	4.00	38	3.84	0.02		
1996	4.00	4.00	45	4.00	0.12							SEALCOAT	1996						
*1997	3.90	4.00	47	3.94	0.12														
1998	3.90	5.00	53	4.44	0.04							MILL INLAY AND OVERLAY	1998						
1999	4.00	5.00	52	4.49	0.07														
2000	4.00	5.00	52	4.49	0.10														
2001	4.00	5.00	52	4.49	0.09														
2002	3.60	5.00	52	4.28	0.11														
5	I-15	001330	054.800	057.400	ASC							1993	3.20	4.50	48	3.84			
												1994	3.20	4.50	48	3.84	0.00		
												1995	3.20	4.50	29	3.83	0.00		
						1996	3.90	4.50	22	4.19	0.06								
						*1997	3.60	4.50	23	4.04	0.06								
						1998	3.70	4.50	58	4.09	0.08	PLANT MIX OVERLAY	1998						
						1999	3.80	4.50	59	4.14	0.08								
						2000	3.80	4.50	59	4.14	0.10								
						2001	3.80	4.50	59	4.14	0.10								
						2002	3.50	4.50	59	3.99	0.10								
						5	I-15	001330	054.800	057.400	DES	1993	3.30	4.50	48	3.89			
												1994	3.30	4.50	48	3.89	0.03		
												1995	3.30	4.50	28	3.89	0.03		
1996	3.90	4.50	24	4.19	0.17														
*1997	3.80	4.50	24	4.14	0.18														
1998	3.70	4.50	47	4.09	0.08							PLANT MIX OVERLAY	1998						
1999	3.50	4.50	43	3.99	0.13														
2000	3.50	4.50	43	3.99	0.13														
2001	3.50	4.50	43	3.99	0.17														
2002	3.20	4.50	43	3.83	0.20														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	057.400	059.011	ASC	1993	3.20	4.50	48	3.84			
						1994	3.20	4.50	48	3.84	0.00		
						1995	3.20	4.50	29	3.83	0.00		
						1996	3.90	4.50	22	4.19	0.06		
						*1997	3.60	4.50	23	4.04	0.06		
						1998	3.70	4.50	59	4.09	0.07	MILL INLAY AND OVERLAY	1998
						1999	3.70	4.50	58	4.09	0.07	SEALCOAT	1999
						2000	3.80	4.50	58	4.14	0.08		
						2001	3.70	4.50	58	4.09	0.08		
						2002	3.60	4.50	58	4.04	0.10		
5	I-15	001330	057.400	059.011	DES	1993	3.30	4.50	48	3.89			
						1994	3.30	4.50	48	3.89	0.03		
						1995	3.30	4.50	28	3.89	0.03		
						1996	3.90	4.50	24	4.19	0.17		
						*1997	3.80	4.50	24	4.14	0.18		
						1998	3.80	4.50	55	4.14	0.11	MILL INLAY AND OVERLAY	1998
						1999	3.70	4.50	51	4.09	0.18	SEALCOAT	1999
						2000	3.80	4.50	51	4.14	0.21		
						2001	3.70	4.50	51	4.09	0.20		
						2002	3.60	4.50	51	4.04	0.24		
5	I-15	001330	059.011	063.200	ASC	1993	3.50	4.50	46	3.99			
						1994	3.40	4.50	46	3.94	0.00		
						1995	3.40	4.50	30	3.94	0.00		
						1996	4.00	4.50	24	4.24	0.07		
						1997	3.90	4.50	24	4.19	0.07		
						1998	4.00	4.50	57	4.24	0.10		
						1999	3.90	4.50	56	4.19	0.12	SEALCOAT	1999
						2000	4.00	4.50	56	4.24	0.12		
						2001	4.00	4.50	56	4.24	0.11		
						2002	3.80	4.40	56	4.09	0.13		
5	I-15	001330	059.011	063.200	DES	1993	3.40	4.50	47	3.94			
						1994	3.40	4.50	47	3.94	0.01		
						1995	3.40	4.50	23	3.94	0.01		
						1996	3.80	4.50	21	4.14	0.13		
						1997	3.70	4.50	23	4.09	0.12		
						1998	3.70	4.50	58	4.09	0.16		
						1999	3.70	4.50	53	4.09	0.18	SEALCOAT	1999
						2000	3.80	4.50	53	4.14	0.19		
						2001	3.80	4.50	53	4.14	0.19		
						2002	3.50	4.40	53	3.94	0.22		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5	I-15	001330	063.200	064.247	ASC	1993	3.60	4.50	32	4.04		
						1994	3.40	4.50	32	3.94	0.00	
						1995	3.40	4.50	50	3.94	0.00	
						1996	4.10	4.50	41	4.29	0.09	
						1997	4.00	4.50	36	4.24	0.12	
						1998	4.00	4.50	58	4.24	0.17	
						1999	3.90	4.50	58	4.19	0.17	SEALCOAT
						2000	4.00	4.50	58	4.24	0.17	
						2001	4.00	4.50	58	4.24	0.24	
						2002	3.70	4.50	58	4.09	0.24	
5	I-15	001330	063.200	064.247	DES	1993	3.50	4.50	34	3.99		
						1994	3.60	4.50	34	4.04	0.01	
						1995	3.60	4.50	38	4.04	0.01	
						1996	4.20	4.50	35	4.34	0.23	
						1997	4.10	4.50	36	4.29	0.24	
						1998	4.10	4.50	59	4.29	0.32	
						1999	4.00	4.50	54	4.24	0.34	SEALCOAT
						2000	4.00	4.50	54	4.24	0.31	
						2001	4.10	4.50	54	4.29	0.33	
						2002	3.80	4.50	54	4.14	0.34	
5	I-15	001330	064.247	066.378	ASC	1993	3.70	4.50	36	4.09		
						1994	3.60	4.50	36	4.04	0.00	
						1995	3.60	4.50	45	4.04	0.00	
						1996	4.20	4.50	39	4.34	0.10	
						1997	4.20	4.50	35	4.34	0.09	
						1998	4.10	4.50	59	4.29	0.14	
						1999	4.10	4.50	57	4.29	0.14	SEALCOAT
						2000	4.10	4.50	57	4.29	0.14	
						2001	4.10	4.50	57	4.29	0.14	
						2002	3.80	4.50	57	4.14	0.18	
5	I-15	001330	064.247	066.378	DES	1993	3.60	4.50	33	4.04		
						1994	3.80	4.50	33	4.14	0.00	
						1995	3.80	4.50	39	4.14	0.00	
						1996	4.20	4.50	34	4.34	0.17	
						1997	4.10	4.50	35	4.29	0.15	
						1998	4.00	4.50	58	4.24	0.20	
						1999	4.00	4.50	51	4.24	0.13	SEALCOAT
						2000	4.00	4.50	51	4.24	0.24	
						2001	4.00	4.50	51	4.24	0.23	
						2002	3.70	4.50	51	4.09	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	066.378	068.763	ASC	1993	3.10	2.30	39	2.70			
						1994	3.20	2.20	39	2.70	0.04		
						1995	3.20	2.20	21	2.70	0.04		
						1996	3.80	5.00	41	4.38	0.14	PLANT MIX OVERLAY	1996
						1997	3.60	5.00	31	4.28	0.14		
						1998	3.70	5.00	60	4.33	0.23		
						1999	3.60	4.50	57	4.04	0.22	SEALCOAT	1999
						2000	3.60	4.50	57	4.04	0.24		
						2001	3.60	4.50	57	4.04	0.25		
						2002	3.40	3.60	57	3.49	0.27		
5	I-15	001330	066.378	068.763	DES	1993	3.20	2.50	42	2.85			
						1994	3.20	2.30	42	2.75	0.06		
						1995	3.20	2.30	20	2.75	0.06		
						1996	3.90	5.00	31	4.44	0.16	PLANT MIX OVERLAY	1996
						1997	3.70	5.00	29	4.33	0.14		
						1998	3.70	5.00	59	4.33	0.20		
						1999	3.60	5.00	55	4.28	0.20	SEALCOAT	1999
						2000	3.70	3.30	55	3.50	0.19		
						2001	3.70	3.30	55	3.50	0.22		
						2002	3.50	3.30	55	3.40	0.19		
5	I-15	001330	068.763	069.378	ASC	1993	3.10	2.50	39	2.80			
						1994	2.90	2.50	39	2.70	0.05		
						1995	2.90	2.50	19	2.70	0.05		
						1996	3.90	5.00	29	4.43	0.17	PLANT MIX OVERLAY	1996
						1997	3.70	5.00	29	4.33	0.17		
						*1998	3.80	5.00	29	4.38	0.19		
						1999	3.50	5.00	57	4.23	0.20	SEALCOAT	1999
						2000	3.50	4.60	57	4.03	0.21		
						2001	3.60	4.50	57	4.04	0.24		
						2002	3.50	4.50	57	3.98	0.22		
5	I-15	001330	068.763	069.378	DES	1993	3.20	2.30	36	2.76			
						1994	3.20	2.30	36	2.76	0.08		
						1995	3.20	2.50	15	2.86	0.08		
						1996	3.90	5.00	30	4.43	0.14	PLANT MIX OVERLAY	1996
						1997	3.60	5.00	27	4.27	0.13		
						*1998	3.60	5.00	27	4.27	0.20		
						1999	3.70	4.00	54	3.84	0.21	SEALCOAT	1999
						2000	3.70	4.00	54	3.84	0.23		
						2001	3.60	3.00	54	3.30	0.22		
						2002	3.40	2.90	54	3.15	0.24		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
5	I-15	001330	069.378	071.019	ASC	1993	3.10	2.50	39	2.80								
							1994	3.10	2.50	39	2.80	0.05						
							1995	3.10	2.50	21	2.81	0.05						
							1996	3.70	2.50	28	3.11	0.14	PLANT MIX OVERLAY	1996				
							1997	3.70	5.00	38	4.33	0.13	MILL INLAY AND OVERLAY	1997				
							*1998	3.60	5.00	46	4.27	0.11						
							1999	3.40	5.00	40	4.17	0.15	MILL AND INLAY	1999				
							2000	3.60	3.40	40	3.50	0.24						
							2001	3.40	3.40	40	3.40	0.22						
							2002	3.40	3.40	40	3.40	0.24						
						5	I-15	001330	069.378	071.019	DES	1993	3.20	2.50	37	2.85		
													1994	3.00	2.50	37	2.75	0.15
	1995	3.00	2.50	15	2.75							0.15						
	1996	3.50	5.00	25	4.22							0.26	PLANT MIX OVERLAY	1996				
	1997	3.50	5.00	42	4.22							0.09	MILL INLAY AND OVERLAY	1997				
	*1998	3.30	5.00	51	4.12							0.10						
	1999	3.40	5.00	41	4.17							0.16	MILL AND INLAY	1999				
	2000	3.50	4.70	41	4.08							0.20						
	2001	3.50	4.10	41	3.79							0.19						
	2002	3.30	4.10	41	3.68							0.21						
5	I-15	001330	071.019	071.598	ASC							1993	3.10	2.50	39	2.80		
													1994	3.10	2.50	39	2.80	0.05
							1995	3.10	2.50	21	2.81	0.05						
							1996	3.70	2.50	28	3.11	0.14						
							1997	3.70	5.00	38	4.33	0.13	MILL INLAY AND OVERLAY	1997				
							*1998	3.60	5.00	46	4.27	0.11						
							1999	3.40	5.00	48	4.17	0.15						
							2000	3.60	5.00	48	4.27	0.12						
							2001	3.50	5.00	48	4.22	0.14						
							2002	3.20	5.00	41	4.07	0.16						
						5	I-15	001330	071.019	071.598	DES	1993	3.20	2.50	37	2.85		
													1994	3.00	2.50	37	2.75	0.15
	1995	3.00	2.50	15	2.75							0.15						
	1996	3.50	5.00	25	4.22							0.26						
	1997	3.50	5.00	42	4.22							0.09	MILL INLAY AND OVERLAY	1997				
	*1998	3.30	5.00	51	4.12							0.10						
	1999	3.30	5.00	51	4.12							0.14						
	2000	3.40	4.70	51	4.02							0.13						
	2001	3.40	4.70	51	4.02							0.20						
	2002	3.40	4.70	41	4.02							0.24						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	071.598	072.610	ASC	1993	3.90	4.50	45	4.19			
						1994	3.80	2.50	45	3.16	0.01		
						1995	3.80	2.50	26	3.16	0.01		
						1996	3.90	2.40	23	3.16	0.13		
						1997	3.70	5.00	44	4.33	0.14	MILL INLAY AND OVERLAY	1997
						1998	3.70	5.00	51	4.33	0.16		
						1999	3.70	5.00	53	4.33	0.18		
						2000	3.70	4.00	53	3.84	0.19		
						2001	3.70	4.00	53	3.84	0.22		
						2002	3.50	4.00	53	3.74	0.22	C.R.A.B.S.	2002
5	I-15	001330	071.598	072.610	DES	1993	3.10	4.50	49	3.78			
						1994	3.00	4.50	49	3.73	0.06		
						1995	3.00	2.50	27	2.75	0.06		
						1996	3.40	2.50	28	2.95	0.22		
						1997	3.60	5.00	40	4.28	0.10	MILL INLAY AND OVERLAY	1997
						1998	3.60	5.00	52	4.28	0.08		
						1999	3.50	5.00	52	4.23	0.08		
						2000	3.60	4.00	52	3.79	0.10		
						2001	3.60	3.40	52	3.50	0.10		
						2002	3.50	3.40	53	3.45	0.11	C.R.A.B.S.	2002
5	I-15	001330	072.610	075.182	ASC	1993	3.90	3.00	57	3.45			
						1994	3.80	2.80	57	3.30	0.10		
						1995	3.80	2.70	26	3.26	0.10		
						1996	3.70	2.40	26	3.06	0.14		
						1997	3.70	2.30	15	3.01	0.18		
						1998	3.70	2.20	27	2.96	0.17		
						1999	3.70	2.20	54	2.96	0.20		
						2000	3.60	2.20	54	2.91	0.26		
						2001	3.60	2.20	54	2.91	0.24		
						2002	3.00	5.00	54	3.97	0.04	C.R.A.B.S.	2002
5	I-15	001330	072.610	075.182	DES	1993	3.80	3.00	54	3.40			
						1994	3.70	2.90	54	3.30	0.12		
						1995	3.70	2.50	21	3.11	0.12		
						1996	3.80	2.40	24	3.11	0.28		
						1997	3.60	2.30	23	2.96	0.22		
						1998	3.60	2.20	28	2.91	0.37		
						1999	3.60	2.20	52	2.91	0.31		
						2000	3.60	2.20	52	2.91	0.42		
						2001	3.60	2.20	52	2.91	0.46		
						2002	3.30	5.00	52	4.12	0.04	C.R.A.B.S.	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5	I-15	001330	075.182	076.010	ASC	1993	3.80	4.50	58	4.14		
						1994	3.60	2.90	58	3.25	0.08	
						1995	3.60	2.90	30	3.25	0.08	
						1996	3.80	2.40	30	3.11	0.20	
						1997	3.70	2.30	24	3.01	0.20	
						*1998	3.60	2.30	34	2.96	0.25	
						1999	3.80	2.30	54	3.06	0.21	
						2000	3.80	2.30	54	3.06	0.26	
						2001	3.80	2.30	54	3.06	0.26	
						2002	2.90	5.00	54	3.92	0.08	C.R.A.B.S.
5	I-15	001330	075.182	076.010	DES	1993	3.70	3.80	54	3.74		2002
						1994	3.60	3.00	54	3.30	0.10	
						1995	3.60	2.80	22	3.20	0.10	
						1996	3.90	2.80	26	3.36	0.19	
						1997	3.70	2.40	24	3.06	0.20	
						*1998	3.60	2.30	33	2.96	0.23	
						1999	3.80	2.30	53	3.06	0.24	
						2000	3.80	2.30	53	3.06	0.31	
						2001	3.80	2.30	53	3.06	0.37	
						2002	3.40	5.00	53	4.18	0.07	C.R.A.B.S.
5	I-15	001330	076.010	081.900	ASC	1993	3.80	2.00	47	2.91		2002
						*1994	3.80	2.00	47	2.91	0.11	
						1995	3.80	2.00	20	2.91	0.11	
						1996	3.60	2.00	21	2.81	0.26	
						1997	4.00	5.00	34	4.49	0.13	
						*1998	4.00	5.00	43	4.48	0.11	
						1999	4.10	5.00	54	4.54	0.05	C.R.A.B.S.
						2000	3.80	5.00	54	4.38	0.11	
						2001	3.80	5.00	54	4.38	0.12	
						2002	3.40	5.00	54	4.18	0.14	
5	I-15	001330	076.010	081.900	DES	1993	3.80	2.00	49	2.91		1999
						*1994	3.90	2.00	49	2.96	0.11	
						1995	3.90	2.00	19	2.96	0.11	
						1996	3.80	2.00	24	2.91	0.35	
						1997	4.10	5.00	34	4.54	0.09	
						*1998	4.10	5.00	42	4.54	0.12	
						1999	4.00	5.00	50	4.48	0.02	C.R.A.B.S.
						2000	3.70	5.00	50	4.33	0.09	
						2001	3.70	5.00	50	4.33	0.11	
						2002	3.30	5.00	50	4.12	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
5	I-15	001330	081.900	085.600	ASC	1993	3.80	2.00	47	2.91		
						*1994	3.80	2.00	47	2.91	0.11	
						1995	3.80	2.00	20	2.91	0.11	
						1996	3.60	2.00	21	2.81	0.26	
						1997	4.00	5.00	34	4.49	0.13	
						*1998	4.00	5.00	43	4.48	0.11	
						1999	4.40	4.50	41	4.44	0.06	
						2000	4.40	4.00	41	4.20	0.06	
						2001	4.30	2.90	41	3.61	0.08	
						2002	4.00	2.80	41	3.41	0.11	
5	I-15	001330	081.900	085.600	DES	1993	3.80	2.00	49	2.91		
						*1994	3.90	2.00	49	2.96	0.11	
						1995	3.90	2.00	19	2.96	0.11	
						1996	3.80	2.00	24	2.91	0.35	
						1997	4.10	5.00	34	4.54	0.09	
						*1998	4.10	5.00	42	4.54	0.12	
						1999	4.30	5.00	41	4.64	0.07	
						2000	4.30	4.00	41	4.15	0.09	
						2001	4.30	2.40	41	3.37	0.10	
						2002	3.90	2.40	41	3.16	0.13	
5	I-15	001330	085.600	089.200	ASC	1993	3.80	2.00	47	2.91		
						*1994	3.80	2.00	47	2.91	0.11	
						1995	3.50	5.00	23	4.23	0.00	PLANT MIX OVERLAY
						1996	3.90	5.00	47	4.44	0.08	
						1997	3.80	5.00	43	4.38	0.10	
						1998	3.70	5.00	52	4.33	0.13	
						1999	3.80	5.00	46	4.38	0.20	
						2000	3.80	4.80	46	4.28	0.16	
						2001	3.80	4.80	46	4.28	0.24	
						2002	3.50	4.80	46	4.13	0.29	
5	I-15	001330	085.600	089.200	DES	1993	3.80	2.00	49	2.91		
						*1994	3.90	2.00	49	2.96	0.11	
						1995	3.50	5.00	35	4.23	0.00	PLANT MIX OVERLAY
						1996	4.00	5.00	46	4.49	0.09	
						1997	4.00	5.00	41	4.49	0.08	
						1998	3.90	5.00	47	4.43	0.10	
						1999	3.90	4.50	49	4.19	0.13	
						2000	3.90	3.10	49	3.50	0.15	
						2001	3.90	3.10	49	3.50	0.16	
						2002	3.60	3.10	49	3.35	0.20	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
5	I-15	001330	089.200	090.395	ASC	1993	3.50	2.00	49	2.76		
						*1994	3.40	2.00	49	2.71	0.10	
						1995	3.50	2.50	25	3.00	0.07	
						1996	3.80	2.50	24	3.16	0.28	
						1997	3.70	2.50	20	3.11	0.26	
						1998	3.10	5.00	55	4.03	0.12	MILL INLAY AND OVERLAY
						1999	4.00	5.00	49	4.49	0.05	
						2000	4.00	5.00	49	4.48	0.06	
						2001	3.90	5.00	49	4.43	0.08	
						2002	3.70	5.00	49	4.33	0.11	
5	I-15	001330	089.200	090.395	DES	1993	3.60	2.00	46	2.81		
						*1994	3.50	2.00	46	2.76	0.10	
						1995	3.90	2.00	20	2.96	0.09	
						1996	4.00	2.00	24	3.01	0.31	
						1997	3.80	2.00	19	2.91	0.28	
						1998	3.70	5.00	50	4.33	0.09	MILL INLAY AND OVERLAY
						1999	3.90	5.00	52	4.43	0.03	
						2000	4.00	5.00	52	4.48	0.05	
						2001	3.90	5.00	52	4.43	0.06	
						2002	3.70	5.00	52	4.33	0.08	
5	I-15	001330	090.395	092.500	ASC	1993	3.30	2.50	49	2.90		
						1994	3.20	2.50	49	2.85	0.08	
						1995	3.20	2.50	27	2.85	0.08	
						1996	3.30	2.50	27	2.90	0.27	
						1997	3.30	2.50	23	2.90	0.28	
						1998	3.50	5.00	52	4.23	0.08	MILL INLAY AND OVERLAY
						1999	3.60	5.00	46	4.28	0.05	
						2000	3.60	5.00	46	4.28	0.06	
						2001	3.60	5.00	46	4.28	0.07	
						2002	3.40	5.00	46	4.18	0.09	
5	I-15	001330	090.395	092.500	DES	1993	3.90	3.00	47	3.45		
						1994	3.90	3.00	47	3.45	0.09	
						1995	3.90	3.00	19	3.45	0.09	
						1996	4.00	3.00	20	3.50	0.25	
						1997	4.00	3.00	18	3.50	0.20	
						1998	3.80	5.00	51	4.38	0.10	MILL INLAY AND OVERLAY
						1999	4.00	5.00	49	4.49	0.05	
						2000	4.10	5.00	49	4.54	0.06	
						2001	4.10	5.00	49	4.54	0.07	
						2002	3.90	5.00	49	4.43	0.11	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
5	I-15	001330	092.500	095.984	ASC	1993	3.40	3.00	59	3.20		
						1994	3.20	3.00	59	3.10	0.22	
						1995	3.20	3.00	39	3.10	0.22	
						1996	4.10	5.00	36	4.54	0.05	MILL INLAY AND OVERLAY 1996
						1997	4.00	5.00	28	4.49	0.05	
						1998	4.00	5.00	48	4.49	0.07	NEW CONST OR RECONST (FLEX) 1998
						1999	4.10	5.00	52	4.54	0.09	
						2000	4.10	4.80	52	4.44	0.10	
						2001	4.00	4.80	52	4.39	0.20	
						2002	3.50	4.80	52	4.13	0.13	
5	I-15	001330	092.500	095.984	DES	1993	3.30	3.50	54	3.39		
						1994	3.30	3.50	54	3.39	0.13	
						1995	3.30	3.50	36	3.39	0.13	
						1996	3.70	5.00	31	4.33	0.07	MILL INLAY AND OVERLAY 1996
						1997	4.10	5.00	35	4.54	0.03	
						1998	3.90	5.00	52	4.43	0.05	NEW CONST OR RECONST (FLEX) 1998
						1999	4.00	5.00	51	4.49	0.07	
						2000	4.00	5.00	51	4.48	0.10	
						2001	3.80	4.40	51	4.09	0.13	
						2002	3.50	4.40	51	3.94	0.21	
5	I-15	001330	095.984	097.115	ASC	1993	3.30	3.00	59	3.15		
						1994	3.30	3.00	59	3.15	0.20	
						*1995	3.30	3.00	40	3.15	0.20	
						1996	4.40	5.00	37	4.69	0.04	MILL INLAY AND OVERLAY 1996
						*1997	4.20	5.00	33	4.59	0.04	
						1998	3.80	5.00	56	4.38	0.08	NEW CONST OR RECONST (FLEX) 1998
						1999	3.90	5.00	54	4.43	0.10	
						2000	3.90	5.00	54	4.43	0.12	
						2001	4.00	5.00	54	4.48	0.13	
						2002	3.80	5.00	54	4.38	0.15	
5	I-15	001330	095.984	097.115	DES	1993	3.30	3.50	59	3.39		
						1994	3.30	3.50	59	3.39	0.26	
						*1995	3.30	3.50	39	3.39	0.26	
						1996	4.40	5.00	39	4.69	0.06	MILL INLAY AND OVERLAY 1996
						*1997	4.30	4.70	37	4.49	0.03	
						1998	4.00	4.70	58	4.34	0.05	NEW CONST OR RECONST (FLEX) 1998
						1999	4.10	4.70	56	4.39	0.07	
						2000	4.20	4.70	56	4.44	0.09	
						2001	4.20	4.70	56	4.44	0.10	
						2002	3.80	4.70	56	4.24	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	I-15	001330	097.115	100.500	ASC	1993	3.30	4.00	56	3.64			
						1994	3.20	3.50	56	3.34	0.15		
						*1995	3.20	3.30	40	3.24	0.15		
						1996	4.40	5.00	37	4.69	0.04	MILL INLAY AND OVERLAY	1996
						*1997	4.20	5.00	33	4.59	0.04		
						1998	4.20	5.00	52	4.59	0.08		
						1999	4.30	5.00	50	4.64	0.10		
						2000	4.20	5.00	50	4.59	0.11		
						2001	4.20	5.00	50	4.59	0.13		
						2002	3.90	5.00	50	4.43	0.16		
5	I-15	001330	097.115	100.500	DES	1993	3.30	4.00	56	3.64			
						1994	3.40	3.50	56	3.44	0.14		
						*1995	3.40	3.30	40	3.35	0.14		
						1996	4.40	5.00	39	4.69	0.06	MILL INLAY AND OVERLAY	1996
						*1997	4.30	4.70	37	4.49	0.03		
						1998	4.20	4.70	54	4.44	0.07		
						1999	4.30	4.70	53	4.49	0.10		
						2000	4.30	4.70	53	4.49	0.12		
						2001	4.20	4.70	53	4.44	0.13		
						2002	3.90	4.70	53	4.29	0.17		
5	I-15	001330	100.500	106.500	ASC	1993	3.30	4.00	56	3.64			
						1994	3.20	3.50	56	3.34	0.15		
						*1995	3.20	3.30	40	3.24	0.15		
						1996	3.60	2.50	39	3.05	0.27		
						1997	4.40	5.00	33	4.69	0.02	MILL INLAY AND OVERLAY	1997
						1998	4.30	5.00	58	4.64	0.06		
						1999	4.30	5.00	56	4.64	0.07		
						2000	4.20	4.50	56	4.34	0.09		
						2001	4.30	4.50	56	4.39	0.09		
						2002	4.00	4.50	56	4.24	0.12		
5	I-15	001330	100.500	106.500	DES	1993	3.30	4.00	56	3.64			
						1994	3.40	3.50	56	3.44	0.14		
						*1995	3.40	3.30	40	3.35	0.14		
						1996	3.60	3.30	39	3.45	0.30		
						1997	4.30	5.00	32	4.64	0.04	MILL INLAY AND OVERLAY	1997
						1998	4.20	5.00	57	4.59	0.08		
						1999	4.20	5.00	58	4.59	0.11		
						2000	4.20	4.00	58	4.10	0.13		
						2001	4.20	3.40	58	3.80	0.13		
						2002	3.90	3.40	58	3.65	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
5	I-15	001330	106.500	111.859	ASC	1993	3.30	4.00	56	3.64		
						1994	3.20	3.50	56	3.34	0.15	
						*1995	3.20	3.30	40	3.24	0.15	
						1996	3.60	5.00	44	4.28	0.12	MILL INLAY AND OVERLAY
						1997	4.30	5.00	37	4.64	0.03	
						1998	4.20	5.00	53	4.59	0.08	
						1999	4.20	4.60	50	4.39	0.11	
						2000	4.10	4.60	50	4.34	0.11	
						2001	4.20	4.50	59	4.34	0.15	
						2002	3.80	3.70	59	3.75	0.16	
5	I-15	001330	106.500	111.859	DES	1993	3.30	4.00	56	3.64		
						1994	3.40	3.50	56	3.44	0.14	
						*1995	3.40	3.30	40	3.35	0.14	
						1996	3.60	5.00	40	4.28	0.11	MILL INLAY AND OVERLAY
						1997	4.30	5.00	39	4.64	0.04	
						1998	4.20	5.00	52	4.59	0.06	
						1999	4.20	4.70	49	4.44	0.09	
						2000	4.20	4.50	49	4.34	0.12	
						2001	4.20	4.40	49	4.29	0.13	
						2002	3.80	4.00	49	3.89	0.16	
5	I-15	001340	000.000	002.015	N	1993	2.80	2.00	54	2.33		
						1994	2.80	2.00	54	2.33	0.19	
						1995	2.80	3.00	54	2.91	0.19	
						1996	2.80	2.70	40	2.74	0.12	
						1997	2.70	2.70	50	2.70	0.13	
						1998	4.00	5.00	50	4.58	0.19	PLANT MIX OVERLAY
						1999	2.60	5.00	55	4.00	0.18	
						2000	2.70	3.80	55	3.34	0.18	
						2001	2.70	3.80	55	3.34	0.18	
						2002	2.60	3.50	55	3.12	0.20	
5	I-15	001340	002.015	003.197	N	1993	3.00	1.50	54	2.03		
						1994	3.00	1.50	54	2.06	0.31	
						1995	3.00	3.00	54	3.00	0.31	
						1996	3.00	3.00	51	3.00	0.20	
						1997	3.00	3.00	46	3.00	0.20	
						1998	4.00	5.00	46	4.62	0.21	PLANT MIX OVERLAY
						1999	3.10	5.00	55	4.28	0.20	
						2000	3.10	3.50	55	3.34	0.22	
						2001	3.10	3.20	55	3.16	0.22	
						2002	2.80	3.00	55	2.92	0.22	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5	I-15	001340	003.197	003.608	N	1993	3.50	4.00	63	3.80		
						1994	3.30	4.00	63	3.73	0.08	
						1995	3.30	4.00	63	3.73	0.08	
						1996	3.50	4.00	48	3.81	0.10	
						1997	3.40	4.00	47	3.77	0.10	
						1998	3.50	4.00	47	3.81	0.10	SEALCOAT
						1999	3.40	4.00	58	3.77	0.08	
						2000	3.40	4.00	58	3.77	0.10	
						2001	3.60	4.00	58	3.84	0.10	
						2002	3.30	4.00	58	3.73	0.10	
5	I-15	001340	003.818	004.270	N	1995	2.80	2.40	45	2.59	0.23	
						1996	2.20	2.40	37	2.30	0.15	
						1997	1.90	5.00	39	3.51	0.17	
						*1998	2.00	3.00	39	2.52	0.14	
						1999	3.30	5.00	46	4.18	0.09	MILL INLAY AND OVERLAY
						2000	3.50	5.00	46	4.27	0.12	
						2001	3.70	5.00	46	4.37	0.14	
						2002	3.40	5.00	46	4.22	0.20	
5	I-15	001340	004.270	004.546	N	1995	2.80	2.40	45	2.59	0.23	
						1996	2.20	2.40	37	2.30	0.15	
						1997	1.90	5.00	39	3.51	0.17	
						*1998	2.00	3.00	39	2.52	0.14	
						1999	1.60	3.00	48	2.33	0.10	
						2000	1.70	3.00	48	2.37	0.10	
						2001	1.70	3.00	48	2.37	0.13	
						2002	2.10	3.00	48	2.56	0.12	
5	I-15	001350	000.000	000.550	N	1993	2.10	2.00	35	2.03		
						1994	2.40	2.00	35	2.15	0.31	
						1995	2.40	2.00	35	2.15	0.31	
						1996	2.80	2.00	50	2.30	0.15	
						1997	2.60	2.00	39	2.22	0.15	
						1998	3.60	5.00	39	4.46	0.10	PLANT MIX OVERLAY
						1999	3.20	5.00	51	4.31	0.10	
						2000	3.60	4.70	51	4.28	0.11	
						2001	3.40	4.70	51	4.20	0.12	
						2002	3.10	4.20	51	3.78	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	I-15	001350	000.550	001.000	N	1993	2.60	2.00	24	2.22			
						1994	2.60	2.00	24	2.22	0.27		
						1995	2.60	2.00	24	2.22	0.27		
						1996	2.70	2.00	50	2.26	0.13		
						1997	2.70	2.00	42	2.26	0.14		
						1998	4.00	5.00	42	4.62	0.10	PLANT MIX OVERLAY	1998
						1999	3.30	5.00	42	4.35	0.10		
						2000	3.50	5.00	42	4.43	0.11		
						2001	3.30	5.00	51	4.35	0.11		
						2002	3.20	4.40	51	3.94	0.12		
5	I-15	001360	000.000	000.695	ASC	1993	1.60	3.00	33	2.36			
						1994	1.90	3.00	33	2.50	0.35		
						1995	1.90	3.00	27	2.50	0.35		
						1996	2.50	2.50	27	2.50	0.14		
						1997	2.20	2.50	28	2.36	0.20		
						1998	1.90	2.20	28	2.06	0.22		
						1999	2.20	2.20	26	2.20	0.24	PLANT MIX SEAL	1999
						2000	2.90	5.00	26	4.04	0.04		
						2001	2.70	5.00	26	3.95	0.05		
						2002	3.50	4.60	26	4.10	0.08	MILL AND INLAY	2002
5	I-15	001360	000.000	000.695	DES	1993	1.60	3.00	33	2.36			
						1994	1.90	3.00	33	2.50	0.35		
						1995	1.90	3.00	27	2.50	0.35		
						1996	3.20	2.50	27	2.81	0.15		
						1997	2.80	2.50	28	2.63	0.11		
						1998	2.70	2.50	28	2.59	0.21		
						1999	2.70	2.50	26	2.59	0.19	PLANT MIX SEAL	1999
						2000	3.70	5.00	26	4.41	0.07		
						2001	3.70	5.00	26	4.41	0.08		
						2002	3.50	5.00	26	4.32	0.12	MILL AND INLAY	2002
5	I-15	001360	000.695	001.000	N	1993	2.40	2.50	31	2.45			
						1994	2.50	2.40	31	2.44	0.14		
						1995	3.50	2.40	40	2.86	0.00	RUT FILLING	1995
						1996	2.90	2.40	39	2.61	0.14		
						1997	2.70	2.10	22	2.35	0.12		
						1998	2.50	2.00	22	2.21	0.14		
						*1999	2.50	2.00	19	2.21	0.17	PLANT MIX SEAL	1999
						2000	2.90	5.00	31	4.04	0.06		
						*2001	2.80	2.70	26	2.74	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-15	001360	000.695	001.870	N	2002	3.30	5.00	19	4.26	0.14	MILL AND INLAY	2002
5	I-15	001360	001.000	001.870	N	1993	2.40	2.50	31	2.45			
						1994	2.50	2.40	31	2.44	0.14		
						1995	3.50	2.40	40	2.86	0.00	RUT FILLING	1995
						1996	2.90	2.40	39	2.61	0.14		
						1997	2.70	2.10	22	2.35	0.12		
						1998	2.50	2.00	22	2.21	0.14		
						*1999	2.50	2.00	19	2.21	0.17	PLANT MIX SEAL	1999
						2000	2.70	2.00	19	2.30	0.14		
						*2001	2.60	2.00	19	2.25	0.16		
5	I-15	001360	001.870	002.340	N	1993	1.40	2.50	30	2.02			
						1994	1.20	2.50	30	1.94	0.14		
						1995	3.50	2.50	41	2.93	0.00	RUT FILLING	1995
						1996	2.50	2.50	40	2.50	0.15		
						1997	2.00	2.50	22	2.28	0.15		
						1998	1.80	2.50	22	2.19	0.20		
						1999	1.80	2.50	37	2.19	0.27		
						2000	1.50	2.40	37	2.00	0.26		
						2001	1.50	2.40	37	2.00	0.28		
						2002	2.80	2.40	37	2.57	0.22		
5	I-15	001360	002.340	002.690	N	1993	0.90	2.00	30	1.52			
						1994	0.30	1.90	30	1.20	0.55		
						1995	3.50	1.90	38	2.59	0.00	RUT FILLING	1995
						1996	2.30	1.90	37	2.07	0.37		
						1997	1.80	1.90	28	1.85	0.38		
						1998	1.50	1.80	28	1.66	0.35		
						1999	1.50	1.80	29	1.66	0.42		
						2000	1.50	1.80	29	1.66	0.45		
						2001	1.70	1.80	29	1.75	0.46		
						2002	1.30	1.80	29	1.58	0.42		
5	I-15	001360	002.690	003.234	N	1993	1.80	2.00	27	1.91			
						1994	1.60	2.00	27	1.82	0.22		
						1995	3.50	2.00	40	2.66	0.00	RUT FILLING	1995
						1996	2.70	2.00	39	2.30	0.28		
						1997	2.40	2.00	25	2.17	0.26		
						1998	2.20	2.00	25	2.08	0.30		
						1999	2.00	2.00	31	2.00	0.34		
						2000	2.10	1.90	31	1.98	0.36		
						2001	2.10	1.90	31	1.98	0.31		
						2002	2.00	1.90	31	1.94	0.38		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	I-15	001360	003.234	004.240	N	1994	2.10	1.90	28	1.99	0.62	
						1995	3.50	1.90	48	2.63	0.00	RUT FILLING
						1996	2.70	1.90	47	2.26	0.21	
						1997	2.40	1.90	25	2.12	0.24	
						1998	2.30	1.90	25	2.08	0.28	
						1999	2.60	1.90	34	2.22	0.28	
						2000	2.50	1.90	34	2.17	0.30	
						2001	2.60	1.90	34	2.21	0.35	
						2002	2.60	1.90	34	2.21	0.30	
5	I-15	001360	004.240	004.477	ASC	1993	1.30	3.00	37	2.26		
						1994	0.50	3.00	37	1.91	0.19	
						1995	0.50	3.00	30	1.91	0.19	
						1996	1.30	3.00	30	2.26	0.07	
						1997	1.20	3.00	25	2.21	0.05	
						1998	1.10	3.00	25	2.17	0.09	
						1999	1.20	3.00	25	2.21	0.10	
						2000	1.20	3.00	25	2.21	0.08	
						2001	1.80	3.30	34	2.64	0.09	
						2002	1.80	3.30	34	2.64	0.08	
5	I-15	001360	004.240	004.477	DES	1993	1.30	3.00	37	2.26		
						1994	0.50	3.00	37	1.91	0.19	
						1995	0.50	3.00	30	1.91	0.19	
						1996	1.20	3.00	30	2.22	0.08	
						1997	1.10	2.50	25	1.89	0.06	
						1998	1.00	2.50	25	1.84	0.11	
						1999	0.80	2.50	25	1.76	0.08	
						2000	1.00	2.50	25	1.84	0.12	
						2001	1.90	2.50	34	2.23	0.07	
						2002	2.60	2.50	34	2.54	0.05	
5	I-15	001360	004.477	004.983	N	1994	3.00	5.00	27	4.11	0.35	PLANT MIX SEAL
						1995	3.00	3.00	47	3.00	0.35	
						1996	2.00	3.00	46	2.56	0.08	
						1997	1.80	3.00	43	2.47	0.08	
						1998	1.70	3.00	43	2.42	0.10	
						1999	1.70	3.00	43	2.42	0.12	
						2000	1.80	2.40	43	2.13	0.14	
						*2001	2.00	2.40	34	2.22	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
5	I-15	001360	004.477	005.331	N	2002	3.80	5.00	34	4.45	0.06	MILL AND INLAY	2002
5	I-15	001360	004.983	005.331	N	1993	1.60	1.90	29	1.76			1994
						1994	3.00	5.00	29	4.10	0.45	PLANT MIX SEAL	
						1995	3.00	3.00	37	3.00	0.45		
						1996	3.50	3.00	37	3.22	0.06		
						1997	2.90	2.90	41	2.90	0.07		
						1998	2.90	2.90	41	2.90	0.09		
						*1999	2.60	2.90	41	2.76	0.12		
						2000	2.50	2.20	42	2.33	0.12		
						*2001	2.70	2.20	34	2.42	0.11		
5	I-15	001360	005.331	005.570	ASC	2000	3.20	5.00	41	4.22	0.08		
						2001	3.40	5.00	34	4.30	0.09		
						2002	3.10	5.00	34	4.17	0.07	MILL AND INLAY	2002
5	I-15	001360	005.331	005.570	DES	2000	2.40	5.00	41	3.87	0.04		
						2001	2.60	5.00	34	3.96	0.06		
						2002	2.90	5.00	34	4.09	0.06	MILL AND INLAY	2002
5	I-15	001361	000.695	001.184	N	1993	2.50	2.50	27	2.50			
						1994	2.40	2.00	27	2.18	0.13		
						1995	3.50	2.00	20	2.68	0.00	RUT FILLING	1995
						1996	2.90	2.00	20	2.40	0.14		
						1997	2.70	2.00	21	2.31	0.11		
						1998	2.60	2.00	21	2.27	0.19		
						1999	2.50	2.00	24	2.22	0.16		
						2000	3.20	2.00	24	2.54	0.09		
						2001	2.80	2.00	24	2.36	0.09		
						2002	2.80	2.00	24	2.36	0.12		
5	I-15	001361	001.184	002.349	N	1993	1.70	2.30	29	2.04			
						1994	1.80	2.30	29	2.08	0.29		
						1995	3.50	2.30	44	2.81	0.00	RUT FILLING	1995
						1996	2.30	2.30	44	2.30	0.17		
						1997	1.90	2.20	22	2.07	0.18		
						1998	1.90	2.20	22	2.07	0.30		
						1999	1.80	2.20	31	2.02	0.30		
						2000	1.90	2.20	31	2.06	0.24		
						2001	1.80	2.20	31	2.02	0.29		
						2002	1.80	2.00	31	1.91	0.25		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5	I-15	001361	002.349	002.691	N	1993	2.10	2.50	14	2.32		
						1994	2.00	2.10	14	2.05	0.33	
						1995	3.50	2.10	52	2.70	0.00	RUT FILLING
						1996	2.60	2.10	52	2.31	0.13	
						1997	2.40	2.10	28	2.23	0.11	
						1998	2.20	2.10	28	2.14	0.22	
						1999	2.10	2.10	29	2.10	0.33	
						2000	2.30	2.10	29	2.18	0.20	
						2001	1.90	2.10	29	2.01	0.32	
						2002	1.70	2.10	29	1.92	0.18	
5	I-15	001361	002.691	003.260	N	1993	1.60	2.50	29	2.10		
						1994	1.60	2.00	29	1.82	0.43	
						1995	3.50	2.00	46	2.65	0.00	RUT FILLING
						1996	2.60	2.00	45	2.26	0.20	
						1997	2.40	2.00	28	2.17	0.19	
						1998	2.30	2.00	28	2.13	0.30	
						1999	2.30	2.00	37	2.13	0.32	
						2000	2.30	2.00	37	2.13	0.32	
						2001	2.20	2.00	37	2.08	0.36	
						2002	2.20	2.00	37	2.08	0.20	
5	I-15	001370	000.000	002.400	N	1993	2.90	3.00	51	2.95		
						1994	2.60	3.00	51	2.83	0.40	
						1995	2.60	3.00	44	2.83	0.40	
						1996	3.40	3.00	43	3.16	0.27	
						1997	3.30	3.00	39	3.12	0.26	
						1998	3.30	3.00	39	3.12	0.31	
						1999	3.30	3.00	45	3.12	0.32	SEALCOAT
						2000	3.30	3.00	45	3.12	0.32	
						2001	3.30	3.00	45	3.12	0.33	
						2002	3.10	3.00	45	3.04	0.34	
5	I-15	001370	002.400	002.807	N	1993	2.80	2.50	59	2.62		
						1994	3.00	2.50	59	2.71	0.26	
						1995	3.00	2.50	39	2.71	0.26	
						1996	3.10	2.50	39	2.75	0.18	
						1997	2.70	5.00	43	4.03	0.08	MILL AND INLAY
						1998	2.70	5.00	43	4.03	0.10	
						1999	2.90	5.00	37	4.11	0.10	
						2000	2.60	5.00	37	3.98	0.12	
						2001	2.80	5.00	37	4.06	0.09	
						2002	3.00	4.80	37	4.03	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS								
5	I-15	001370	002.807	003.331	N	1993	3.50	2.50	55	2.88											
						1994	3.40	2.50	55	2.85	0.46										
						1995	3.40	2.40	45	2.78	0.46										
						1996	3.40	2.40	45	2.78	0.22										
						1997	4.00	5.00	46	4.61	0.03	MILL AND INLAY					1997				
						1998	3.90	5.00	46	4.57	0.04										
						1999	3.80	5.00	37	4.53	0.05										
						2000	3.90	5.00	37	4.57	0.07										
						2001	3.90	5.00	37	4.57	0.07										
						2002	3.90	5.00	37	4.57	0.07										
						5	I-15	001370	003.331	003.659	N	1994	2.60	2.50	55	2.53	0.23				
												1995	2.60	2.40	46	2.47	0.23				
1996	2.30	2.40	46	2.36	0.12																
1997	2.50	5.00	49	4.02	0.06							MILL AND INLAY					1997				
1998	2.60	5.00	49	4.06	0.06																
1999	2.50	5.00	35	4.02	0.07																
2000	2.50	4.80	35	3.90	0.08																
2001	2.50	4.80	35	3.90	0.07																
2002	2.60	4.50	35	3.75	0.07																
5	I-15	001370	003.659	003.983	N							1993	0.80	4.00	45	2.63					
												1994	1.60	4.00	45	2.97	0.21				
												1995	1.60	4.00	43	2.98	0.21				
						1996	2.50	4.00	43	3.36	0.10										
						1997	2.50	3.00	41	2.78	0.07	MILL AND INLAY					1997				
						1998	2.70	2.70	41	2.70	0.13										
						1999	2.40	2.70	41	2.57	0.12										
						2000	3.60	5.00	41	4.40	0.13	MILL AND INLAY					2000				
						2001	2.90	4.00	35	3.53	0.14										
						2002	2.70	4.00	35	3.44	0.14										
						5	I-15	001370	003.983	004.244	N	1993	2.30	4.00	46	3.27					
												1994	2.40	4.00	46	3.31	0.17				
1995	2.40	3.50	44	3.03	0.17																
1996	3.10	3.00	43	3.04	0.05																
1997	2.90	3.00	40	2.95	0.04																
1998	3.00	2.70	40	2.82	0.10																
1999	3.00	2.70	46	2.82	0.10																
2000	2.80	5.00	46	4.06	0.09							MILL AND INLAY					2000				
2001	3.40	5.00	46	4.31	0.22																
2002	3.20	3.70	46	3.48	0.21																

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
5	I-15	001370	004.244	004.454	N	1994	2.20	4.00	41	3.21	0.41	
						1995	2.20	4.00	39	3.21	0.41	
						1996	2.90	4.00	39	3.52	0.13	
						1997	2.50	3.00	38	2.78	0.15	
						1998	2.10	3.00	38	2.60	0.15	
						1999	2.30	3.00	38	2.69	0.18	
						2000	3.20	5.00	38	4.21	0.18	MILL AND INLAY
						2001	3.10	4.60	46	3.94	0.12	
						2002	2.90	4.60	46	3.85	0.15	
5	I-15	001370	004.454	004.802	ASC	1993	2.00	4.00	40	3.15		
						1994	2.20	4.00	40	3.23	0.13	
						1995	2.20	4.00	33	3.23	0.13	
						1996	3.60	4.00	33	3.82	0.07	
						1997	3.10	2.50	38	2.75	0.06	
						1998	3.00	2.50	38	2.71	0.07	
						1999	3.00	2.50	38	2.71	0.08	
						2000	3.10	5.00	38	4.18	0.08	MILL AND INLAY
						2001	3.20	5.00	46	4.22	0.08	
						2002	3.20	5.00	46	4.23	0.11	
											2000	
5	I-15	001370	004.454	004.802	DES	1993	2.00	4.00	40	3.15		
						1994	2.20	4.00	40	3.23	0.13	
						1995	2.20	4.00	33	3.23	0.13	
						1996	3.60	4.00	33	3.82	0.07	
						1997	3.20	4.00	38	3.65	0.05	
						1998	3.50	3.20	38	3.32	0.08	
						1999	3.30	3.00	38	3.12	0.08	
						2000	3.40	5.00	38	4.31	0.08	MILL AND INLAY
						2001	3.60	5.00	46	4.39	0.09	
						2002	3.40	5.00	46	4.31	0.15	
											2000	
5	I-15	001371	003.705	004.193	N	1993	3.30	4.50	57	3.98		
						1994	3.20	3.20	57	3.20	0.07	
						1995	3.20	3.10	45	3.14	0.07	
						1996	3.60	3.00	44	3.25	0.05	
						1997	3.50	2.30	41	2.81	0.06	
						1998	3.50	2.30	41	2.81	0.05	
						*1999	3.30	2.30	41	2.72	0.05	
						2000	3.60	5.00	41	4.40	0.08	MILL AND INLAY
						2001	3.30	5.00	46	4.27	0.21	
						2002	3.30	4.00	46	3.70	0.26	
											2000	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
5	I-15	001371	004.193	004.244	N	1993	2.20	4.50	51	3.51								
						1994	2.00	4.00	51	3.14	0.05							
						1995	2.00	4.00	39	3.14	0.05							
						1996	3.10	4.00	39	3.61	0.12							
						1997	2.80	3.00	39	2.91	0.08							
						1998	2.90	2.70	39	2.78	0.09							
						*1999	2.50	2.70	39	2.61	0.11							
						2000	3.60	2.30	37	2.85	0.08							
						2001	3.30	5.00	46	4.27	0.21							
						2002	3.30	5.00	46	4.27	0.26							
						5	U.S.-26	002240	272.000	276.525	N	1993	3.60	4.50	55	4.07		
												1994	3.40	3.80	55	3.60	0.06	
												1995	3.40	3.80	55	3.60	0.06	SEALCOAT
												1996	4.00	3.80	33	3.89	0.08	
1997	3.90	3.80	43	3.84	0.07													
1998	3.90	3.60	43	3.74	0.14													
1999	3.90	3.60	48	3.74	0.14													
2000	3.90	3.60	48	3.74	0.15													
2001	3.90	3.60	48	3.74	0.14													
2002	3.60	2.80	48	3.17	0.14													
5	U.S.-26	002240	276.525	284.244	N							1993	3.20	4.50	55	3.88		
												1994	3.20	4.00	55	3.61	0.15	
												1995	3.20	4.00	55	3.61	0.15	SEALCOAT
												1996	3.80	4.00	33	3.90	0.13	
						1997	3.60	4.00	47	3.80	0.13							
						1998	3.60	4.00	47	3.80	0.15							
						1999	3.60	4.00	52	3.80	0.15							
						2000	3.60	4.00	52	3.80	0.16							
						2001	3.70	4.00	52	3.85	0.16							
						2002	3.40	2.80	52	3.08	0.15							
						5	U.S.-26	002240	284.244	290.250	N	1993	3.30	4.50	54	3.92		
												1994	3.30	4.00	54	3.66	0.25	
												1995	3.30	4.00	54	3.66	0.25	SEALCOAT
												1996	4.00	4.00	33	4.00	0.19	
1997	3.70	4.00	49	3.85	0.19													
1998	3.80	4.00	49	3.90	0.22													
1999	3.80	4.00	53	3.90	0.21													
2000	3.80	4.00	53	3.90	0.22													
2001	3.80	4.00	53	3.90	0.21													
2002	3.60	3.70	53	3.65	0.22													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS	
5	U.S.-26	002240	290.250	294.560	N	1993	3.80	4.50	56	4.16				
						1994	3.80	4.50	56	4.16	0.17			
						1995	3.80	4.50	56	4.16	0.17	SEALCOAT		
						1996	4.20	4.50	33	4.35	0.14			
						1997	4.20	4.50	48	4.35	0.14			
						1998	4.20	4.10	48	4.14	0.16			
						1999	4.20	4.10	52	4.14	0.16			
						2000	4.20	4.10	52	4.14	0.16			
						2001	4.20	4.10	52	4.14	0.16			
						2002	3.80	4.10	52	3.95	0.14			
5	U.S.-26	002240	294.560	300.715	N	1993	3.80	4.80	55	4.32				
						1994	3.70	4.80	55	4.27	0.19			
						1995	3.70	4.80	55	4.27	0.19			
						1996	4.30	4.80	33	4.56	0.15			
						1997	4.20	4.80	48	4.51	0.15			
						1998	4.30	4.80	48	4.56	0.15			
						1999	4.20	4.80	52	4.51	0.15			
						2000	4.20	4.80	52	4.51	0.16			
						2001	4.30	4.80	52	4.56	0.16			
						2002	3.80	4.80	52	4.32	0.17			
5	U.S.-26	002240	300.715	304.090	N	1993	3.30	5.00	53	4.18				
						1994	3.30	5.00	53	4.18	0.12			
						1995	3.30	5.00	53	4.18	0.12			
						1996	4.00	5.00	33	4.52	0.12			
						1997	3.70	5.00	38	4.37	0.10			
						1998	3.80	5.00	38	4.42	0.13			
						1999	3.70	5.00	44	4.37	0.14			
						2000	3.70	5.00	44	4.37	0.15			
						2001	3.80	5.00	44	4.42	0.15			
						2002	3.60	5.00	44	4.32	0.13			
5	U.S.-26	002240	304.090	305.090	N	1993	3.20	3.00	49	3.09				
						1994	3.30	3.00	49	3.13	0.08			
						1995	3.30	3.00	49	3.13	0.08			
						1996	3.90	3.00	33	3.40	0.10			
						1997	3.60	3.00	34	3.27	0.08			
						1998	3.60	3.00	34	3.27	0.12			
						1999	3.70	3.00	39	3.31	0.14			
						2000	3.70	3.00	39	3.31	0.15			
						2001	3.70	4.00	39	3.86	0.14			
						2002	3.70	4.00	39	3.86	0.13			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS	
5	U.S.-26	002240	305.090	305.743	N	1993	3.00	2.50	47	2.72				
						1994	3.00	2.50	47	2.72	0.13			
						1995	3.00	2.50	47	2.72	0.13			
						1996	3.90	5.00	33	4.49	0.14			
						1997	3.60	5.00	29	4.35	0.11			
						1998	3.60	5.00	29	4.35	0.17			
						1999	3.70	5.00	28	4.40	0.18			
						2000	3.60	5.00	28	4.35	0.19			
						2001	3.70	5.00	28	4.40	0.19			
						2002	3.60	5.00	28	4.35	0.19			
5	U.S.-26	002240	305.743	306.104	ASC	1994	3.00	4.50	47	3.86	0.13			
						1995	3.00	4.50	47	3.86	0.13			
						1996	3.90	4.50	33	4.24	0.14			
						1997	3.60	4.50	29	4.11	0.11			
						1998	1.90	4.50	29	3.39	0.14			
						1999	1.80	4.50	28	3.35	0.17			
						2000	1.80	4.50	28	3.35	0.17			
						2001	3.90	4.50	28	4.24	0.14			
						2002	3.60	4.50	28	4.11	0.17			
						5	U.S.-26	002240	305.743	306.104	DES	1994	1.90	4.50
1995	1.90	4.50	42	3.40	0.14									
1996	2.10	4.50	33	3.48	0.09									
1997	3.60	4.50	26	4.11	0.11									
1998	1.80	4.50	26	3.35	0.15									
1999	1.90	4.50	26	3.39	0.13									
2000	1.80	4.50	26	3.35	0.14									
2001	2.80	4.50	26	3.77	0.12									
2002	2.90	4.50	26	3.82	0.12									
5	U.S.-30	002040	330.820	331.681	ASC							1993	1.80	3.40
						1994	1.90	3.40	45	2.68	0.10			
						1995	1.90	3.40	33	2.68	0.10			
						1996	2.60	3.40	33	3.01	0.11	PLANT MIX SEAL		1996
						1997	2.90	3.40	38	3.19	0.04			
						1998	2.80	3.30	38	3.09	0.04			
						1999	2.80	2.50	45	2.62	0.05			
						2000	3.00	2.30	45	2.59	0.07			
						2001	2.90	2.30	45	2.55	0.07			
						2002	3.10	2.30	45	2.63	0.08			
5	U.S.-30	002040	330.820	331.681	DES	1993	1.80	3.40	45	2.73				
						1994	1.90	3.40	45	2.68	0.10			
						1995	1.90	3.40	33	2.68	0.10			
						1996	2.40	2.70	33	2.55	0.16	PLANT MIX SEAL		1996
						1997	3.10	2.70	38	2.86	0.05			
						1998	3.00	2.70	38	2.82	0.07			
						1999	2.90	2.70	45	2.78	0.08			
						2000	3.00	2.70	45	2.82	0.07			
						2001	2.90	2.70	45	2.78	0.08			

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	U.S.-30	002040	331.681	333.170	N	2002	3.30	1.60	45	2.30	0.07		
						1994	2.40	2.00	63	2.18	0.13		
						1995	2.40	2.00	40	2.18	0.13		
						1996	2.90	2.00	40	2.41	0.22	PLANT MIX SEAL	1996
						1997	3.60	4.00	37	3.81	0.08		
						1998	3.50	4.00	37	3.77	0.10		
						1999	3.50	4.00	42	3.77	0.11		
						2000	3.40	2.30	42	2.80	0.12		
						2001	2.90	2.30	42	2.57	0.15		
						2002	3.20	2.30	42	2.71	0.11		
5	U.S.-30	002040	333.170	333.665	N	1994	2.90	2.50	58	2.68	0.02		
						1995	2.90	2.50	42	2.68	0.02		
						1996	3.30	2.50	41	2.86	0.16	PLANT MIX SEAL	1996
						1997	3.40	4.00	38	3.72	0.03		
						1998	3.40	4.00	38	3.72	0.05		
						1999	3.40	4.00	41	3.72	0.05		
						2000	3.40	2.50	41	2.91	0.08		
						2001	3.40	2.50	41	2.91	0.08		
						2002	3.40	2.50	41	2.91	0.08		
5	U.S.-30	002040	333.665	334.006	N	1994	2.30	2.50	63	2.40	0.10		
						1995	2.30	2.50	54	2.40	0.10		
						1996	2.50	2.50	54	2.50	0.11	PLANT MIX SEAL	1996
						1997	3.10	4.00	38	3.58	0.06		
						1998	3.00	3.90	38	3.48	0.08		
						1999	2.70	2.90	38	2.80	0.08		
						2000	2.80	2.60	38	2.69	0.09		
						2001	3.20	2.60	41	2.87	0.08		
						2002	2.90	2.60	41	2.73	0.09		
5	U.S.-30	002040	334.006	334.767	ASC	1993	2.20	2.00	66	2.08			
						1994	2.10	2.00	66	2.04	0.18		
						1995	2.10	2.00	57	2.04	0.18		
						1996	2.50	2.00	56	2.22	0.22	PLANT MIX SEAL	1996
						1997	3.60	4.00	41	3.82	0.27		
						1998	2.70	4.00	41	3.41	0.05		
						*1999	2.80	4.00	45	3.46	0.05		
						2000	2.80	3.20	45	3.03	0.07		
						2001	2.90	2.50	45	2.66	0.10		
						2002	3.30	2.50	45	2.83	0.34		
5	U.S.-30	002040	334.006	334.767	DES	1993	2.20	2.00	66	2.08			
						1994	2.10	2.00	66	2.04	0.18		
						1995	2.10	2.00	57	2.04	0.18		
						1996	2.80	2.00	56	2.35	0.21	PLANT MIX SEAL	1996
						1997	3.20	4.00	41	3.64	0.23		
						1998	3.10	4.00	41	3.59	0.04		
						*1999	3.00	4.00	45	3.55	0.08		
						2000	3.10	3.80	45	3.50	0.06		
						2001	3.10	3.80	45	3.50	0.07		

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	U.S.-30	002040	334.767	335.391	ASC	2002	3.30	3.80	45	3.59	0.34	PLANT MIX SEAL	1996
						1993	2.40	2.00	59	2.18			
						1994	2.50	2.00	59	2.22	0.29		
						1995	2.50	2.00	49	2.22	0.29		
						1996	2.80	2.00	49	2.36	0.26		
						1997	3.70	4.00	38	3.86	0.26		
						1998	3.10	4.00	38	3.59	0.04		
						1999	3.20	4.00	49	3.63	0.08		
						2000	3.10	3.40	49	3.27	0.07		
						2001	3.20	2.40	49	2.73	0.07		
						2002	3.30	2.40	49	2.78	0.34		
5	U.S.-30	002040	334.767	335.391	DES	1993	2.40	2.00	59	2.18		PLANT MIX SEAL	1996
						1994	2.50	2.00	59	2.22	0.29		
						1995	2.50	2.00	49	2.22	0.29		
						1996	2.70	2.00	49	2.31	0.13		
						1997	3.20	4.00	38	3.63	0.09		
						1998	3.10	4.00	38	3.59	0.08		
						1999	3.10	4.00	49	3.59	0.09		
						2000	3.10	4.00	49	3.61	0.08		
						2001	3.30	4.00	49	3.70	0.12		
						2002	3.20	4.00	49	3.66	0.10		
5	U.S.-30	002040	335.391	335.778	ASC	1993	1.00	3.00	47	2.14		MILL AND INLAY	2002
						1994	1.50	3.00	47	2.35	0.21		
						1995	1.50	3.00	29	2.35	0.21		
						1996	2.50	3.00	29	2.78	0.19		
						1997	2.10	3.00	37	2.61	0.16		
						1998	2.00	3.00	37	2.57	0.15		
						1999	2.00	3.00	37	2.57	0.18		
						2000	1.90	3.00	37	2.53	0.20		
						2001	2.00	3.00	49	2.57	0.23		
						2002	3.80	5.00	49	4.48	0.07		
5	U.S.-30	002040	335.391	335.778	DES	1993	1.00	3.00	47	2.14		MILL AND INLAY	2002
						1994	1.50	3.00	47	2.35	0.21		
						1995	1.50	3.00	29	2.35	0.21		
						1996	2.00	3.00	29	2.57	0.20		
						1997	1.90	3.00	37	2.53	0.16		
						1998	1.70	3.00	37	2.44	0.16		
						1999	1.80	3.00	37	2.48	0.18		
						2000	1.50	3.00	37	2.35	0.20		
						2001	2.00	3.00	49	2.57	0.21		
						2002	3.60	5.00	49	4.40	0.04		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5	U.S.-30	002040	359.493	360.704	N	1993	2.50	3.00	43	2.76		
						1994	2.60	3.00	43	2.81	0.22	SEALCOAT
						1995	2.60	2.80	40	2.70	0.22	
						1996	3.20	2.80	39	2.98	0.18	
						1997	2.90	2.40	34	2.63	0.18	
						1998	2.80	2.40	34	2.58	0.23	
						1999	2.80	2.40	40	2.58	0.21	NEW CONST OR RECONST (FLEX)
						*2000	2.70	2.40	40	2.54	0.22	
						2001	3.00	5.00	40	4.04	0.06	
						2002	3.10	5.00	40	4.09	0.08	
5	U.S.-30	002040	360.704	365.268	N	1993	2.50	3.00	43	2.76		
						1994	2.60	3.00	43	2.81	0.22	SEALCOAT
						1995	2.60	2.80	40	2.70	0.22	
						1996	3.20	2.80	39	2.98	0.18	
						1997	2.90	2.40	34	2.63	0.18	
						1998	2.80	2.40	34	2.58	0.23	
						1999	2.80	2.40	40	2.58	0.21	
						*2000	2.70	2.40	40	2.54	0.22	
						2001	3.90	5.00	41	4.47	0.04	MILL INLAY AND OVERLAY
						2002	3.50	5.00	41	4.28	0.05	MAJOR WIDENING
5	U.S.-30	002040	365.268	371.497	N	1993	3.30	5.00	59	4.19		
						1994	3.30	5.00	59	4.19	0.06	SEALCOAT
						1995	3.30	5.00	44	4.19	0.06	
						1996	4.00	5.00	43	4.52	0.09	
						1997	3.80	5.00	47	4.42	0.08	
						1998	3.80	5.00	47	4.42	0.10	
						1999	3.80	5.00	50	4.42	0.13	
						*2000	3.70	5.00	50	4.38	0.12	
						2001	3.80	4.50	50	4.16	0.14	
						2002	3.50	4.00	50	3.76	0.15	
5	U.S.-30	002040	371.497	373.353	N	1993	3.10	5.00	44	4.09		PLANT MIX OVERLAY
						1994	3.20	3.00	44	3.09	0.23	
						1995	3.20	3.00	32	3.09	0.23	
						1996	3.40	3.00	31	3.19	0.20	
						1997	3.10	3.00	35	3.04	0.26	MILL AND INLAY
						*1998	3.80	5.00	35	4.42	0.08	
						1999	3.60	5.00	44	4.33	0.15	
						2000	3.50	5.00	44	4.28	0.16	
						2001	3.50	5.00	44	4.28	0.19	
						2002	3.40	5.00	44	4.23	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	U.S.-30	002040	373.353	375.827	N	1993	3.10	5.00	44	4.09		PLANT MIX OVERLAY	1993
						1994	3.20	3.00	44	3.09	0.23		
						1995	3.20	3.00	32	3.09	0.23		
						1996	3.40	3.00	31	3.19	0.20		
						1997	3.10	3.00	35	3.04	0.26	MILL AND INLAY	1997
						*1998	3.80	5.00	35	4.42	0.08		
						1999	3.90	5.00	35	4.47	0.15		
						2000	3.90	5.00	35	4.47	0.16		
						2001	3.90	5.00	35	4.47	0.19		
						2002	3.60	5.00	35	4.33	0.21		
5	U.S.-30	002040	375.827	378.390	N	1993	3.20	5.00	48	4.14		PLANT MIX OVERLAY	1993
						1994	3.10	3.00	48	3.04	0.34		
						1995	3.10	3.00	29	3.04	0.34		
						1996	3.30	3.50	28	3.40	0.15		
						1997	3.10	3.50	33	3.30	0.14	MILL AND INLAY	1997
						1998	3.80	5.00	33	4.42	0.10		
						1999	3.80	5.00	55	4.42	0.11	SEALCOAT	1999
						2000	3.70	5.00	55	4.38	0.09		
						2001	3.80	5.00	55	4.42	0.14		
						2002	3.40	5.00	55	4.23	0.10		
5	U.S.-30	002040	378.390	387.020	N	1993	3.40	4.00	34	3.71		PLANT MIX OVERLAY	1993
						1994	3.60	3.70	34	3.65	0.16		
						1995	3.60	3.50	19	3.54	0.16		
						1996	4.00	3.50	18	3.73	0.18		
						1997	3.70	3.50	20	3.59	0.17	MILL AND INLAY	1997
						1998	3.80	3.50	20	3.64	0.22		
						1999	3.70	3.50	21	3.59	0.21	SEALCOAT	1999
						2000	3.70	3.50	21	3.59	0.23		
						2001	3.60	3.50	21	3.54	0.26		
						2002	3.30	3.20	21	3.24	0.28		
5	U.S.-30	002040	398.980	399.200	N	1993	2.30	2.40	47	2.35			
						1994	3.20	2.10	47	2.62	0.36		
						1995	3.20	2.10	37	2.62	0.36	SEALCOAT	1995
						1996	3.20	2.10	37	2.62	0.22		
						1997	3.00	3.50	21	3.26	0.22		
						1998	3.10	3.50	21	3.30	0.15		
						1999	2.90	3.50	42	3.21	0.25		
						*2000	3.20	3.50	42	3.35	0.27		
						2001	3.00	3.50	21	3.26	0.13		
						2002	3.70	5.00	21	4.37	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
5	U.S.-30	002040	399.200	404.366	N	1993	3.10	2.00	48	2.52			
						1994	3.10	1.90	48	2.47	0.32	SEALCOAT	1995
						1995	3.10	1.90	40	2.47	0.32		
						1996	3.70	1.90	40	2.76	0.27		
						1997	3.60	1.90	29	2.72	0.21		
						1998	3.50	1.90	29	2.67	0.26		
						1999	3.50	1.90	33	2.66	0.28		
						*2000	3.40	1.90	33	2.61	0.29		
						2001	3.40	5.00	35	4.22	0.25	NEW CONST OR RECONST (FLEX)	2001
						2002	3.50	5.00	35	4.27	0.09		
5	U.S.-30	002040	404.366	405.050	N	1993	2.50	4.00	46	3.31			
						1994	2.60	4.00	46	3.36	0.22		
						1995	3.50	4.00	43	3.77	0.00	PLANT MIX OVERLAY	1995
						1996	4.00	4.00	43	4.00	0.11	MILL INLAY AND OVERLAY	1996
						1997	3.80	4.00	52	3.90	0.09		
						1998	3.70	4.00	52	3.86	0.10		
						1999	3.60	4.00	34	3.81	0.11		
						2000	3.50	4.00	34	3.77	0.13		
						2001	3.50	4.00	34	3.77	0.12	NEW CONST OR RECONST (FLEX)	2001
						2002	3.50	4.00	34	3.77	0.12		
5	U.S.-30	002040	405.050	405.496	N	1993	1.80	3.50	50	2.72			
						1994	1.80	2.50	50	2.18	0.23		
						1995	1.80	5.00	32	3.54	0.23	SEALCOAT	1995
						1996	0.70	5.00	32	3.03	0.69	NEW CONST OR RECONST (FLEX)	1996
						1997	3.20	5.00	55	4.17	0.17		
						1998	3.10	5.00	55	4.13	0.14		
						1999	3.10	5.00	55	4.13	0.24		
						2000	3.10	5.00	55	4.13	0.21		
						2001	3.10	5.00	34	4.12	0.26		
						2002	2.80	4.70	34	3.82	0.19		
5	U.S.-30	002040	405.496	406.480	N	1993	2.10	3.00	42	2.57			
						1994	2.80	2.50	42	2.64	0.22		
						1995	3.50	5.00	31	4.28	0.00	COLD IN PLACE RECYCLE WITH OVERLAY	1995
						1996	2.70	5.00	30	3.90	0.12		
						1997	3.60	5.00	42	4.33	0.10		
						1998	3.50	5.00	42	4.28	0.13		
						1999	3.40	5.00	29	4.23	0.15		
						2000	3.40	4.60	29	4.02	0.19		
						2001	3.30	4.60	29	3.98	0.20		
						2002	3.20	4.60	29	3.93	0.21		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS	
5	U.S.-30	002040	406.480	406.786	N	1993	2.20	4.50	42	3.40			
						1994	2.20	4.00	42	3.14	0.22		
						1995	3.50	5.00	26	4.28	0.00	COLD IN PLACE RECYCLE WITH OVERLAY1995	
						1996	3.20	5.00	25	4.14	0.16		
						1997	3.10	5.00	37	4.09	0.11		
						1998	3.00	5.00	37	4.04	0.15		
						1999	3.00	5.00	28	4.04	0.20		
						2000	3.00	5.00	28	4.04	0.18		
						2001	2.90	5.00	28	3.99	0.16		
						2002	2.80	5.00	28	3.95	0.20		
5	U.S.-30	002040	406.786	413.000	N	*1993	2.90	2.00	45	2.42			
						*1994	3.00	1.90	46	2.42	0.26		
						1995	3.50	5.00	22	4.28	0.00	COLD IN PLACE RECYCLE WITH OVERLAY1995	
						1996	4.30	5.00	22	4.66	0.07		
						1997	4.10	5.00	37	4.57	0.09		
						1998	4.10	5.00	37	4.57	0.12		
						1999	4.10	5.00	38	4.57	0.14		
						2000	4.10	5.00	38	4.57	0.17		
						2001	4.10	5.00	38	4.57	0.18		
						2002	3.90	4.50	38	4.21	0.22		
5	U.S.-30	002040	413.000	414.700	N	*1993	2.90	2.00	45	2.42			
						*1994	3.00	1.90	46	2.42	0.26	PLANT MIX OVERLAY	1994
						*1995	3.00	5.00	17	4.05	0.31	PLANT MIX OVERLAY	1995
						1996	4.20	5.00	20	4.62	0.10		
						1997	4.10	5.00	27	4.57	0.08		
						1998	4.00	4.50	27	4.26	0.13		
						1999	4.00	4.50	33	4.26	0.14		
						2000	4.00	4.50	33	4.26	0.14		
						2001	4.00	4.50	33	4.26	0.16		
						2002	3.80	4.50	33	4.16	0.18		
5	U.S.-30	002040	414.700	421.700	N	*1993	3.20	2.40	46	2.77			
						*1994	3.00	5.00	45	4.05	0.32	MILL INLAY AND OVERLAY	1994
						*1995	3.00	5.00	17	4.05	0.31	MILL INLAY AND OVERLAY	1995
						1996	4.20	5.00	18	4.62	0.13		
						1997	4.10	5.00	27	4.57	0.13		
						1998	4.10	5.00	27	4.57	0.18		
						1999	4.10	5.00	35	4.57	0.21		
						2000	4.10	5.00	35	4.57	0.22		
						2001	4.10	5.00	35	4.57	0.22		
						2002	3.90	4.50	35	4.21	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
5	U.S.-30	002040	421.700	424.500	N	1993	2.80	5.00	27	4.02									
						1994	3.00	5.00	27	4.11	0.39	MILL INLAY AND OVERLAY	1994						
						*1995	3.00	5.00	27	4.11	0.39	MILL INLAY AND OVERLAY	1995						
						1996	3.80	5.00	27	4.43	0.19								
						1997	3.70	4.80	31	4.31	0.17								
						1998	3.70	4.80	31	4.31	0.22								
						1999	3.70	4.80	34	4.31	0.27								
						2000	3.60	4.00	34	3.80	0.30								
						2001	3.80	4.00	34	3.91	0.18								
						2002	3.60	4.00	34	3.82	0.23								
						5	U.S.-30	002040	424.500	430.000	N	1993	3.30	2.00	50	2.61			
												1994	3.20	2.00	50	2.57	0.14	MILL INLAY AND OVERLAY	1994
												*1995	3.20	2.00	26	2.57	0.14	MILL INLAY AND OVERLAY	1995
1996	4.40	5.00	26	4.71	0.04							PLANT MIX OVERLAY	1996						
1997	4.30	5.00	31	4.66	0.04														
1998	4.30	5.00	31	4.66	0.07							SEALCOAT	1998						
1999	4.10	5.00	58	4.57	0.08														
2000	4.10	5.00	58	4.57	0.08														
2001	4.10	5.00	58	4.57	0.09														
2002	3.80	5.00	58	4.43	0.10														
5	U.S.-30	002040	430.000	434.137	N							1993	3.30	2.00	50	2.61			
												1994	3.20	2.00	50	2.57	0.14		
												*1995	3.20	2.00	26	2.57	0.14		
						1996	3.90	3.00	13	3.42	0.17								
						1997	3.80	3.00	21	3.38	0.16								
						1998	3.80	3.00	21	3.38	0.18	SEALCOAT	1998						
						1999	3.80	3.00	33	3.38	0.20								
						2000	3.70	3.00	33	3.33	0.19	RUT FILLING	2000						
						2001	3.90	3.00	33	3.43	0.20								
						2002	3.70	3.00	33	3.33	0.21								
						5	U.S.-30	002040	434.137	435.281	N	1993	3.30	2.30	43	2.74			
												1994	3.30	2.20	43	2.68	0.09		
												1995	3.30	2.20	19	2.69	0.09		
1996	4.00	5.00	20	4.55	0.16							PLANT MIX SEAL	1996						
1997	3.80	5.00	40	4.46	0.21														
1998	3.90	4.50	40	4.23	0.23														
1999	3.70	4.50	18	4.13	0.24							SEALCOAT	1999						
2000	3.70	3.30	18	3.47	0.26							RUT FILLING	2000						
2001	3.70	3.30	18	3.47	0.24														
2002	3.40	3.30	18	3.34	0.25														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
5	U.S.-30	002040	435.281	441.648	N	1993	3.40	5.00	46	4.24									
						1994	3.50	5.00	46	4.29	0.22	HOT IN PLACE RECYCLE WITH OVERLAY 1994							
						1995	3.50	5.00	29	4.29	0.22								
						1996	4.00	5.00	28	4.52	0.29								
						1997	3.90	5.00	29	4.48	0.33								
						1998	3.90	5.00	29	4.48	0.39								
						1999	3.90	5.00	57	4.48	0.43	SEALCOAT	1999						
						2000	3.80	5.00	57	4.43	0.44								
						2001	3.80	5.00	57	4.44	0.43								
						2002	3.50	5.00	57	4.30	0.46								
						5	U.S.-30	002040	441.648	447.277	N	1993	2.80	1.50	39	2.10			
												1994	3.00	5.00	39	4.06	0.07	HOT IN PLACE RECYCLE WITH OVERLAY 1994	
1995	3.00	5.00	48	4.06	0.07														
1996	4.10	5.00	48	4.57	0.06														
1997	3.90	4.00	49	3.95	0.08														
1998	3.80	4.00	49	3.90	0.08														
1999	3.80	4.00	49	3.90	0.10							SEALCOAT	1999						
2000	3.70	3.50	49	3.59	0.11														
2001	3.70	3.50	49	3.59	0.12														
2002	3.40	2.50	49	2.91	0.14														
5	U.S.-30	002040	447.277	449.320	N							1993	3.30	5.00	42	4.20			
												1994	3.90	5.00	42	4.48	0.03	HOT IN PLACE RECYCLE WITH OVERLAY 1993	
						1995	3.90	5.00	54	4.48	0.03	HOT IN PLACE RECYCLE WITH OVERLAY 1994							
						1996	4.20	4.50	53	4.35	0.06								
						1997	4.10	4.30	56	4.20	0.10								
						1998	4.10	4.30	56	4.20	0.05								
						1999	4.00	4.30	57	4.15	0.05	SEALCOAT	1999						
						2000	4.00	4.30	57	4.15	0.05								
						2001	4.00	3.40	57	3.68	0.06								
						2002	3.60	2.50	57	3.01	0.08								
						5	U.S.-30	002040	449.320	453.700	N	1993	3.20	5.00	49	4.15			
												1994	3.80	5.00	49	4.43	0.13	HOT IN PLACE RECYCLE WITH OVERLAY 1993	
1995	3.80	5.00	57	4.43	0.13														
1996	4.20	4.70	56	4.46	0.06														
1997	4.10	4.50	56	4.31	0.08														
1998	4.10	4.00	56	4.04	0.05														
1999	4.00	4.00	44	4.00	0.04							SEALCOAT	1999						
2000	4.00	3.00	44	3.47	0.04														
2001	4.00	2.80	44	3.36	0.05														
2002	3.70	2.50	44	3.06	0.06														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS							
5	U.S.-30	002040	453.700	455.481	N	1993	2.90	5.00	45	4.01		HOT IN PLACE RECYCLE WITH OVERLAY 1993 SEALCOAT 1999							
						1994	3.80	5.00	45	4.43	0.11								
						1995	3.80	5.00	57	4.43	0.11								
						1996	4.20	4.50	56	4.35	0.05								
						1997	4.00	3.00	57	3.46	0.08								
						1998	4.00	3.00	57	3.47	0.08								
						1999	4.00	3.00	60	3.47	0.05								
						2000	3.80	3.00	60	3.37	0.04								
						2001	3.90	3.00	60	3.42	0.05								
						2002	3.50	3.00	60	3.23	0.07								
						5	U.S.-30	002047	000.000	000.300	N		*1993	0.70	3.00	38	2.13		
													*1994	1.60	3.00	38	2.47	0.14	
1995	0.80	3.00	34	2.17	0.16														
1996	2.40	2.40	33	2.40	0.18														
1997	2.20	2.00	34	2.07	0.18														
1998	2.40	2.00	34	2.15	0.18														
1999	2.30	2.00	34	2.11	0.18														
2000	2.70	4.00	34	3.50	0.22														
2001	2.70	4.00	60	3.50	0.25														
2002	2.60	4.00	60	3.47	0.23														
5	U.S.-30	002047	000.301	000.446	N							*1993	0.70	3.00	38	2.13			
												*1994	1.60	3.00	38	2.47	0.14		
						1995	1.90	3.00	20	2.58	0.10								
						1996	2.60	1.80	20	2.10	0.20								
						1997	2.30	1.80	26	1.98	0.22								
						1998	2.70	1.80	26	2.13	0.23								
						1999	1.90	1.80	26	1.83	0.19								
						2000	2.80	1.80	26	2.17	0.17								
						2001	2.40	3.00	60	2.77	0.25								
						2002	2.00	3.00	60	2.62	0.18								
						5	S.H.-34	002360	007.620	008.560	N	1993	2.70	2.00	52	2.31	SEALCOAT		1993 PLANT MIX OVERLAY 1997
												1994	2.70	2.00	52	2.31	0.45		
1995	2.70	1.90	36	2.25	0.45														
1996	2.70	1.90	36	2.25	0.24														
1997	3.30	1.90	39	2.52	0.23														
1998	3.30	5.00	39	4.23	0.19														
1999	3.30	4.50	32	3.96	0.19														
2000	3.20	4.50	32	3.91	0.18														
2001	3.20	4.20	32	3.75	0.19														
2002	3.10	4.20	32	3.70	0.21														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	S.H.-34	002360	008.560	011.660	N	1993	2.40	1.50	57	1.89		SEALCOAT	1993
						1994	2.50	1.50	57	1.93	0.24		
						1995	2.50	1.50	37	1.93	0.24		
						1996	3.10	1.50	37	2.20	0.18		
						*1997	3.20	1.50	39	2.24	0.19	PLANT MIX OVERLAY	1997
						1998	3.60	5.00	39	4.37	0.16		
						1999	3.60	5.00	35	4.37	0.17		
						2000	3.60	5.00	35	4.37	0.18		
						2001	3.60	5.00	35	4.37	0.18		
						2002	3.40	4.90	35	4.22	0.20		
5	S.H.-34	002360	011.660	013.315	N	1993	2.40	1.50	57	1.89		SEALCOAT	1993
						1994	2.50	1.50	57	1.93	0.24		
						1995	2.50	1.50	37	1.93	0.24		
						1996	3.10	1.50	37	2.20	0.18		
						*1997	3.20	1.50	39	2.24	0.19	SEALCOAT	1997
						1998	4.00	5.00	38	4.56	0.22	PLANT MIX OVERLAY	1998
						1999	3.60	5.00	52	4.38	0.05		
						2000	3.60	5.00	52	4.38	0.05		
						2001	3.60	5.00	52	4.37	0.04		
						2002	3.40	5.00	52	4.28	0.04		
5	S.H.-34	002360	013.315	014.000	N	1993	2.60	2.30	60	2.43		SEALCOAT	1993
						1994	2.70	2.30	60	2.47	0.23		
						1995	2.70	2.30	47	2.47	0.23		
						1996	3.30	2.30	47	2.73	0.19		
						*1997	3.20	2.30	52	2.69	0.16		
						1998	3.40	2.20	53	2.72	0.15		
						1999	3.70	5.00	61	4.42	0.04		
						2000	3.70	5.00	61	4.42	0.07		
						2001	3.80	5.00	61	4.46	0.04		
						2002	3.50	5.00	61	4.33	0.04		
5	S.H.-34	002360	014.000	017.640	N	1993	2.60	2.30	60	2.43		SEALCOAT	1993
						1994	2.70	2.30	60	2.47	0.23		
						1995	2.70	2.30	47	2.47	0.23	SEALCOAT	1995
						1996	3.30	2.30	47	2.73	0.19		
						*1997	3.20	2.30	52	2.69	0.16		
						1998	4.00	5.00	52	4.56	0.16	PLANT MIX OVERLAY	1998
						1999	3.40	5.00	59	4.29	0.12		
						2000	3.40	4.60	59	4.07	0.13		
						2001	3.50	3.00	59	3.22	0.13		
						2002	3.40	3.00	59	3.17	0.11	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5	S.H.-34	002360	017.640	019.000	N	1993	2.60	2.30	60	2.43		
						1994	2.70	2.30	60	2.47	0.23	
						1995	2.70	2.30	47	2.47	0.23	SEALCOAT
						1996	3.30	2.30	47	2.73	0.19	
						*1997	3.20	2.30	52	2.69	0.16	
						1998	2.90	2.20	51	2.50	0.22	
						1999	3.60	5.00	61	4.38	0.03	
						2000	3.50	5.00	61	4.34	0.04	
						2001	3.60	4.80	61	4.26	0.04	
						2002	3.40	4.80	61	4.17	0.03	SEALCOAT
5	S.H.-34	002360	019.000	021.000	N	1993	2.60	2.30	60	2.43		2002
						1994	2.70	2.30	60	2.47	0.23	
						1995	2.70	2.30	47	2.47	0.23	SEALCOAT
						1996	3.30	2.30	47	2.73	0.19	
						*1997	3.20	2.30	52	2.69	0.16	
						1998	4.00	5.00	53	4.56	0.16	SCRUB COAT
						1999	3.60	5.00	61	4.38	0.09	
						2000	3.60	2.80	61	3.15	0.10	
						2001	3.70	2.50	61	3.03	0.10	
						2002	3.30	2.40	61	2.80	0.12	SEALCOAT
5	S.H.-34	002360	021.000	021.137	N	1993	2.60	2.30	60	2.43		2002
						1994	2.70	2.30	60	2.47	0.23	
						1995	2.70	2.30	47	2.47	0.23	SEALCOAT
						1996	3.30	2.30	47	2.73	0.19	
						*1997	3.20	2.30	52	2.69	0.16	
						1998	4.00	2.20	55	2.98	0.24	
						1999	3.90	2.20	55	2.94	0.20	
						2000	3.60	2.20	55	2.81	0.21	
						2001	3.90	2.20	61	2.95	0.20	
						2002	3.40	2.20	61	2.73	0.22	
5	S.H.-34	002360	021.137	029.000	N	1993	2.90	4.00	61	3.51		1994
						1994	2.90	4.00	61	3.51	0.20	SEALCOAT
						1995	2.90	4.00	48	3.51	0.20	SEALCOAT
						1996	3.10	4.00	47	3.60	0.15	
						1997	3.00	4.00	54	3.56	0.15	
						1998	2.90	4.00	54	3.51	0.12	
						*1999	2.90	4.00	58	3.51	0.13	
						2000	2.90	4.00	58	3.51	0.12	
						2001	3.00	4.00	58	3.55	0.13	
						2002	2.60	4.00	58	3.37	0.11	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
5	S.H.-34	002360	029.000	035.280	N	1993	2.70	2.00	58	2.30									
						1994	2.70	2.00	58	2.30	0.19	SEALCOAT	1994						
						1995	2.70	2.00	53	2.30	0.19								
						1996	3.10	2.00	52	2.48	0.17								
						1997	3.00	2.00	51	2.43	0.15								
						1998	2.90	1.90	51	2.33	0.14								
						*1999	2.90	1.90	55	2.33	0.13	PLANT MIX OVERLAY	1999						
						2000	3.60	5.00	55	4.38	0.10								
						2001	3.60	5.00	55	4.37	0.10								
						2002	3.40	5.00	55	4.28	0.10								
						5	S.H.-34	002360	035.280	040.200	N	1993	3.00	2.00	55	2.44			
												1994	3.00	2.00	55	2.44	0.25	SEALCOAT	1994
												1995	3.00	2.00	50	2.44	0.25		
												*1996	3.30	1.90	50	2.52	0.19		
1997	3.20	1.90	49	2.47	0.18														
1998	3.20	1.90	49	2.47	0.23														
*1999	3.10	1.90	50	2.43	0.21							PLANT MIX OVERLAY	1999						
2000	3.60	5.00	50	4.37	0.10														
2001	3.60	5.00	50	4.37	0.10														
2002	3.40	5.00	50	4.28	0.12														
5	S.H.-34	002360	040.200	044.358	N							1993	3.00	2.00	55	2.44			
												1994	3.00	2.00	55	2.44	0.25	SEALCOAT	1994
												1995	3.00	2.00	50	2.44	0.25		
												*1996	3.30	1.90	50	2.52	0.19		
						1997	3.20	1.90	49	2.47	0.18	COLD IN PLACE RECYCLE WITH OVERLAY	1997						
						1998	3.20	1.90	49	2.47	0.23								
						*1999	3.10	1.90	50	2.43	0.21								
						2000	3.80	5.00	38	4.46	0.16								
						2001	3.90	5.00	38	4.50	0.15								
						2002	3.70	5.00	38	4.41	0.17								
						5	S.H.-34	002360	044.358	044.750	N	1993	3.60	1.90	37	2.66			
												1994	3.60	1.90	37	2.66	0.39		
												1995	3.60	1.50	23	2.43	0.39		
												1996	3.80	1.50	22	2.52	0.26		
1997	3.90	5.00	38	4.50	0.09							COLD IN PLACE RECYCLE WITH OVERLAY	1997						
1998	3.90	5.00	38	4.50	0.16														
1999	4.00	5.00	26	4.55	0.14														
2000	3.90	5.00	26	4.50	0.18														
2001	4.00	5.00	26	4.55	0.19														
2002	3.70	5.00	26	4.41	0.23														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
5	S.H.-34	002360	044.750	045.332	N	1993	3.40	1.90	49	2.52			
						1994	3.30	1.90	49	2.48	0.29		
						1995	3.30	1.50	25	2.24	0.29		
						1996	2.90	1.50	25	2.08	0.20		
						1997	4.10	5.00	43	4.62	0.03	COLD IN PLACE RECYCLE WITH OVERLAY1997	
						1998	4.00	5.00	43	4.58	0.10		
						1999	4.00	5.00	32	4.58	0.10		
						2000	4.00	5.00	32	4.58	0.13		
						2001	4.10	5.00	32	4.62	0.13		
						2002	3.80	5.00	32	4.50	0.16		
5	S.H.-34	002360	045.332	045.811	N	1993	2.80	2.00	46	2.33			
						1994	3.10	2.00	46	2.45	0.25		
						1995	3.10	2.00	27	2.45	0.25		
						1996	2.90	1.50	27	2.08	0.08		
						1997	3.60	5.00	44	4.41	0.18	COLD IN PLACE RECYCLE WITH OVERLAY1997	
						1998	3.40	5.00	44	4.33	0.19		
						1999	3.50	5.00	47	4.37	0.18		
						2000	3.40	5.00	47	4.33	0.20		
						2001	3.50	5.00	47	4.37	0.19		
						2002	3.20	5.00	47	4.25	0.21		
5	S.H.-34	002360	045.811	046.028	N	1993	2.50	2.30	45	2.38			
						1994	2.90	2.30	45	2.56	0.17		
						1995	2.90	2.00	26	2.40	0.17		
						1996	3.20	2.00	26	2.53	0.15		
						1997	4.00	5.00	38	4.55	0.06	COLD IN PLACE RECYCLE WITH OVERLAY1997	
						1998	3.80	5.00	38	4.46	0.05		
						1999	3.80	5.00	30	4.46	0.09		
						2000	3.80	5.00	30	4.46	0.11		
						2001	3.90	5.00	30	4.50	0.13		
						2002	3.70	5.00	30	4.41	0.15		
5	S.H.-34	002360	046.028	050.476	N	1993	3.20	2.00	53	2.53			
						1994	3.10	1.90	53	2.43	0.14		
						1995	3.10	1.50	39	2.21	0.14		
						1996	3.60	1.50	38	2.43	0.11		
						1997	3.80	5.00	39	4.46	0.07	COLD IN PLACE RECYCLE WITH OVERLAY1997	
						1998	3.70	5.00	39	4.41	0.08		
						1999	3.80	5.00	32	4.46	0.10		
						2000	3.70	5.00	32	4.41	0.14		
						2001	3.80	5.00	32	4.46	0.14		
						2002	3.50	5.00	32	4.32	0.19		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
5	S.H.-34	002360	057.757	058.052	N	1993	1.10	2.00	35	1.65			
						1994	1.10	2.00	35	1.65	0.17		
						1995	1.10	2.00	30	1.65	0.17		
						1996	2.20	2.00	29	2.07	0.06		
						1997	1.70	2.00	30	1.88	0.06		
						1998	1.70	1.90	30	1.82	0.09		
						1999	1.70	1.90	30	1.82	0.09		
						2000	1.60	1.90	30	1.78	0.10		
						2001	1.70	1.90	32	1.82	0.10		
						2002	2.10	1.90	32	1.97	0.09		
5	S.H.-34	002360	058.052	059.203	N	1993	2.80	2.40	43	2.56			
						1994	2.90	2.40	43	2.60	0.18		
						1995	2.90	2.40	26	2.60	0.18		
						1996	3.30	2.40	26	2.77	0.16		
						1997	3.10	1.90	24	2.39	0.17		
						1998	3.00	1.90	24	2.35	0.17		
						1999	2.90	1.80	54	2.25	0.17		
						*2000	1.90	5.00	54	3.70	0.19		
						2001	3.20	5.00	43	4.25	0.09		
						2002	3.10	5.00	43	4.20	0.10		
5	S.H.-34	002360	059.203	059.795	N	1993	2.80	2.40	43	2.56			
						1994	2.90	2.40	43	2.60	0.18		
						1995	2.90	2.40	26	2.60	0.18		
						1996	3.30	2.40	26	2.77	0.16		
						1997	3.10	1.90	24	2.39	0.17		
						1998	3.00	1.90	24	2.35	0.17		
						1999	2.90	1.80	54	2.25	0.17		
						*2000	1.90	5.00	54	3.70	0.19		
						2001	2.10	2.00	59	2.04	0.17		
						2002	2.60	1.80	59	2.13	0.17		
5	S.H.-34	002360	059.795	063.549	N	1993	3.10	3.50	49	3.33			
						1994	3.10	3.40	49	3.27	0.23		
						1995	3.10	3.40	30	3.27	0.23		
						1996	3.30	3.40	30	3.35	0.18		
						1997	3.10	3.00	35	3.04	0.14		
						1998	3.10	2.80	35	2.92	0.20		
						1999	3.10	2.80	33	2.92	0.19	SEALCOAT	1999
						2000	3.10	2.80	33	2.92	0.21		
						2001	3.10	2.60	33	2.80	0.20		
						2002	2.70	2.40	33	2.52	0.20		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5	S.H.-34	002360	063.549	070.470	N	1993	2.80	2.00	42	2.32		
						1994	3.10	2.00	42	2.45	0.23	
						1995	3.10	2.00	38	2.45	0.23	
						1996	3.50	2.00	38	2.61	0.23	
						1997	3.50	2.00	38	2.61	0.24	
						1998	3.40	2.00	38	2.57	0.24	
						1999	3.40	2.00	40	2.57	0.22	SEALCOAT
						2000	3.30	2.00	40	2.53	0.23	
						2001	3.40	2.00	40	2.57	0.24	
						2002	3.00	2.00	40	2.41	0.24	
5	S.H.-34	002360	070.470	076.748	N	1993	1.80	2.50	60	2.21		
						1994	1.90	1.90	60	1.90	0.39	
						1995	1.90	1.70	46	1.78	0.39	
						1996	2.90	2.00	45	2.37	0.28	
						1997	2.70	2.00	39	2.28	0.28	
						1998	2.60	2.00	39	2.24	0.32	
						1999	2.60	1.70	41	2.07	0.30	SEALCOAT
						2000	2.50	1.70	41	2.02	0.33	
						2001	2.60	1.70	41	2.07	0.32	
						2002	2.40	1.70	41	1.98	0.34	
5	S.H.-34	002360	076.748	080.000	N	1993	1.90	2.90	58	2.48		
						1994	2.00	2.00	58	2.00	0.21	
						1995	2.00	2.00	50	2.00	0.21	
						1996	3.00	1.90	49	2.35	0.22	
						1997	2.90	1.80	46	2.25	0.22	
						1998	2.80	1.80	46	2.21	0.23	
						1999	2.70	1.80	37	2.17	0.23	SEALCOAT
						2000	2.60	1.80	37	2.12	0.25	
						2001	2.60	1.80	37	2.12	0.26	
						2002	2.60	1.70	37	2.07	0.27	
5	S.H.-34	002360	080.000	082.000	N	1993	2.50	2.50	62	2.50		
						1994	2.60	2.00	62	2.24	0.31	
						1995	2.60	2.00	56	2.24	0.31	SEALCOAT
						1996	3.10	1.90	55	2.39	0.29	
						1997	3.00	1.90	51	2.35	0.31	
						1998	3.00	1.80	51	2.29	0.32	
						1999	2.70	1.80	46	2.17	0.35	SEALCOAT
						2000	2.70	1.80	46	2.17	0.37	
						2001	2.80	1.80	46	2.21	0.39	
						2002	2.50	1.80	46	2.08	0.45	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
5	S.H.-34	002360	082.000	085.199	N	1993	2.20	2.50	59	2.37			
						1994	2.30	2.20	59	2.24	0.27	SEALCOAT	1995
						1995	2.30	2.20	44	2.24	0.27		
						1996	3.20	2.20	44	2.61	0.21		
						1997	3.00	2.10	40	2.47	0.16		
						1998	3.00	2.10	40	2.47	0.17		
						1999	3.00	2.00	32	2.41	0.19		
						2000	2.60	2.00	32	2.24	0.17		
						2001	2.60	2.00	32	2.24	0.13		
						2002	2.70	2.00	32	2.28	0.15		
5	S.H.-34	002360	085.199	089.650	N	1993	2.40	1.80	60	2.04			
						1994	2.40	1.70	60	1.98	0.44	SEALCOAT	1995
						1995	2.40	1.70	41	1.98	0.44		
						1996	3.00	1.70	40	2.23	0.35		
						1997	2.90	1.70	32	2.19	0.29		
						1998	2.90	1.70	32	2.19	0.30		
						1999	2.90	1.70	37	2.19	0.29		
						2000	2.80	1.70	37	2.15	0.33		
						2001	3.00	4.00	37	3.58	0.22		
						2002	3.00	3.80	37	3.47	0.26		
5	S.H.-34	002360	089.650	091.500	N	1993	2.90	2.50	62	2.66			
						1994	2.80	2.40	62	2.56	0.23	SEALCOAT	1995
						1995	2.80	2.40	46	2.56	0.23		
						1996	3.50	2.40	46	2.85	0.22		
						1997	3.40	2.20	45	2.69	0.21		
						1998	3.40	2.20	45	2.69	0.25		
						1999	3.30	2.20	50	2.65	0.27		
						2000	3.30	2.20	50	2.65	0.29		
						2001	3.30	2.20	50	2.65	0.24		
						2002	3.10	2.20	50	2.57	0.27		
5	S.H.-34	002360	091.500	093.455	N	1993	2.50	2.00	52	2.20	PLANT MIX OVERLAY		1993
						1994	2.40	2.00	52	2.16	0.32	SEALCOAT	1995
						1995	2.40	2.00	42	2.16	0.32		
						1996	3.50	2.00	41	2.61	0.25		
						1997	3.40	2.00	36	2.57	0.22		
						1998	3.40	2.00	36	2.57	0.25		
						1999	3.40	2.00	37	2.57	0.26		
						2000	3.30	2.00	37	2.53	0.24		
						2001	3.40	2.00	37	2.57	0.23		
						2002	3.20	2.00	37	2.49	0.27		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	S.H.-34	002360	093.455	098.710	N	1993	3.40	3.00	55	3.16		PLANT MIX OVERLAY	1993
						1994	3.30	3.00	55	3.12	0.16		
						1995	3.30	3.00	28	3.12	0.16		
						1996	4.10	3.00	27	3.45	0.07		
						1997	3.90	3.00	16	3.37	0.07		
						1998	3.80	3.00	16	3.32	0.12		
						1999	3.90	3.00	39	3.37	0.11		
						2000	3.80	3.50	39	3.62	0.12		
						2001	3.90	3.50	39	3.66	0.10		
						2002	3.70	3.50	39	3.58	0.12		
5	S.H.-34	002360	099.000	103.900	N	1993	2.10	3.00	55	2.62			
						1994	2.10	2.50	55	2.33	0.33	SEALCOAT	1995
						1995	2.10	2.50	47	2.33	0.33		
						1996	2.90	2.50	47	2.66	0.19		
						1997	2.60	2.50	39	2.54	0.18		
						*1998	2.60	2.50	39	2.54	0.17		
						1999	2.80	2.50	36	2.62	0.19		
						2000	2.70	2.50	36	2.58	0.18		
						2001	2.80	2.50	36	2.62	0.16		
						2002	2.80	2.50	36	2.62	0.17		
5	S.H.-34	002360	103.900	110.464	N	1993	2.10	3.00	55	2.62			
						1994	2.10	2.50	55	2.33	0.33	SEALCOAT	1995
						1995	2.10	2.50	47	2.33	0.33		
						1996	2.90	2.50	47	2.66	0.19		
						1997	2.60	2.50	39	2.54	0.18		
						*1998	2.60	2.50	39	2.54	0.17		
						1999	3.70	5.00	45	4.46	0.04	PLANT MIX OVERLAY	1999
						2000	3.70	5.00	45	4.46	0.05		
						2001	3.70	5.00	45	4.46	0.05		
						2002	3.80	5.00	45	4.50	0.05		
5	S.H.-34	002360	110.464	113.600	N	1993	2.20	3.00	55	2.67			
						1994	2.10	3.00	55	2.62	0.23		
						1995	2.10	3.00	46	2.62	0.23	SEALCOAT	1995
						1996	2.70	3.00	46	2.87	0.25		
						1997	2.50	3.00	44	2.79	0.19		
						1998	2.30	3.00	44	2.71	0.21		
						1999	3.90	5.00	45	4.54	0.03	PLANT MIX OVERLAY	1999
						2000	3.90	5.00	45	4.54	0.04		
						2001	3.90	5.00	45	4.54	0.04		
						2002	3.90	5.00	45	4.54	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
5	S.H.-36	002370	000.000	004.752	N	1993	2.20	3.30	60	2.84			
						1994	2.30	3.30	60	2.88	0.31	SEALCOAT	1994
						1995	2.30	3.30	51	2.88	0.31		
						1996	2.80	3.30	50	3.09	0.22		
						1997	2.60	3.30	51	3.01	0.16		
						1998	2.60	3.30	51	3.01	0.13		
						1999	2.70	3.30	58	3.05	0.14		
						2000	2.80	3.30	58	3.09	0.15		
						2001	2.70	3.30	58	3.05	0.16		
						2002	2.70	3.30	58	3.05	0.20		
5	S.H.-36	002370	004.752	010.000	N	1993	2.30	2.30	58	2.30			
						1994	2.40	2.30	58	2.34	0.44	SEALCOAT	1994
						1995	2.40	2.20	46	2.28	0.44		
						1996	3.00	2.20	46	2.52	0.27		
						1997	2.90	2.20	41	2.48	0.24	SEALCOAT	1997
						1998	2.80	2.20	41	2.44	0.23		
						*1999	2.90	2.20	41	2.48	0.27		
						2000	2.80	2.20	40	2.44	0.27		
						2001	2.80	2.20	40	2.44	0.30		
						2002	2.70	2.20	40	2.40	0.26		
5	S.H.-36	002370	010.000	013.576	N	1993	2.30	2.30	58	2.30			
						1994	2.40	2.30	58	2.34	0.44		
						1995	2.40	2.20	46	2.28	0.44		
						1996	3.00	2.20	46	2.52	0.27		
						1997	2.90	2.20	41	2.48	0.24	SEALCOAT	1997
						1998	2.80	2.20	41	2.44	0.23		
						*1999	2.90	2.20	41	2.48	0.27		
						2000	3.40	5.00	44	4.35	0.24	PLANT MIX OVERLAY	2000
						2001	3.50	5.00	44	4.39	0.05		
						2002	3.50	5.00	44	4.39	0.06		
5	S.H.-36	002370	013.576	017.600	N	1993	1.80	3.00	55	2.51			
						1994	1.80	2.60	55	2.27	0.50		
						1995	1.80	1.90	46	1.85	0.50		
						1996	2.60	1.80	45	2.12	0.33		
						*1997	2.50	1.60	38	1.96	0.31	SEALCOAT	1997
						1998	2.20	1.60	37	1.84	0.30		
						*1999	2.10	1.60	41	1.80	0.30		
						2000	3.50	5.00	41	4.39	0.32	PLANT MIX OVERLAY	2000
						2001	3.10	5.00	41	4.23	0.10		
						2002	3.20	4.60	41	4.03	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	S.H.-36	002370	017.600	022.106	N	1993	1.80	3.00	55	2.51		SEALCOAT	1993
						1994	1.80	2.60	55	2.27	0.50		
						1995	1.80	1.90	46	1.85	0.50		
						1996	2.60	1.80	45	2.12	0.33		
						*1997	2.50	1.60	38	1.96	0.31	SEALCOAT	1997
						1998	3.80	5.00	39	4.51	0.11	PLANT MIX OVERLAY	1998
						*1999	3.80	5.00	67	4.51	0.10		
						2000	3.80	5.00	67	4.51	0.11		
						2001	3.80	5.00	67	4.51	0.12		
						2002	3.80	4.90	67	4.45	0.11		
5	S.H.-36	002370	022.106	026.228	N	1993	2.50	3.00	55	2.79		SEALCOAT	1993
						1994	2.50	2.50	55	2.50	0.57		
						1995	2.50	2.50	44	2.50	0.57	SEALCOAT	1995
						1996	3.30	2.50	44	2.82	0.32		
						*1997	3.40	2.40	45	2.80	0.34		
						1998	3.80	5.00	40	4.51	0.08	PLANT MIX OVERLAY	1998
						1999	3.70	5.00	64	4.47	0.07		
						2000	3.70	4.50	64	4.17	0.09		
						2001	3.80	4.50	64	4.21	0.10		
						2002	3.70	4.50	64	4.17	0.10		
5	S.H.-36	002370	026.228	029.726	N	1993	2.50	3.00	55	2.79			
						1994	2.50	2.50	55	2.50	0.57		
						1995	2.50	2.50	44	2.50	0.57	SEALCOAT	1995
						1996	3.30	2.50	44	2.82	0.32		
						*1997	3.40	2.40	45	2.80	0.34		
						1998	3.40	2.40	43	2.80	0.44		
						1999	3.30	2.40	50	2.76	0.46		
						2000	3.60	5.00	50	4.43	0.33	PLANT MIX OVERLAY	2000
						2001	3.70	5.00	50	4.47	0.18		
						2002	3.60	4.80	50	4.31	0.19	SEALCOAT	2002
5	S.H.-36	002370	029.726	033.960	N	1993	3.00	4.50	59	3.89			
						1994	3.10	4.50	59	3.93	0.15		
						1995	3.10	4.50	46	3.93	0.15	SEALCOAT	1995
						1996	4.00	4.50	45	4.29	0.08		
						1997	3.90	4.50	43	4.25	0.06		
						1998	3.90	4.50	43	4.25	0.12		
						1999	3.80	4.50	49	4.21	0.12		
						2000	3.90	4.50	49	4.25	0.17	PLANT MIX OVERLAY	2000
						2001	3.90	3.20	49	3.48	0.18		
						2002	3.60	3.20	49	3.36	0.18	SEALCOAT	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
5	S.H.-36	005510	100.000	105.500	N	*1993	2.20	5.00	51	3.84									
						1994	2.30	5.00	50	3.88	0.31								
						1995	2.30	4.50	50	3.59	0.31								
						1996	3.30	4.20	46	3.82	0.14								
						1997	3.10	4.20	43	3.74	0.12								
						1998	3.20	4.20	43	3.78	0.12								
						1999	3.10	4.20	56	3.74	0.13	SEALCOAT					1999		
						2000	3.20	4.20	56	3.78	0.13								
						2001	3.20	4.20	56	3.78	0.14								
						2002	3.20	4.20	56	3.78	0.13								
						5	S.H.-36	005510	105.500	112.060	N	*1993	2.20	5.00	51	3.84			
												1994	2.60	2.00	55	2.24	0.24		
1995	2.60	3.00	55	2.83	0.24														
1996	3.40	3.00	46	3.16	0.14														
1997	3.40	3.00	42	3.16	0.12														
1998	3.40	3.00	42	3.16	0.15							SEALCOAT					1998		
1999	3.40	3.00	59	3.16	0.14							SEALCOAT					1999		
2000	3.40	3.00	59	3.16	0.14														
2001	3.40	3.00	59	3.16	0.14														
2002	3.30	3.00	59	3.12	0.13														
5	S.H.-36	005510	112.060	114.860	N							1993	2.20	1.40	58	1.72			
												1994	2.30	1.40	58	1.77	0.27		
						1995	2.30	1.40	58	1.77	0.27								
						1996	3.20	3.00	46	3.08	0.16								
						1997	3.10	3.00	42	3.04	0.15								
						1998	3.30	2.70	42	2.94	0.20	SEALCOAT					1998		
						1999	3.40	2.70	61	2.98	0.16								
						2000	3.30	2.70	61	2.94	0.17								
						2001	3.30	2.40	61	2.77	0.18								
						2002	3.10	2.40	61	2.68	0.17								
						5	S.H.-36	005510	114.860	121.550	N	1993	2.40	3.00	46	2.75			
												1994	2.60	3.00	46	2.83	0.35		
1995	2.60	3.00	46	2.83	0.35														
1996	3.20	3.00	46	3.08	0.24														
1997	3.20	3.00	44	3.08	0.23														
1998	3.20	3.00	44	3.08	0.22							SEALCOAT					1998		
1999	3.40	3.00	57	3.16	0.24														
2000	3.40	3.00	57	3.16	0.25														
2001	3.40	3.00	57	3.16	0.25														
2002	3.10	3.00	57	3.04	0.24							SEALCOAT					2002		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
5	S.H.-36	005510	121.550	126.540	N	1993	2.80	2.50	38	2.62			
						1994	2.90	2.50	38	2.66	0.32		
						1995	2.90	2.50	38	2.66	0.32		
						1996	3.40	3.00	46	3.16	0.14		
						1997	3.40	3.00	39	3.16	0.14	SEALCOAT	1997
						1998	3.40	3.00	39	3.16	0.14		
						1999	3.40	3.00	41	3.16	0.14		
						2000	3.40	2.40	41	2.81	0.17		
						2001	3.40	2.30	41	2.75	0.15		
						2002	2.90	2.30	41	2.54	0.15	SEALCOAT	2002
5	S.H.-36	005510	126.540	131.840	N	1993	2.60	1.90	56	2.18			
						1994	2.70	1.90	56	2.23	0.16		
						1995	2.70	1.90	56	2.23	0.16	SEALCOAT	1995
						1996	2.60	1.90	46	2.18	0.18		
						1997	2.60	1.90	45	2.19	0.19		
						1998	2.60	1.90	45	2.19	0.16		
						1999	2.60	1.90	50	2.19	0.17		
						2000	2.60	1.50	50	1.95	0.16		
						2001	2.60	1.50	50	1.95	0.16		
						2002	3.40	5.00	50	4.33	0.05	PLANT MIX OVERLAY	2002
5	S.H.-36	005510	131.840	132.560	N	1993	3.40	2.50	36	2.87			
						1994	3.40	2.50	36	2.87	0.08		
						1995	3.40	2.50	36	2.87	0.08	SEALCOAT	1995
						1996	3.30	2.50	46	2.83	0.14		
						1997	3.40	2.50	43	2.87	0.13		
						1998	3.30	2.50	43	2.83	0.09		
						1999	3.30	2.50	51	2.83	0.09		
						2000	3.40	2.50	51	2.87	0.10		
						2001	3.40	5.00	51	4.33	0.12	PLANT MIX OVERLAY	2001
						2002	3.70	5.00	51	4.46	0.06		
5	S.H.-36	005510	132.560	133.075	N	1993	2.70	2.90	33	2.82			
						1994	2.80	2.90	33	2.86	0.22		
						1995	2.80	2.90	33	2.86	0.22	SEALCOAT	1995
						1996	3.30	2.90	46	3.05	0.21		
						1997	2.60	2.70	43	2.66	0.18		
						1998	2.70	2.70	43	2.70	0.22		
						1999	2.70	2.70	50	2.70	0.21		
						2000	2.70	2.30	50	2.45	0.18		
						2001	2.90	5.00	50	4.19	0.23	MILL AND INLAY	2001
						2002	3.40	5.00	50	4.38	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
5	S.H.-37	002320	037.483	045.320	N	1993	2.20	3.00	59	2.67			
						1994	2.40	3.00	59	2.75	0.18		
						1995	2.40	2.70	44	2.57	0.18		
						1996	2.90	2.70	44	2.78	0.19		
						1997	2.80	3.50	45	3.21	0.17	SEALCOAT	1997
						1998	2.80	3.50	45	3.21	0.15		
						1999	2.80	3.50	60	3.21	0.17		
						2000	2.80	3.50	60	3.21	0.18		
						2001	2.90	2.90	60	2.90	0.19		
						2002	2.70	2.90	60	2.81	0.17		
5	S.H.-37	002320	045.320	050.430	N	1993	2.20	2.00	50	2.08			
						1994	2.30	2.00	50	2.12	0.21		
						1995	2.30	2.00	38	2.12	0.21		
						1996	2.70	2.00	37	2.28	0.19		
						1997	2.70	3.50	46	3.17	0.17	SEALCOAT	1997
						1998	2.70	3.50	46	3.17	0.15		
						1999	2.70	3.50	57	3.17	0.19		
						2000	2.70	3.50	57	3.17	0.19		
						2001	2.70	3.00	57	2.87	0.22		
						2002	2.60	2.90	57	2.77	0.18		
5	S.H.-37	002320	050.430	055.440	N	1993	2.20	2.00	48	2.08			
						1994	2.60	2.00	48	2.24	0.28		
						1995	2.60	2.00	34	2.24	0.28		
						1996	3.10	2.00	33	2.45	0.23		
						1997	3.00	3.50	43	3.29	0.21	SEALCOAT	1997
						1998	3.00	3.50	43	3.29	0.19		
						1999	3.00	3.50	53	3.29	0.21		
						2000	3.00	3.50	53	3.29	0.21		
						2001	3.10	2.80	53	2.92	0.23		
						2002	2.90	2.80	53	2.84	0.20		
5	S.H.-37	002320	055.440	058.620	N	1993	2.20	2.30	45	2.25			
						1994	2.30	2.30	45	2.30	0.30		
						1995	2.30	2.30	38	2.30	0.30		
						1996	3.10	2.30	37	2.63	0.20		
						1997	2.90	3.50	46	3.25	0.18	SEALCOAT	1997
						1998	2.90	3.50	46	3.25	0.18		
						1999	2.90	2.40	57	2.60	0.20		
						2000	2.90	2.40	57	2.60	0.21		
						2001	3.00	2.40	57	2.64	0.19		
						2002	2.80	2.40	57	2.56	0.19		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
5	S.H.-37	002320	058.620	064.134	N	1993	2.70	2.30	48	2.46			
						1994	2.70	2.30	48	2.46	0.18		
						1995	2.70	2.10	39	2.34	0.18		
						1996	3.20	2.00	38	2.49	0.18		
						1997	3.20	3.50	39	3.37	0.12	SEALCOAT	1997
						1998	3.20	3.50	39	3.37	0.12		
						1999	3.20	3.50	48	3.37	0.14		
						2000	3.20	3.50	48	3.37	0.13		
						2001	3.20	3.00	48	3.08	0.14		
						2002	2.90	2.80	48	2.84	0.13		
5	S.H.-37	002320	064.134	068.714	N	1993	2.40	3.50	45	3.04			
						1994	1.60	3.50	45	2.71			
						1995	1.60	2.90	36	2.36			
						1996	3.20	2.90	36	3.02	0.14		
						1997	3.20	3.50	36	3.37	0.12	SEALCOAT	1997
						1998	3.20	3.50	36	3.37	0.13		
						1999	3.20	3.50	40	3.37	0.15		
						2000	3.20	3.50	40	3.37	0.14		
						2001	3.20	3.30	40	3.25	0.15		
						2002	3.00	3.30	40	3.17	0.13		
5	38	002320	000.000	000.689	N	1993	2.70	1.50	36	1.95			
						1994	2.70	1.50	36	1.95	0.09		
						1995	2.70	1.50	35	1.95	0.09		
						1996	3.20	1.50	34	2.14	0.09		
						1997	3.10	1.50	30	2.10	0.09		
						1998	3.30	1.50	30	2.18	0.09		
						1999	3.10	1.50	46	2.10	0.07		
						2000	2.90	1.50	46	2.03	0.09		
						2001	2.90	1.50	46	2.03	0.09		
						2002	2.90	1.50	46	2.03	0.08		
5	38	002320	000.689	000.953	N	1993	1.20	4.50	48	3.25			
						1994	1.10	4.50	48	3.21	0.15		
						1995	1.10	4.50	32	3.21	0.15		
						1996	2.30	4.50	31	3.67	0.13		
						1997	1.90	4.50	34	3.52	0.12		
						1998	2.00	4.50	34	3.55	0.13		
						1999	2.10	4.50	34	3.59	0.15		
						2000	2.00	4.50	34	3.55	0.16		
						2001	2.10	4.50	46	3.59	0.14		
						2002	1.60	4.50	46	3.40	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
5	38	002320	000.953	001.323	N	1993	1.90	3.50	48	2.89		
						1994	2.00	3.50	48	2.93	0.25	
						1995	2.00	3.50	41	2.93	0.25	
						1996	2.90	3.50	41	3.27	0.12	
						1997	2.80	3.50	36	3.23	0.09	
						1998	2.80	3.50	36	3.23	0.08	
						1999	2.70	3.50	46	3.19	0.09	
						2000	2.80	3.50	46	3.23	0.12	
						2001	2.70	3.50	46	3.19	0.11	
						2002	2.80	3.50	46	3.23	0.11	
5	38	002320	001.323	006.310	N	1993	3.10	2.00	53	2.45		
						1994	3.00	2.00	53	2.41	0.35	
						1995	3.00	2.00	43	2.41	0.35	
						1996	3.20	2.00	42	2.49	0.24	
						1997	3.20	2.00	39	2.49	0.20	
						1998	3.20	2.00	39	2.49	0.22	
						1999	3.10	2.00	46	2.45	0.23	
						2000	3.00	2.00	46	2.41	0.23	
						2001	2.90	2.00	46	2.37	0.26	
						2002	2.60	2.00	46	2.24	0.23	
5	38	002320	006.310	012.994	N	1993	2.60	2.30	48	2.42		
						1994	2.60	2.30	48	2.42	0.39	
						1995	2.60	2.30	52	2.42	0.39	
						1996	3.30	2.30	51	2.71	0.24	
						1997	3.40	2.30	47	2.75	0.24	
						1998	3.30	2.30	47	2.71	0.27	
						1999	3.40	2.30	47	2.75	0.28	
						2000	3.40	2.30	47	2.75	0.27	
						2001	3.60	2.30	47	2.83	0.32	
						2002	3.40	2.30	47	2.75	0.31	
5	38	002320	012.994	019.065	N	1993	2.20	3.00	56	2.67		
						1994	2.40	3.00	56	2.75	0.33	
						1995	2.40	3.00	51	2.75	0.33	
						1996	3.60	3.00	50	3.24	0.23	
						1997	3.40	3.00	45	3.16	0.26	
						1998	3.50	3.00	45	3.20	0.26	
						1999	3.50	3.00	47	3.20	0.27	
						2000	3.50	3.00	47	3.20	0.28	
						2001	3.60	2.90	47	3.18	0.31	
						2002	3.40	2.90	47	3.10	0.29	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5		38	002320	019.065	N	1993	2.80	2.50	54	2.62		
						1994	2.80	2.50	54	2.62	0.38	
						1995	2.80	2.50	50	2.62	0.38	
						1996	3.40	2.50	50	2.87	0.27	
						1997	3.40	2.50	40	2.87	0.27	
						1998	3.50	2.50	40	2.90	0.27	
						1999	3.60	2.50	33	2.95	0.27	
						2000	3.60	2.50	33	2.95	0.27	
						2001	3.60	2.50	33	2.95	0.30	
						2002	3.30	2.50	33	2.82	0.28	
5	S.H.-39	002330	001.720	001.815	N	1993	0.50	3.00	34	1.95		
						1994	2.70	3.00	34	2.87	0.00	
						1995	2.70	4.50	34	3.74	0.00	
						1996	3.10	4.50	50	3.86	0.13	
						1997	2.70	4.50	23	3.68	0.15	
						1998	2.60	4.50	23	3.64	0.20	SEALCOAT
						1999	2.60	4.50	23	3.64	0.16	
						2000	2.70	4.50	23	3.68	0.14	
						2001	2.70	4.50	33	3.68	0.15	
						2002	2.70	4.50	33	3.68	0.15	
5	S.H.-39	002330	001.815	002.807	ASC	1997	2.60	3.50	22	3.10	0.11	
						*1998	2.50	3.50	22	3.05	0.10	SEALCOAT
						1999	2.90	3.50	47	3.23	0.13	MILL AND INLAY
						2000	3.00	3.50	47	3.28	0.10	
						2001	3.00	3.50	47	3.28	0.12	
						2002	2.80	3.50	47	3.19	0.13	
5	S.H.-39	002330	001.815	002.807	DES	1999	2.90	3.50	37	3.23	0.13	MILL AND INLAY
						2000	3.00	3.50	37	3.28	0.10	
						2001	3.00	3.50	37	3.28	0.12	
						2002	2.80	3.50	37	3.19	0.13	
5	S.H.-39	002330	002.807	003.280	ASC	1997	2.60	3.50	22	3.10	0.11	
						*1998	2.50	3.50	22	3.05	0.10	
						1999	3.10	5.00	49	4.16	0.03	MILL AND INLAY
						2000	3.00	5.00	49	4.11	0.05	
						2001	3.20	5.00	49	4.20	0.03	
						2002	3.30	5.00	49	4.25	0.03	
5	S.H.-39	002330	002.807	003.280	DES	1999	3.10	5.00	40	4.16	0.03	MILL AND INLAY
						2000	3.00	5.00	40	4.11	0.05	
						2001	3.20	5.00	40	4.20	0.03	
						2002	3.30	5.00	40	4.25	0.03	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
5	S.H.-39	002330	003.280	010.962	N	1993	2.80	2.00	39	2.33									
						1994	3.00	2.00	39	2.41	0.17	SEALCOAT	1994						
						1995	3.00	2.00	40	2.41	0.17								
						1996	3.20	2.00	40	2.53	0.14								
						1997	3.10	2.00	29	2.49	0.14								
						*1998	3.00	2.00	29	2.44	0.17	SEALCOAT	1998						
						1999	4.10	5.00	52	4.59	0.04	C.R.A.B.S.	1999						
						2000	4.10	5.00	52	4.59	0.06								
						2001	4.10	5.00	52	4.59	0.06								
						2002	3.90	4.50	52	4.23	0.06								
						5	S.H.-39	002330	010.962	015.188	N	1993	2.90	2.00	39	2.37			
												1994	3.30	2.00	39	2.53	0.27	SEALCOAT	1994
1995	3.30	2.00	30	2.54	0.27														
1996	3.50	2.00	28	2.67	0.17														
1997	3.40	1.80	18	2.51	0.18														
1998	3.40	1.80	18	2.51	0.23							SEALCOAT	1998						
1999	4.00	5.00	53	4.55	0.04							MILL INLAY AND OVERLAY	1999						
2000	4.10	5.00	53	4.59	0.04														
2001	4.20	4.80	53	4.53	0.04														
2002	3.90	4.70	53	4.34	0.03														
5	S.H.-39	002330	015.188	015.700	N							1993	3.10	2.50	40	2.72			
												1994	3.30	2.50	39	2.80	0.23		
						1995	3.30	2.50	30	2.80	0.23								
						1996	3.60	2.50	28	2.95	0.11								
						1997	3.50	1.70	28	2.44	0.10								
						*1998	3.40	1.70	28	2.40	0.15	SEALCOAT	1998						
						1999	3.80	5.00	52	4.50	0.03	MILL INLAY AND OVERLAY	1999						
						2000	3.90	5.00	52	4.54	0.03								
						2001	4.00	4.90	52	4.52	0.03								
						2002	3.80	4.90	52	4.44	0.02								
						5	S.H.-39	002330	015.700	015.992	N	1993	2.40	3.50	59	3.08			
												1994	2.40	3.50	39	3.08	0.06		
1995	2.40	3.50	30	3.08	0.06														
1996	3.10	3.50	28	3.33	0.09														
1997	2.70	3.50	41	3.16	0.10														
*1998	2.50	3.50	41	3.08	0.12							SEALCOAT	1998						
1999	3.40	3.50	41	3.45	0.11														
2000	3.30	3.50	41	3.41	0.12														
2001	3.30	3.50	52	3.41	0.10														
2002	3.40	3.50	52	3.45	0.09														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
5	S.H.-39	002330	015.992	016.202	N	1993	2.60	3.50	60	3.15			
						1994	2.60	3.50	39	3.15	0.04		
						1995	2.60	3.50	38	3.15	0.04		
						1996	3.40	3.50	38	3.45	0.10		
						1997	3.30	2.90	41	3.06	0.12		
						1998	3.20	2.90	41	3.02	0.13	SEALCOAT	1998
						1999	3.10	2.90	41	2.98	0.11		
						2000	3.30	2.90	41	3.06	0.09		
						2001	3.30	2.90	41	3.06	0.08		
						2002	3.10	2.90	41	2.98	0.08		
5	S.H.-39	002330	016.202	016.480	N	1993	2.00	4.00	60	3.17			
						1994	1.90	4.00	39	3.13	0.39		
						1995	1.90	4.00	33	3.12	0.39		
						1996	2.70	3.50	33	3.14	0.12		
						1997	2.40	3.50	36	3.00	0.09		
						1998	2.30	3.50	36	2.96	0.12	SEALCOAT	1998
						1999	2.20	3.50	36	2.91	0.14		
						2000	2.40	3.00	36	2.73	0.11		
						2001	2.40	3.00	41	2.73	0.12		
						2002	2.50	3.00	41	2.77	0.14		
5	S.H.-39	002330	016.480	023.137	N	1993	2.90	3.00	51	2.95			
						1994	2.90	3.00	51	2.95	0.22		
						1995	2.90	3.00	42	2.95	0.22		
						1996	3.40	2.90	41	3.12	0.14	SEALCOAT	1996
						1997	3.30	2.90	43	3.07	0.15		
						1998	3.20	2.90	43	3.03	0.16	SEALCOAT	1998
						1999	3.20	2.90	50	3.03	0.17		
						2000	3.20	2.90	50	3.03	0.17		
						2001	3.30	2.90	50	3.07	0.18		
						2002	3.10	2.80	50	2.93	0.17		
5	S.H.-39	002330	023.137	029.919	N	1993	3.10	4.50	40	3.93			
						1994	3.30	4.50	40	4.01	0.15		
						1995	3.30	4.30	44	3.89	0.15		
						1996	3.90	4.30	43	4.12	0.15	SEALCOAT	1996
						1997	3.70	4.30	46	4.03	0.15		
						1998	3.70	4.30	46	4.03	0.12		
						1999	3.70	4.30	50	4.03	0.13		
						2000	3.80	4.30	50	4.07	0.14		
						2001	3.80	4.30	50	4.07	0.14		
						2002	3.50	4.30	50	3.94	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5	S.H.-39	002330	029.919	035.150	N	1993	3.40	4.80	52	4.23		
						1994	3.40	4.80	52	4.23	0.10	
						1995	3.40	4.80	41	4.22	0.10	
						1996	4.00	4.80	41	4.44	0.15	SEALCOAT
						1997	3.90	4.50	47	4.23	0.13	
						1998	3.90	4.50	47	4.23	0.16	
						1999	3.90	4.50	49	4.23	0.14	
						2000	3.90	4.50	49	4.23	0.17	
						2001	3.90	4.50	49	4.23	0.21	
						2002	3.60	3.30	49	3.43	0.19	
5	S.H.-39	002330	035.150	039.900	N	1993	3.30	4.00	47	3.71		
						1994	3.30	3.60	47	3.47	0.08	
						1995	3.30	3.60	39	3.47	0.08	
						1996	3.50	3.60	39	3.55	0.09	SEALCOAT
						1997	3.50	3.40	46	3.44	0.09	
						1998	3.40	3.00	46	3.17	0.08	
						1999	3.40	3.00	48	3.17	0.08	
						2000	3.30	3.00	48	3.13	0.08	
						2001	3.30	2.40	48	2.79	0.11	
						2002	3.00	2.30	48	2.60	0.10	
5	S.H.-39	002330	039.900	044.700	N	1993	3.40	4.50	58	4.04		
						1994	3.50	4.50	58	4.08	0.11	
						1995	3.50	4.30	42	3.96	0.11	
						1996	4.10	4.30	41	4.21	0.16	SEALCOAT
						1997	4.10	4.30	45	4.21	0.14	
						1998	4.10	4.30	45	4.21	0.17	
						1999	4.00	4.30	44	4.16	0.20	
						2000	4.00	4.00	44	4.00	0.20	
						2001	4.00	2.90	44	3.39	0.26	
						2002	3.60	2.90	44	3.21	0.23	
5	S.H.-39	002330	044.700	049.100	N	1993	3.10	2.30	41	2.63		SEALCOAT
						1994	3.20	2.30	41	2.67	0.18	
						1995	3.20	2.30	33	2.67	0.18	
						1996	3.40	2.30	32	2.79	0.18	SEALCOAT
						1997	3.40	2.30	26	2.79	0.18	
						1998	3.30	2.20	26	2.69	0.21	
						*1999	3.30	2.20	35	2.69	0.22	PLANT MIX OVERLAY
						2000	3.90	5.00	35	4.50	0.11	
						2001	3.80	5.00	35	4.45	0.11	
						2002	3.60	5.00	35	4.36	0.10	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	S.H.-39	002330	049.100	049.208	N	1993	3.10	2.30	41	2.63		SEALCOAT	1993
						1994	3.20	2.30	41	2.67	0.18		
						1995	3.20	2.30	33	2.67	0.18		
						1996	3.40	2.30	32	2.79	0.18		
						1997	3.40	2.30	26	2.79	0.18		
						1998	3.30	2.20	26	2.69	0.21		
						*1999	3.30	2.20	35	2.69	0.22		
						2000	3.10	2.20	35	2.60	0.18		
						2001	3.30	2.20	35	2.69	0.17		
						2002	3.10	2.20	35	2.60	0.12		
5	S.H.-39	002330	049.208	049.574	N	1993	3.30	3.00	50	3.12		SEALCOAT	1993
						1994	3.30	3.00	50	3.12	0.04		
						1995	3.30	3.00	29	3.12	0.04		
						1996	3.80	3.00	29	3.36	0.11		
						1997	3.50	3.00	29	3.22	0.11		
						1998	3.60	2.80	29	3.16	0.12		
						1999	3.60	2.40	24	2.94	0.09		
						2000	3.50	2.40	24	2.89	0.12		
						2001	3.60	2.40	24	2.94	0.13		
						2002	3.50	2.40	24	2.89	0.11		
5	S.H.-39	002330	049.574	051.389	N	1993	3.50	2.40	50	2.86		SEALCOAT	1993
						1994	3.60	2.40	50	2.90	0.16		
						1995	3.60	2.40	36	2.90	0.16		
						1996	3.70	2.40	35	2.99	0.09		
						1997	3.70	2.40	32	2.99	0.09		
						1998	3.60	2.40	32	2.94	0.10		
						1999	3.60	2.40	39	2.94	0.12		
						2000	3.60	2.40	39	2.94	0.11		
						2001	3.60	2.40	39	2.94	0.11		
						2002	3.40	2.40	39	2.85	0.10		
5	S.H.-39	002330	051.389	052.714	N	1993	3.10	2.80	49	2.92		SEALCOAT	1993
						1994	3.10	2.80	49	2.92	0.08		
						1995	3.10	2.80	27	2.92	0.08		
						1996	3.50	2.80	26	3.09	0.14		
						1997	3.30	2.50	27	2.83	0.10		
						1998	3.20	2.40	27	2.73	0.11		
						1999	3.20	2.40	29	2.73	0.10		
						2000	3.20	2.40	29	2.73	0.12		
						2001	3.20	2.40	29	2.73	0.13		
						2002	3.10	2.40	29	2.69	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	S.H.-39	002330	052.714	052.938	N	1993	0.90	2.30	49	1.71		SEALCOAT	1993
						1994	2.10	2.30	49	2.21	0.00		
						1995	2.10	2.30	27	2.21	0.00		
						1996	2.20	2.30	26	2.25	0.10		
						1997	1.60	2.30	27	2.00	0.11		
						1998	1.90	2.30	27	2.13	0.13		
						1999	1.60	2.10	29	1.88	0.12		
						2000	1.60	2.10	29	1.88	0.13		
						2001	1.50	3.00	29	2.36	0.13		
						2002	1.20	2.40	29	1.89	0.10		
5	S.H.-39	002331	002.040	002.587	N	1993	2.40	3.50	29	3.05			
						1994	2.30	3.50	29	3.01	0.24		
						1995	2.30	3.50	15	3.01	0.24		
						1996	2.80	3.50	15	3.18	0.10		
						*1997	2.60	2.20	20	2.37	0.09		
						1998	2.50	2.20	17	2.33	0.12		
						1999	2.70	2.20	17	2.42	0.14		
						2000	2.60	2.20	17	2.37	0.14		
						2001	2.60	2.20	40	2.37	0.13		
						2002	2.80	2.20	40	2.46	0.09		
5	S.H.-39	002331	002.587	003.300	N	1993	2.40	3.50	29	3.05			
						1994	2.30	3.50	29	3.01	0.24		
						1995	2.30	3.50	15	3.01	0.24		
						1996	2.80	3.50	15	3.18	0.10		
						*1997	2.60	2.20	20	2.37	0.09		
						1998	2.20	5.00	27	3.75	0.08		
						1999	3.00	5.00	27	4.11	0.04		
						2000	3.00	5.00	27	4.11	0.06		
						2001	3.10	5.00	40	4.15	0.06		
						2002	2.90	5.00	40	4.06	0.06		
5	S.H.-40	002340	000.000	002.737	N	1993	3.30	3.00	48	3.12			
						1994	3.40	3.00	48	3.16	0.18		
						1995	3.40	3.00	47	3.16	0.18		
						1996	3.50	3.00	47	3.20	0.14		
						1997	3.50	3.00	39	3.20	0.15		
						1998	3.40	3.00	39	3.16	0.14		
						1999	3.40	3.00	57	3.16	0.15	SEALCOAT	1999
						2000	3.40	3.00	57	3.16	0.16		
						2001	3.50	3.00	57	3.20	0.14		
						2002	3.10	3.00	57	3.04	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
5	S.H.-61	002390	000.000	000.740	N	1993	1.40	5.00	59	3.20		
						1994	3.00	5.00	59	4.10	0.12	PLANT MIX OVERLAY
						1995	3.00	5.00	57	4.10	0.12	
						1996	3.80	5.00	56	4.46	0.07	
						1997	3.40	5.00	50	4.28	0.07	
						1998	3.30	5.00	50	4.24	0.09	
						1999	3.30	4.50	66	3.96	0.08	
						2000	3.30	4.50	66	3.96	0.09	SEALCOAT
						2001	3.30	4.50	66	3.96	0.09	
						2002	3.30	4.50	66	3.96	0.09	
5	I-86	001260	014.818	017.579	ASC	1993	3.40	4.50	54	3.94		
						1994	3.30	4.00	31	3.64	0.00	
						1995	3.30	4.00	30	3.64	0.00	
						1996	3.40	4.00	29	3.69	0.06	
						1997	3.30	4.00	36	3.64	0.07	
						1998	3.20	4.00	36	3.59	0.04	
						1999	3.20	4.00	39	3.59	0.05	
						2000	3.20	4.00	39	3.59	0.05	
						2001	3.20	4.00	37	3.59	0.06	
						2002	2.80	3.70	37	3.24	0.04	
5	I-86	001260	014.818	017.579	DES	1993	3.50	4.50	46	3.99		
						1994	3.40	4.50	31	3.94	0.08	
						1995	3.40	4.50	29	3.94	0.08	
						1996	3.20	4.50	39	3.84	0.06	
						1997	3.00	4.50	29	3.74	0.07	
						1998	2.90	4.50	36	3.69	0.07	
						1999	2.90	4.50	41	3.69	0.07	
						2000	3.00	4.50	41	3.74	0.07	
						2001	2.90	2.60	41	2.75	0.07	
						2002	2.60	2.60	41	2.60	0.08	
5	I-86	001260	017.579	022.600	ASC	1993	3.40	4.50	54	3.94		
						1994	3.30	4.00	32	3.64	0.00	
						1995	3.30	4.00	29	3.64	0.00	
						1996	3.20	4.00	29	3.59	0.05	
						1997	3.10	4.00	36	3.54	0.05	
						1998	3.10	4.00	36	3.54	0.04	
						1999	3.20	4.00	38	3.59	0.04	
						2000	3.10	4.00	38	3.54	0.04	
						2001	3.10	4.00	35	3.54	0.04	
						2002	2.80	4.00	35	3.39	0.04	
5	I-86	001260	017.579	022.600	DES	1993	3.50	4.50	46	3.99		
						1994	3.40	4.50	32	3.94	0.06	
						1995	3.40	4.50	32	3.94	0.06	
						1996	3.20	4.50	39	3.84	0.06	
						1997	3.20	4.50	32	3.84	0.07	
						1998	3.20	4.30	39	3.74	0.07	
						1999	3.20	4.30	41	3.74	0.06	

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
5	I-86	001260	022.600	026.700	ASC	2000	3.20	4.30	41	3.74	0.07	
						2001	3.20	4.10	41	3.64	0.07	
						2002	2.90	4.10	41	3.49	0.07	
						1993	3.40	4.50	56	3.94		
						1994	3.20	4.50	31	3.84	0.00	
						1995	3.20	4.00	32	3.59	0.00	
						1996	3.00	4.00	30	3.49	0.07	
						1997	3.00	4.00	35	3.49	0.05	
						1998	2.80	4.00	35	3.39	0.05	
						1999	2.90	4.00	36	3.44	0.04	
2000	2.90	4.00	36	3.44	0.05							
2001	2.80	4.00	36	3.39	0.05							
2002	2.60	4.00	36	3.29	0.04							
5	I-86	001260	022.600	026.700	DES	1993	3.50	4.50	46	3.99		
						1994	3.50	4.50	28	3.99	0.01	
						1995	3.50	4.50	36	3.99	0.01	
						1996	3.40	4.50	37	3.94	0.06	
						1997	3.30	4.50	31	3.89	0.06	
						1998	3.20	4.50	39	3.84	0.05	
						1999	3.20	4.50	41	3.84	0.05	
						2000	3.30	4.50	41	3.89	0.05	
						2001	3.30	4.50	41	3.89	0.05	
						2002	3.00	4.50	41	3.74	0.05	
5	I-86	001260	026.700	031.970	ASC	1993	3.60	4.00	55	3.79		
						1994	3.40	4.00	24	3.69	0.00	
						1995	3.40	4.00	26	3.69	0.00	
						1996	3.40	4.00	24	3.69	0.03	
						1997	3.30	3.80	28	3.54	0.03	
						1998	3.20	3.80	28	3.49	0.03	
						1999	3.30	3.80	31	3.54	0.03	
						2000	3.40	3.80	31	3.59	0.03	
						2001	3.30	3.80	28	3.54	0.03	
						2002	3.10	3.80	28	3.44	0.02	
5	I-86	001260	026.700	031.970	DES	1993	3.70	4.00	45	3.84		
						1994	3.70	4.00	30	3.84	0.00	
						1995	3.70	4.00	30	3.84	0.00	
						1996	3.60	4.00	38	3.79	0.05	
						1997	3.60	4.00	32	3.79	0.05	
						1998	3.40	4.00	36	3.69	0.03	
						1999	3.50	4.00	39	3.74	0.03	
						2000	3.50	4.00	39	3.74	0.03	
						2001	3.50	4.00	39	3.74	0.04	
						2002	3.20	4.00	39	3.59	0.03	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	REMARKS	DEPTH
5	I-86	001260	031.970	035.853	ASC	1993	3.40	4.00	54	3.69		
						1994	3.40	4.00	29	3.69	0.00	
						1995	3.40	4.00	25	3.69	0.00	
						1996	3.30	4.00	25	3.64	0.03	
						1997	3.30	4.00	31	3.64	0.03	
						1998	3.20	4.00	31	3.59	0.03	
						1999	3.30	4.00	35	3.64	0.02	
						2000	3.30	4.00	35	3.64	0.03	
						*2001	3.30	4.00	33	3.64	0.02	
5	I-86	001260	031.970	035.853	DES	1993	3.60	4.00	45	3.79		
						1994	3.60	4.00	29	3.79	0.00	
						1995	3.60	4.00	29	3.79	0.00	
						1996	3.50	4.00	38	3.74	0.05	
						1997	3.50	4.00	32	3.74	0.06	
						1998	3.30	4.00	38	3.64	0.03	
						1999	3.40	4.00	38	3.69	0.04	
						2000	3.50	4.00	38	3.74	0.03	
						*2001	3.50	4.00	38	3.74	0.04	
5	I-86	001260	031.970	035.900	ASC	2002	3.00	4.00	33	3.49	0.03	
5	I-86	001260	031.970	035.900	DES	2002	3.20	4.00	38	3.59	0.04	
5	I-86	001260	035.853	038.236	ASC	1993	3.30	4.00	51	3.64		
						1994	3.60	4.00	38	3.79	0.00	
						1995	3.60	4.00	39	3.79	0.00	
						1996	4.00	4.00	40	4.00	0.11	
						1997	3.80	4.00	42	3.89	0.13	
						1998	3.80	4.00	42	3.89	0.15	
						1999	4.00	4.00	45	4.00	0.17	
						2000	3.70	4.00	45	3.84	0.19	
						*2001	3.80	4.00	46	3.89	0.18	
5	I-86	001260	035.853	038.236	DES	1993	3.80	4.00	49	3.89		
						1994	3.80	4.00	39	3.89	0.01	
						1995	3.80	4.00	35	3.89	0.01	
						1996	4.10	4.00	47	4.05	0.14	
						1997	4.00	4.00	37	4.00	0.13	
						1998	4.00	4.00	46	4.00	0.18	
						1999	4.00	4.00	50	4.00	0.20	
						2000	4.00	3.00	50	3.50	0.20	
						*2001	3.90	3.00	50	3.45	0.23	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
5	I-86	001260	035.900	038.236	ASC	2002	4.00	5.00	46	4.49	0.03	C.R.A.B.S.	2002
5	I-86	001260	035.900	038.236	DES	2002	4.00	5.00	50	4.49	0.04	C.R.A.B.S.	2002
5	I-86	001260	038.236	038.800	ASC	1993	3.30	4.00	57	3.64			
						1994	3.20	4.00	38	3.59	0.03		
						1995	3.20	4.00	32	3.59	0.03		
						1996	3.80	4.00	20	3.89	0.14		
						1997	3.80	4.00	37	3.89	0.16		
						1998	3.70	3.00	37	3.35	0.21		
						1999	3.60	3.00	49	3.30	0.25		
						2000	3.80	3.00	49	3.40	0.22		
						2001	3.70	3.00	46	3.35	0.25		
						2002	3.80	5.00	46	4.39	0.02	C.R.A.B.S.	2002
5	I-86	001260	038.236	038.800	DES	1993	3.40	5.00	52	4.19			
						1994	3.50	5.00	37	4.24	0.04		
						1995	3.50	5.00	40	4.24	0.04		
						1996	3.80	5.00	30	4.39	0.13		
						1997	3.70	5.00	31	4.34	0.13		
						1998	3.50	5.00	47	4.24	0.18		
						1999	3.50	5.00	48	4.24	0.20		
						2000	3.50	5.00	48	4.24	0.18		
						2001	3.50	5.00	48	4.24	0.22		
						2002	3.90	5.00	48	4.44	0.04	C.R.A.B.S.	2002
5	I-86	001260	038.800	040.380	ASC	1993	3.60	4.00	52	3.79			
						1994	3.50	4.00	40	3.74	0.01		
						1995	3.50	3.90	35	3.69	0.01		
						1996	4.10	3.90	41	4.00	0.09		
						1997	3.90	3.90	41	3.90	0.11		
						1998	3.90	3.90	41	3.90	0.16		
						1999	3.70	3.90	48	3.79	0.20		
						2000	3.80	3.90	48	3.84	0.18		
						2001	3.80	3.90	49	3.84	0.22		
						2002	4.10	5.00	49	4.54	0.05	C.R.A.B.S.	2002
5	I-86	001260	038.800	040.380	DES	1993	3.60	5.00	48	4.29			
						1994	3.50	3.50	36	3.50	0.01		
						1995	3.50	3.50	34	3.50	0.01		
						1996	4.00	3.50	44	3.75	0.13		
						1997	3.80	3.50	32	3.65	0.13		
						1998	3.80	3.50	46	3.65	0.18		
						1999	3.80	3.50	48	3.65	0.18		
						2000	3.80	3.50	48	3.65	0.21		
						2001	3.80	3.50	48	3.65	0.20		
						2002	4.00	5.00	48	4.49	0.03	C.R.A.B.S.	2002

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS	
5	I-86	001260	040.380	045.400	ASC	*1993	3.50	4.00	52	3.74			
						1994	3.40	4.00	32	3.69	0.02		
						1995	3.40	3.70	30	3.54	0.02		
						1996	4.20	3.70	31	3.95	0.10		
						1997	4.00	3.70	36	3.85	0.14		
						1998	3.90	3.70	36	3.80	0.17		
						1999	4.00	3.70	41	3.85	0.19		
						2000	3.90	3.70	41	3.80	0.18		
						*2001	3.90	3.70	40	3.80	0.21		
5	I-86	001260	040.380	045.400	DES	*1993	3.50	5.00	46	4.24			
						1994	3.60	5.00	36	4.29	0.04		
						1995	3.60	4.50	34	4.04	0.04		
						1996	4.10	4.50	40	4.29	0.19		
						1997	3.90	4.00	31	3.94	0.16		
						1998	3.90	4.00	43	3.94	0.20		
						1999	3.80	4.00	40	3.89	0.25		
						2000	3.90	4.00	40	3.94	0.25		
						*2001	3.80	4.00	40	3.89	0.28		
5	I-86	001260	040.380	045.500	ASC	2002	4.00	5.00	40	4.49	0.03	C.R.A.B.S.	2002
5	I-86	001260	040.380	045.500	DES	2002	4.00	5.00	40	4.49	0.05	C.R.A.B.S.	2002
5	I-86	001260	045.400	048.435	ASC	*1993	3.50	4.00	52	3.74			
						1994	3.00	5.00	40	3.98	0.02	PLANT MIX OVERLAY	1994
						1995	3.00	5.00	44	3.98	0.02		
						1996	4.30	5.00	43	4.64	0.09		
						1997	4.20	5.00	42	4.59	0.11		
						1998	4.10	5.00	42	4.54	0.15		
						1999	4.20	5.00	38	4.59	0.17		
						2000	4.10	5.00	38	4.54	0.16		
						*2001	4.10	5.00	44	4.54	0.18		
5	I-86	001260	045.400	048.435	DES	*1993	3.50	5.00	46	4.24			
						1994	3.00	5.00	39	3.98	0.21	PLANT MIX OVERLAY	1994
						1995	3.00	5.00	40	3.98	0.21		
						1996	4.20	5.00	46	4.59	0.14		
						1997	4.10	5.00	33	4.54	0.12		
						1998	4.00	5.00	37	4.49	0.19		
						1999	3.90	5.00	40	4.44	0.21		
						2000	4.00	5.00	40	4.49	0.22		
						*2001	4.00	5.00	40	4.49	0.25		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
5	I-86	001260	045.500	048.435	ASC	2002	3.90	5.00	44	4.44	0.20	
5	I-86	001260	045.500	048.435	DES	2002	3.70	5.00	39	4.34	0.28	
5	I-86	001260	048.435	053.100	ASC	*1993	3.20	3.00	48	3.10		
						1994	3.00	5.00	39	3.98	0.10	PLANT MIX OVERLAY
						1995	3.00	5.00	44	3.98	0.10	
						1996	4.40	5.00	40	4.69	0.07	
						1997	4.20	5.00	41	4.59	0.08	
						1998	4.20	5.00	41	4.59	0.12	
						1999	4.10	5.00	40	4.54	0.16	
						2000	4.10	5.00	40	4.54	0.15	
						2001	4.10	5.00	39	4.54	0.17	
						2002	3.80	4.80	39	4.29	0.20	
5	I-86	001260	048.435	053.100	DES	*1993	3.30	3.50	43	3.39		
						1994	3.00	5.00	39	3.98	0.09	PLANT MIX OVERLAY
						1995	3.00	5.00	37	3.98	0.09	
						1996	4.30	5.00	43	4.64	0.09	
						1997	4.10	5.00	31	4.54	0.07	
						1998	4.00	5.00	39	4.49	0.12	
						1999	4.00	5.00	39	4.49	0.15	
						2000	4.00	5.00	39	4.49	0.16	
						2001	4.00	5.00	39	4.49	0.16	
						2002	3.80	5.00	39	4.39	0.19	
5	I-86	001260	053.100	058.509	ASC	*1993	3.20	3.00	48	3.10		
						1994	3.40	3.50	20	3.44	0.14	
						1995	3.40	3.50	23	3.44	0.14	
						1996	3.60	3.50	24	3.55	0.21	PLANT MIX OVERLAY
						1997	3.90	3.50	49	3.70	0.08	
						1998	3.90	3.50	49	3.70	0.08	
						1999	3.80	3.50	52	3.65	0.11	
						2000	3.80	3.50	52	3.65	0.12	
						2001	3.80	3.50	46	3.65	0.14	
						2002	3.50	3.50	46	3.50	0.15	
5	I-86	001260	053.100	058.509	DES	*1993	3.30	3.50	43	3.39		
						1994	3.30	3.00	23	3.15	0.22	
						1995	3.30	2.80	21	3.05	0.22	
						1996	3.70	2.80	42	3.25	0.24	PLANT MIX OVERLAY
						1997	4.00	2.80	47	3.40	0.08	
						1998	4.00	2.80	56	3.40	0.09	
						1999	4.00	2.80	53	3.40	0.11	
						2000	4.00	2.80	53	3.40	0.13	
						2001	3.90	2.80	53	3.35	0.14	
						2002	3.60	2.80	53	3.20	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
5	I-86	001260	058.509	061.066	ASC	1993	3.20	2.50	41	2.85			
						1994	3.30	2.50	18	2.90	0.14		
						1995	3.30	2.40	19	2.85	0.14		
						1996	3.10	2.40	22	2.75	0.27	MILL INLAY AND OVERLAY	1996
						1997	4.00	2.40	49	3.21	0.07		
						1998	4.00	2.40	49	3.21	0.05		
						1999	4.00	2.40	49	3.21	0.08		
						2000	4.00	2.40	49	3.21	0.09		
						2001	3.90	2.40	42	3.16	0.10		
						2002	3.50	2.40	42	2.95	0.12		
5	I-86	001260	058.509	061.066	DES	1993	3.30	2.50	40	2.90			
						1994	3.30	2.50	25	2.90	0.10		
						1995	3.30	2.50	19	2.90	0.10		
						1996	3.20	2.50	38	2.85	0.19	MILL INLAY AND OVERLAY	1996
						1997	4.20	2.50	47	3.36	0.08		
						1998	4.10	4.00	53	4.05	0.07		
						1999	4.10	4.00	50	4.05	0.09		
						2000	4.10	3.80	50	3.95	0.11		
						2001	4.00	3.60	50	3.80	0.11		
						2002	3.70	3.60	50	3.65	0.14		
5	I-86	001260	061.066	062.850	ASC	1993	3.00	2.40	45	2.70			
						1994	3.30	2.40	23	2.85	0.10		
						1995	3.30	2.40	21	2.85	0.10		
						1996	3.00	2.40	19	2.70	0.26	MILL INLAY AND OVERLAY	1996
						1997	3.70	2.40	46	3.05	0.08		
						1998	3.50	2.40	46	2.95	0.07		
						1999	3.50	2.40	48	2.95	0.09		
						2000	3.50	2.40	48	2.95	0.09		
						2001	3.60	2.40	56	3.00	0.10		
						2002	3.40	2.40	56	2.90	0.12		
5	I-86	001260	061.066	062.850	DES	1993	2.90	2.00	40	2.45			
						1994	2.80	2.00	26	2.40	0.09		
						1995	2.80	2.00	22	2.40	0.09		
						1996	3.10	2.00	34	2.55	0.20	MILL INLAY AND OVERLAY	1996
						1997	3.60	2.00	46	2.81	0.09		
						1998	3.60	4.00	53	3.79	0.09		
						1999	3.60	4.00	44	3.79	0.10		
						2000	3.60	2.90	44	3.25	0.11		
						2001	3.60	2.90	44	3.25	0.11		
						2002	3.30	2.90	44	3.10	0.14		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
5	I-86	001270	000.000	002.079	N	1993	3.00	1.90	63	2.35			
						1994	3.00	1.90	63	2.35	0.15		
						1995	3.00	1.90	52	2.35	0.15		
						1996	3.30	1.90	52	2.46	0.13	PLANT MIX SEAL	
						1997	3.40	5.00	41	4.35	0.04		1996
						1998	3.40	4.50	41	4.05	0.06		
						1999	3.30	3.50	50	3.41	0.06		
						2000	3.40	3.50	50	3.45	0.08		
						2001	3.40	2.50	50	2.86	0.07		
						2002	3.30	2.40	50	2.76	0.07		
5	I-86	001270	002.079	002.634	N	1993	1.80	2.00	60	1.92			
						1994	2.10	2.00	60	2.03	0.38		
						1995	2.10	1.70	40	1.85	0.38		
						1996	3.10	1.60	39	2.18	0.14	PLANT MIX SEAL	
						1997	3.50	1.60	37	2.33	0.11		
						1998	3.50	1.60	37	2.33	0.13		
						1999	3.50	1.60	42	2.33	0.13		
						2000	3.50	1.60	42	2.33	0.12		
						2001	3.50	1.60	42	2.33	0.13		
						2002	3.30	1.60	42	2.25	0.14		
5	I-86	001270	002.634	002.952	N	1993	2.50	1.50	64	1.88			
						1994	2.40	1.50	64	1.85	0.12		
						1995	2.40	1.50	38	1.85	0.12		
						1996	3.00	1.50	38	2.08	0.09	PLANT MIX SEAL	
						1997	3.50	1.50	43	2.27	0.11		
						1998	3.40	1.50	43	2.23	0.17		
						1999	3.40	1.50	43	2.23	0.15		
						2000	3.50	1.50	43	2.27	0.18		
						2001	3.40	1.50	42	2.23	0.15		
						2002	3.40	1.50	42	2.23	0.17		
5	I-86	001270	004.080	004.568	N	1993	2.90	2.00	54	2.37			
						1994	2.20	2.00	54	2.08	0.26		
						1995	2.20	2.00	25	2.08	0.26		
						1996	2.70	2.00	24	2.29	0.19		
						1997	2.40	2.00	29	2.17	0.18		
						1998	2.60	5.00	29	3.92	0.15		
						1999	2.50	5.00	27	3.95	0.16		
						2000	2.60	5.00	27	3.91	0.18		
						2001	2.50	4.00	27	3.32	0.18		
						2002	2.80	3.50	27	3.18	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
5	I-86	002332	100.000	100.259	N	1994	2.40	4.00	40	3.41	0.12	
						1995	2.40	4.00	40	3.41	0.12	
						1996	2.40	4.00	38	3.41	0.09	
						1997	2.20	4.00	43	3.34	0.11	
						1998	2.40	4.00	43	3.41	0.08	
						1999	1.90	4.00	43	3.14	0.09	
						2000	1.90	4.00	43	3.23	0.07	
						2001	2.10	4.00	42	3.30	0.08	
						2002	2.10	4.00	42	3.27	0.09	
						2003	2.40	4.50	40	3.65	0.12	
2004	2.40	4.50	40	3.65	0.12							
2005	3.20	4.50	38	3.97	0.11							
2006	2.90	4.50	43	3.78	0.10							
2007	4.00	4.50	43	4.27	0.12	PLANT MIX OVERLAY						
2008	2.70	4.50	41	3.69	0.18	1998						
2009	2.60	4.50	41	3.64	0.19							
2010	2.70	4.50	41	3.70	0.20							
2011	2.70	4.50	41	3.69	0.18							
5	I-86	015867	000.000	000.120	N	1993	2.50	4.50	40	3.50		
						1994	2.40	4.50	40	3.45	0.12	
						1995	2.40	4.50	40	3.65	0.12	
						1996	3.40	4.50	38	4.05	0.08	
						1997	3.40	4.50	43	4.01	0.08	
						1998	3.40	4.50	43	4.01	0.08	
						1999	3.40	4.50	41	4.05	0.08	
						2000	2.60	4.50	41	3.66	0.19	
						2001	2.70	4.50	41	3.70	0.20	
						2002	2.70	4.50	41	3.70	0.18	
5	U.S.-89	002380	000.000	006.938	N	1993	2.90	2.50	53	2.67		
						1994	2.90	2.50	53	2.69	0.25	
						1995	2.90	2.50	34	2.69	0.25	SEALCOAT
						1996	3.50	2.50	33	2.97	0.23	1995
						1997	3.40	2.50	26	2.92	0.21	
						1998	3.80	5.00	26	4.42	0.07	PLANT MIX OVERLAY
						1999	3.80	5.00	64	4.42	0.09	1998
						2000	3.90	5.00	64	4.47	0.09	
						2001	3.80	5.00	64	4.42	0.10	
						2002	3.60	5.00	64	4.33	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
5	U.S.-89	002380	006.938	011.685	N	1993	2.80	1.50	51	2.08			
						1994	2.80	1.50	51	2.11	0.13		
						1995	2.80	1.50	26	2.11	0.13		
						1996	4.10	5.00	25	4.57	0.03	COLD IN PLACE RECYCLE WITH OVERLAY1996	
						1997	4.00	5.00	51	4.52	0.10		
						1998	4.00	5.00	51	4.52	0.07	PLANT MIX OVERLAY	1998
						1999	4.00	5.00	60	4.52	0.08		
						2000	4.00	4.70	60	4.36	0.07		
						2001	4.00	4.70	60	4.36	0.07		
						2002	3.70	4.30	60	4.01	0.08		
						5	U.S.-89	002380	011.685	015.650	N	1993	3.10
1994	3.20	1.80	54	2.46	0.14								
*1995	3.20	1.50	32	2.30	0.14								
1996	4.10	5.00	31	4.59	0.03							COLD IN PLACE RECYCLE WITH OVERLAY1996	
1997	4.10	5.00	49	4.59	0.44								
1998	4.10	5.00	49	4.59	0.05								
1999	4.10	5.00	50	4.59	0.05								
2000	4.10	4.70	50	4.43	0.06								
2001	4.10	4.70	50	4.43	0.06								
2002	3.80	4.50	50	4.18	0.05								
5	U.S.-89	002380	015.650	016.238	N							1993	2.70
						1994	2.80	1.00	40	1.85	0.06		
						*1995	2.80	1.00	35	1.85	0.06		
						1996	4.10	5.00	37	4.57	0.03	COLD IN PLACE RECYCLE WITH OVERLAY1996	
						1997	3.90	5.00	52	4.47	0.10		
						*1998	3.90	4.00	52	3.95	0.10		
						1999	3.80	3.00	56	3.35	0.12		
						2000	3.70	3.00	56	3.31	0.14		
						2001	3.80	3.00	56	3.35	0.13		
						2002	3.50	3.00	56	3.22	0.13		
						5	U.S.-89	002380	016.238	017.000	N	1993	2.70
1994	2.80	1.00	40	1.85	0.06								
*1995	2.80	1.00	35	1.85	0.06								
1996	4.10	5.00	37	4.57	0.03							COLD IN PLACE RECYCLE WITH OVERLAY1996	
1997	3.90	5.00	52	4.47	0.10								
*1998	3.90	4.00	52	3.95	0.10								
1999	4.10	4.00	59	4.04	0.06								
2000	4.10	4.00	59	4.04	0.08								
2001	4.10	4.00	59	4.04	0.06								
2002	3.80	4.00	59	3.90	0.06								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
5	U.S.-89	002380	017.000	019.750	N	1993	2.50	2.00	48	2.22								
						1994	2.60	2.00	48	2.28	0.28							
						*1995	2.60	2.00	35	2.28	0.28							
						1996	3.90	5.00	35	4.47	0.05	COLD IN PLACE RECYCLE WITH OVERLAY	1996					
						1997	3.80	5.00	50	4.42	0.07							
						1998	3.80	5.00	50	4.42	0.08							
						1999	3.80	5.00	56	4.42	0.09							
						2000	3.90	5.00	56	4.47	0.11							
						2001	3.90	5.00	56	4.47	0.11							
						2002	3.60	4.80	56	4.22	0.09							
						5	U.S.-89	002380	019.750	025.018	N	1993	3.00	2.70	37	2.83		
												1994	3.00	2.60	37	2.79	0.25	
*1995	3.00	2.30	32	2.63	0.25													
1996	3.40	2.30	30	2.82	0.26													
1997	3.20	2.30	25	2.73	0.24													
1998	3.60	5.00	25	4.33	0.07							MILL INLAY AND OVERLAY	1998					
1999	3.50	5.00	54	4.28	0.10							SEALCOAT	1999					
2000	3.50	5.00	54	4.28	0.12													
2001	3.50	5.00	54	4.28	0.14													
2002	3.40	5.00	54	4.23	0.14													
5	U.S.-89	002380	025.018	025.294	N							1993	1.00	2.80	44	2.04		
												1994	0.80	2.50	44	1.73	0.12	
						1995	0.80	2.50	26	1.73	0.12							
						1996	1.50	2.40	25	1.99	0.14							
						1997	2.10	2.40	25	2.26	0.12							
						1998	4.00	5.00	25	4.55	0.06	MILL INLAY AND OVERLAY	1998					
						1999	2.30	5.00	25	3.78	0.05	SEALCOAT	1999					
						2000	2.40	5.00	54	3.83	0.06							
						2001	2.50	5.00	54	3.87	0.07							
						2002	2.10	5.00	54	3.69	0.05							
						5	U.S.-89	002380	025.294	025.623	N	1993	1.80	3.00	45	2.49		
												1994	1.50	3.00	45	2.31	0.03	
1995	1.50	3.00	25	2.31	0.03													
1996	2.30	3.00	25	2.68	0.10													
1997	2.20	3.00	41	2.63	0.15													
1998	4.00	3.00	41	3.45	0.14													
1999	2.40	3.00	61	2.72	0.16													
2000	3.70	4.00	61	3.86	0.13													
2001	3.60	4.00	61	3.81	0.16													
2002	3.80	4.00	61	3.90	0.18													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5	U.S.-89	002380	025.623	025.984	N	1993	1.70	3.50	43	2.74		
						1994	1.40	3.50	43	2.54	0.13	
						1995	1.40	3.50	28	2.54	0.13	
						1996	2.60	3.50	28	3.09	0.10	
						1997	2.50	3.50	44	3.04	0.10	
						1998	4.00	3.50	44	3.72	0.13	
						1999	2.40	3.50	44	3.00	0.15	
						2000	3.50	3.50	44	3.50	0.26	
						2001	3.60	3.50	61	3.54	0.27	
						2002	3.30	3.50	61	3.40	0.17	
5	U.S.-89	002380	026.280	026.500	N	1993	2.20	1.90	47	2.02		
						1994	2.20	1.80	47	1.97	0.29	
						1995	2.20	1.80	21	1.97	0.29	
						1996	2.20	1.80	21	1.97	0.26	
						1997	2.10	1.80	15	1.93	0.25	
						*1998	4.00	1.80	15	2.78	0.27	
						1999	0.70	5.00	48	3.08	0.54	NEW CONST OR RECONST (FLEX)
						2000	3.70	5.00	48	4.41	0.07	
						2001	3.50	5.00	48	4.32	0.09	
						2002	2.80	5.00	48	4.01	0.08	
5	U.S.-89	002380	026.500	027.170	N	1993	2.20	1.90	47	2.02		
						1994	2.20	1.80	47	1.97	0.29	
						1995	2.20	1.80	21	1.97	0.29	
						1996	2.20	1.80	21	1.97	0.26	
						1997	2.10	1.80	15	1.93	0.25	
						*1998	4.00	1.80	15	2.78	0.27	
						1999	2.50	5.00	54	3.88	0.28	PLANT MIX OVERLAY
						2000	3.80	5.00	54	4.46	0.04	
						2001	3.70	5.00	54	4.42	0.04	
						2002	3.60	5.00	54	4.37	0.04	
5	U.S.-89	002380	027.170	029.693	N	1993	2.20	3.00	58	2.64		
						1994	2.30	2.50	58	2.40	0.21	
						1995	2.30	2.50	31	2.40	0.21	
						1996	2.90	2.40	30	2.63	0.22	
						1997	2.70	2.20	22	2.43	0.23	
						1998	4.00	2.20	22	3.04	0.25	
						1999	2.80	5.00	52	3.95	0.30	PLANT MIX OVERLAY
						2000	3.60	5.00	52	4.34	0.04	
						2001	3.60	5.00	52	4.34	0.04	
						2002	3.50	5.00	52	4.29	0.04	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
5	U.S.-89	002380	029.693	031.120	N	2002	3.00	1.50	51	2.20	0.11	
5	U.S.-89	002380	029.693	036.100	N	1993	1.80	1.60	56	1.68		
						1994	1.90	1.60	56	1.74	0.34	
						1995	1.90	1.60	26	1.74	0.34	
						1996	3.00	1.60	27	2.26	0.25	
						1997	2.70	1.50	27	2.06	0.26	
						1998	4.00	1.50	27	2.68	0.31	
						1999	2.90	1.50	45	2.16	0.32	PLANT MIX OVERLAY
						2000	3.00	1.50	45	2.21	0.33	
						*2001	2.80	1.50	45	2.11	0.35	
5	U.S.-89	002380	031.120	037.350	N	2002	2.90	5.00	42	4.00	0.37	NEW CONST OR RECONST (FLEX)
5	U.S.-89	002380	036.100	037.350	N	1993	1.80	1.50	51	1.63		
						1994	1.90	1.50	51	1.68	0.43	
						1995	1.90	1.50	34	1.68	0.43	
						1996	3.00	3.00	33	3.00	0.24	
						1997	2.90	3.00	40	2.95	0.22	
						1998	4.00	3.00	40	3.47	0.26	
						1999	3.00	2.30	32	2.63	0.27	
						2000	3.00	2.30	32	2.63	0.27	
						*2001	2.80	2.30	32	2.53	0.29	
5	U.S.-89	002380	037.350	038.366	N	2002	3.40	5.00	54	4.24	0.16	NEW CONST OR RECONST (FLEX)
5	U.S.-89	002380	037.350	040.920	N	1993	2.60	2.50	53	2.54		NEW CONST OR RECONST (FLEX)
						1994	2.70	2.00	53	2.33	0.16	NEW CONST OR RECONST (FLEX)
						1995	2.70	2.00	38	2.33	0.16	
						1996	3.10	2.00	38	2.52	0.14	
						1997	3.00	2.00	40	2.47	0.14	
						1998	4.00	1.90	40	2.89	0.18	
						1999	3.30	1.90	56	2.56	0.19	
						2000	3.40	1.90	56	2.61	0.20	SEALCOAT
						*2001	3.40	1.90	56	2.61	0.20	
5	U.S.-89	002380	038.366	040.200	N	2002	3.30	5.00	54	4.19	0.29	MILL INLAY AND OVERLAY
5	U.S.-89	002380	040.200	040.920	N	2002	3.40	1.90	70	2.61	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
5	U.S.-89	002380	041.580	042.910	N	*1993	1.60	5.00	50	3.48									
						1994	3.00	5.00	48	4.04	0.16	NEW CONST OR RECONST (FLEX)	1994						
						1995	3.00	5.00	57	4.04	0.16								
						1996	3.70	5.00	56	4.38	0.12								
						1997	3.30	5.00	48	4.19	0.11								
						1998	4.00	5.00	48	4.52	0.19								
						1999	3.30	5.00	67	4.19	0.20								
						2000	3.30	5.00	67	4.19	0.20	SEALCOAT	2000						
						2001	3.20	5.00	67	4.14	0.20								
						2002	3.20	5.00	67	4.14	0.20								
						5	U.S.-89	002380	043.420	044.240	N	*1993	1.60	5.00	50	3.48			
												1994	3.00	5.00	56	4.04	0.14	NEW CONST OR RECONST (FLEX)	1994
1995	3.00	5.00	54	4.04	0.14														
1996	3.50	5.00	54	4.28	0.07														
1997	2.90	5.00	49	4.00	0.07														
1998	4.00	5.00	49	4.52	0.09														
1999	3.10	5.00	65	4.09	0.11														
2000	3.00	5.00	65	4.04	0.10							SEALCOAT	2000						
2001	3.00	5.00	65	4.04	0.08														
2002	3.00	5.00	65	4.04	0.08														
5	U.S.-89	016002	040.920	041.400	N							1994	2.00	5.00	53	3.57	0.44		
												1995	2.00	5.00	38	3.57	0.44		
						1996	2.80	5.00	38	3.95	0.06								
						1997	2.20	5.00	40	3.66	0.07								
						1998	2.20	5.00	40	3.66	0.06								
						1999	2.20	5.00	56	3.66	0.06								
						2000	2.30	5.00	56	3.71	0.08								
						2001	2.10	5.00	56	3.61	0.06								
						2002	2.10	5.00	70	3.61	0.06								
						5	U.S.-89	016002	042.910	043.420	N	1994	2.50	5.00	48	3.81	0.05		
												1995	2.50	5.00	57	3.81	0.05		
												1996	3.30	5.00	56	4.19	0.07		
1997	2.60	5.00	48	3.85	0.07														
1998	3.00	5.00	48	4.04	0.09														
1999	3.00	5.00	67	4.04	0.11														
2000	3.00	5.00	67	4.04	0.12														
2001	2.90	5.00	67	4.00	0.08														
2002	2.90	5.00	67	4.00	0.08														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS
5	U.S.-91	002350	000.000	001.396	N	1993	3.40	1.50	54	2.29			
						1994	3.50	1.50	54	2.33	0.33	PLANT MIX OVERLAY	1995
						1995	3.50	5.00	42	4.36	0.00		
						1996	4.40	5.00	41	4.74	0.13		
						1997	4.20	5.00	46	4.66	0.15		
						1998	4.10	5.00	46	4.62	0.18		
						1999	4.20	5.00	50	4.66	0.16		
						2000	4.10	5.00	50	4.62	0.18		
						2001	4.10	5.00	50	4.62	0.21		
						2002	3.90	5.00	50	4.53	0.21		
5	U.S.-91	002350	001.396	005.360	N	1993	2.50	1.50	54	1.94			
						1994	2.50	1.50	54	1.95	0.42	PLANT MIX OVERLAY	1995
						1995	3.50	5.00	42	4.32	0.00		
						1996	4.20	5.00	42	4.63	0.14		
						1997	4.00	5.00	44	4.54	0.13		
						1998	4.10	5.00	44	4.59	0.19	PLANT MIX OVERLAY	1998
						1999	4.00	5.00	50	4.54	0.16		
						2000	4.00	4.60	50	4.32	0.18		
						2001	4.00	4.60	50	4.32	0.19		
						2002	3.60	4.60	50	4.14	0.21		
5	U.S.-91	002350	005.360	006.956	N	1993	3.20	1.50	52	2.26			
						1994	3.20	1.50	52	2.26	0.17		
						1995	3.20	1.50	32	2.26	0.17		
						1996	3.50	1.50	31	2.40	0.12		
						1997	3.30	1.50	36	2.31	0.09		
						1998	4.00	5.00	36	4.54	0.14	PLANT MIX OVERLAY	1998
						1999	3.80	5.00	56	4.45	0.07		
						2000	3.80	5.00	56	4.45	0.08		
						2001	3.90	5.00	56	4.50	0.08		
						2002	3.70	5.00	56	4.41	0.08		
5	U.S.-91	002350	006.956	007.814	N	1993	3.30	2.00	51	2.54			
						1994	3.30	2.00	51	2.54	0.16		
						1995	3.30	2.00	37	2.54	0.16		
						1996	3.40	2.00	37	2.58	0.15	RUT FILLING	1996
						1997	3.30	2.00	39	2.54	0.12		
						1998	3.60	2.00	39	2.67	0.14	PLANT MIX OVERLAY	1998
						1999	3.50	2.00	48	2.63	0.08		
						2000	3.50	2.00	48	2.63	0.09		
						2001	3.60	2.00	48	2.67	0.10		
						2002	3.30	1.90	48	2.48	0.10		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT FILLING	REMARKS
5	U.S.-91	002350	007.814	008.015	N	1993	2.60	4.50	54	3.70		
						1994	2.40	4.50	54	3.61	0.26	
						1995	2.40	4.50	37	3.61	0.26	
						1996	3.10	4.50	36	3.91	0.08	RUT FILLING
						1997	2.60	4.50	34	3.70	0.08	1996
						1998	2.80	4.50	34	3.78	0.13	
						1999	2.80	4.50	54	3.78	0.19	
						2000	2.70	4.50	54	3.74	0.23	
						2001	2.80	4.50	54	3.78	0.12	
						2002	2.70	4.50	54	3.74	0.11	
5	U.S.-91	002350	008.015	008.532	N	1993	2.30	4.00	51	3.27		
						1994	2.40	4.00	51	3.32	0.28	
						1995	2.40	4.00	38	3.31	0.28	
						1996	2.90	4.00	37	3.53	0.21	RUT FILLING
						1997	2.80	4.00	40	3.49	0.07	1996
						1998	2.70	4.00	40	3.44	0.14	
						1999	2.50	4.00	53	3.35	0.15	
						2000	2.40	4.00	53	3.32	0.16	
						2001	2.60	4.00	53	3.40	0.17	
						2002	2.60	4.00	53	3.40	0.15	
5	U.S.-91	002350	008.532	009.230	N	1993	1.70	4.00	45	3.03		
						1994	1.70	4.00	45	3.03	0.18	
						*1995	1.70	4.00	36	3.03	0.18	
						1996	2.50	4.00	36	3.37	0.15	RUT FILLING
						1997	2.30	4.00	40	3.28	0.11	1996
						1998	2.30	4.00	40	3.28	0.09	
						1999	2.20	4.00	45	3.24	0.13	
						2000	2.20	3.70	45	3.07	0.16	
						2001	2.20	3.70	45	3.07	0.12	
						2002	2.40	3.00	45	2.75	0.09	
5	U.S.-91	002350	009.230	010.442	N	1993	2.50	2.50	51	2.50		
						1994	2.60	2.50	51	2.54	0.36	
						*1995	2.60	2.40	40	2.48	0.36	
						1996	3.10	2.40	40	2.71	0.12	RUT FILLING
						1997	2.90	3.50	33	3.23	0.14	1996
						1998	2.80	3.50	33	3.18	0.17	
						1999	2.80	3.50	45	3.18	0.18	
						2000	2.80	2.50	45	2.63	0.22	
						2001	2.80	2.40	45	2.57	0.20	
						2002	2.50	2.40	45	2.44	0.23	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS		
5	U.S.-91	002350	010.442	013.790	N	1993	2.80	3.30	56	3.07		NEW CONST OR RECONST (FLEX)	1993	
						1994	2.70	2.50	56	2.58	0.31			
						1995	2.70	2.50	46	2.58	0.31			
						1996	3.70	5.00	45	4.41	0.15	RUT FILLING	1996	
						1997	3.40	3.50	41	3.45	0.17			
						1998	3.40	2.80	41	3.06	0.21	SEALCOAT	1998	
						1999	3.40	2.80	40	3.06	0.22			
						2000	3.30	2.80	40	3.02	0.25			
						2001	3.30	2.80	40	3.02	0.24			
						2002	3.00	2.80	40	2.88	0.25			
5	U.S.-91	002350	014.730	021.800	N	1993	3.30	5.00	59	4.24		PLANT MIX OVERLAY	1993	
						1994	3.20	5.00	59	4.19	0.13			
						1995	3.20	5.00	41	4.19	0.13			
						1996	4.10	5.00	41	4.59	0.06			
						1997	3.90	5.00	38	4.50	0.06			
						*1998	3.90	5.00	38	4.50	0.07	SEALCOAT	1998	
						1999	3.80	5.00	56	4.46	0.08			
						2000	3.80	4.70	56	4.29	0.09			
						2001	3.80	4.70	56	4.29	0.10			
						2002	3.50	4.00	56	3.77	0.10			
5	U.S.-91	002350	021.800	029.680	N	1993	3.30	5.00	59	4.24				
						1994	3.20	5.00	59	4.19	0.13			
						1995	2.80	3.20	52	3.02	0.33			
						1996	3.40	3.00	52	3.17	0.25			
						1997	3.30	2.50	51	2.85	0.25			
						*1998	3.30	2.40	51	2.80	0.26	SEALCOAT	1998	
						1999	3.80	5.00	57	4.46	0.09	PLANT MIX OVERLAY	1999	
						2000	3.80	4.70	57	4.29	0.09			
						2001	3.90	4.70	57	4.34	0.10			
						2002	3.60	4.50	57	4.09	0.10			
5	U.S.-91	002350	029.680	030.070	N	1993	2.50	3.20	60	2.88				
						*1994	2.50	3.20	60	2.88	0.35			
						1995	2.80	3.20	52	3.02	0.33	NEW CONST OR RECONST (FLEX)	1995	
						1996	3.40	3.00	52	3.17	0.25			
						1997	3.30	2.50	51	2.85	0.25			
						*1998	3.30	2.40	51	2.80	0.26			
						1999	2.90	5.00	58	4.06	0.03			
						2000	2.80	5.00	58	4.01	0.05			
						2001	2.70	5.00	58	3.97	0.04			
						2002	2.70	5.00	58	3.97	0.03			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
5	U.S.-91	002350	030.606	034.200	N	2002	3.70	5.00	51	4.41	0.07	NEW CONST OR RECONST (FLEX)	2002
5	U.S.-91	002350	030.606	034.650	N	1993	2.80	3.00	59	2.91			
						*1994	2.80	3.00	59	2.91	0.27		
						*1995	2.90	3.00	45	2.95	0.28	NEW CONST OR RECONST (FLEX)	1995
						1996	3.50	3.00	44	3.22	0.20		
						1997	3.30	2.80	47	3.02	0.20		
						*1998	3.30	2.80	47	3.02	0.21		
						1999	3.30	2.80	51	3.02	0.21		
						2000	3.20	2.80	51	2.97	0.23		
						*2001	3.30	2.80	51	3.02	0.21		
5	U.S.-91	002350	034.200	037.588	N	2002	3.90	5.00	52	4.50	0.10		
5	U.S.-91	002350	034.650	037.588	N	1993	2.80	3.00	59	2.91			
						*1994	2.80	3.00	59	2.91	0.27		
						*1995	2.60	5.00	38	3.92	0.26	COLD IN PLACE RECYCLE WITH OVERLAY	1995
						1996	4.20	5.00	35	4.64	0.10		
						1997	4.10	5.00	48	4.59	0.12		
						*1998	4.10	5.00	48	4.59	0.10		
						1999	4.10	5.00	52	4.59	0.08		
						2000	4.10	5.00	52	4.59	0.09		
						*2001	4.10	5.00	52	4.59	0.09		
5	U.S.-91	002350	037.588	041.700	N	1993	3.00	2.30	59	2.60			
						*1994	2.90	2.30	59	2.56	0.22		
						*1995	3.10	5.00	37	4.15	0.24	COLD IN PLACE RECYCLE WITH OVERLAY	1995
						1996	4.10	5.00	36	4.59	0.09		
						1997	4.00	5.00	48	4.55	0.10		
						1998	4.00	5.00	48	4.55	0.09		
						1999	4.00	5.00	53	4.55	0.09		
						2000	4.00	5.00	53	4.55	0.11		
						2001	4.00	5.00	53	4.55	0.10		
						2002	3.70	5.00	53	4.41	0.11		
5	U.S.-91	002350	041.700	042.539	N	1993	3.00	2.30	59	2.60			
						*1994	2.90	2.30	59	2.56	0.22		
						*1995	2.70	2.30	51	2.47	0.16	SEALCOAT	1995
						1996	2.80	3.00	53	2.91	0.15		
						1997	2.40	3.00	49	2.73	0.15		
						1998	2.50	3.00	49	2.77	0.13		
						1999	2.50	3.00	49	2.77	0.14		
						2000	2.30	3.00	49	2.68	0.14		
						2001	2.40	3.00	49	2.73	0.14		
						2002	2.40	3.00	49	2.73	0.13		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS
5	U.S.-91	002350	077.890	078.209	ASC	1993	0.50	2.30	45	1.52		
						1994	0.50	2.30	45	1.52	0.10	
						1995	0.50	2.30	36	1.52	0.10	
						1996	1.20	2.30	36	1.82	0.05	
						1997	1.10	2.30	25	1.78	0.06	
						1998	1.00	2.30	25	1.74	0.05	
						1999	0.90	2.30	29	1.69	0.07	
						2000	1.00	2.30	29	1.73	0.12	
						2001	2.20	2.30	29	2.25	0.05	
						2002	2.20	2.30	29	2.25	0.08	
5	U.S.-91	002350	077.890	078.209	DES	1993	0.50	2.30	45	1.52		
						1994	0.50	2.30	45	1.52	0.10	
						1995	0.50	2.30	36	1.52	0.10	
						1996	1.20	2.30	36	1.82	0.05	
						1997	1.10	2.30	25	1.78	0.06	
						1998	0.70	2.30	25	1.61	0.06	
						1999	0.70	2.30	29	1.60	0.07	
						2000	0.90	3.50	29	2.37	0.10	
						2001	1.50	3.50	29	2.63	0.04	
						2002	2.00	3.50	29	2.84	0.05	
5	U.S.-91	002350	078.209	078.762	N	*1994	1.70	4.50	42	3.25	0.18	
						1995	3.50	5.00	40	4.33	0.00	MILL INLAY AND OVERLAY
						1996	3.30	5.00	39	4.25	0.12	
						1997	2.90	4.50	32	3.78	0.10	
						1998	2.40	4.30	32	3.46	0.13	
						1999	2.50	4.30	43	3.48	0.18	
						2000	2.50	2.70	43	2.60	0.26	
						2001	2.60	2.70	43	2.65	0.16	
						2002	2.60	2.40	43	2.49	0.22	
5	U.S.-91	002350	078.762	079.360	N	*1994	1.70	4.50	42	3.25	0.18	
						1995	1.50	4.50	25	3.17	0.14	
						1996	2.40	4.50	25	3.57	0.05	
						1997	2.10	4.50	24	3.44	0.05	
						1998	2.00	4.50	24	3.39	0.06	
						1999	1.90	4.50	24	3.34	0.05	
						2000	2.00	4.50	24	3.38	0.06	
						2001	2.00	4.50	24	3.38	0.07	
						2002	2.00	4.20	24	3.22	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
5	U.S.-91	002350	079.360	079.690	N	*1994	1.80	5.00	55	3.56	0.25	
						1995	1.40	4.50	36	3.15	0.10	
						1996	2.20	4.50	36	3.47	0.10	
						1997	1.70	4.50	32	3.24	0.11	
						1998	1.60	4.50	32	3.20	0.11	
						1999	1.60	4.50	28	3.22	0.15	
						2000	1.90	4.50	28	3.32	0.18	
						2001	1.40	4.50	28	3.09	0.16	
						2002	2.10	4.50	28	3.41	0.20	
						5	U.S.-91	002350	079.690	079.730	N	*1994
						1995	3.50	5.00	34	4.33	0.00	1995
						1996	2.50	5.00	34	3.88	0.10	
						1997	2.10	5.00	35	3.70	0.09	
						1998	2.00	5.00	35	3.65	0.12	
						1999	2.00	5.00	35	3.65	0.20	
						2000	2.10	5.00	35	3.68	0.22	
						2001	2.00	5.00	28	3.63	0.26	
						2002	2.00	5.00	28	3.64	0.31	
5	U.S.-91	002350	079.730	080.008	N	1993	1.00	2.00	43	1.55		
						*1994	1.30	2.00	43	1.68	0.38	
						1995	3.50	5.00	23	4.33	0.00	MILL INLAY AND OVERLAY
						1996	3.10	5.00	22	4.15	0.10	1995
						1997	2.40	5.00	27	3.84	0.10	
						1998	2.40	5.00	27	3.84	0.12	
						1999	2.30	5.00	42	3.79	0.24	
						2000	2.30	3.20	42	2.79	0.38	
						2001	2.00	3.20	42	2.65	0.26	
						2002	2.00	2.70	42	2.38	0.39	
5	U.S.-91	002350	080.008	080.141	N	1993	1.00	2.00	43	1.55		
						*1994	1.30	2.00	43	1.68	0.38	
						1995	1.20	2.30	24	1.81	0.12	
						1996	2.90	2.30	24	2.56	0.07	
						1997	2.60	2.30	20	2.43	0.06	
						1998	2.30	2.30	20	2.30	0.07	
						*1999	2.20	2.30	33	2.25	0.09	
						2000	1.90	4.00	31	3.06	0.29	
						2001	1.90	4.00	42	3.05	0.22	
						2002	2.10	4.00	42	3.14	0.08	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS						
5	U.S.-91	002350	080.141	080.570	N	1993	1.00	2.00	43	1.55								
						*1994	1.30	2.00	43	1.68	0.38							
						1995	1.20	2.30	24	1.81	0.12							
						1996	2.90	2.30	24	2.56	0.07							
						1997	2.60	2.30	20	2.43	0.06							
						1998	2.30	2.30	20	2.30	0.07							
						*1999	2.20	2.30	33	2.25	0.09							
						2000	2.40	2.30	33	2.34	0.09							
						2001	3.00	2.30	33	2.61	0.05							
						2002	3.20	2.30	33	2.70	0.06							
						5	U.S.-91	002350	080.570	081.020	N	1993	1.70	3.50	43	2.72		
												1994	1.70	3.00	43	2.44	0.05	
1995	1.70	2.90	27	2.38	0.05													
1996	2.30	2.90	27	2.64	0.04							SEALCOAT	1996					
1997	1.90	2.90	21	2.46	0.04													
1998	1.80	2.90	21	2.42	0.03													
1999	1.80	2.90	29	2.42	0.03													
2000	2.00	2.90	29	2.51	0.04													
2001	2.40	2.90	29	2.68	0.05													
2002	2.90	2.90	29	2.90	0.04													
5	U.S.-91	002350	081.020	081.580	N							1993	2.10	2.50	41	2.32		
												1994	2.10	2.50	41	2.32	0.16	
						1995	2.10	2.50	29	2.33	0.16							
						1996	2.80	5.00	28	4.06	0.08	SEALCOAT	1996					
						1997	2.20	3.00	34	2.65	0.14							
						1998	2.10	3.00	34	2.61	0.11							
						1999	2.10	2.60	27	2.38	0.12							
						2000	2.20	2.40	27	2.31	0.10							
						2001	2.30	2.40	27	2.35	0.11							
						2002	2.30	2.40	27	2.35	0.09							
						5	U.S.-91	002350	081.580	083.577	N	1993	2.90	3.20	42	3.06		
												1994	2.90	3.00	42	2.95	0.35	
1995	2.90	3.00	24	2.95	0.35													
1996	3.50	5.00	24	4.37	0.17							SEALCOAT	1996					
1997	3.30	3.00	32	3.12	0.18													
1998	3.20	3.00	32	3.08	0.22													
1999	3.20	2.50	28	2.79	0.23													
2000	3.20	2.30	28	2.67	0.23													
2001	3.10	2.30	28	2.63	0.19													
2002	3.10	2.30	28	2.63	0.19													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5	U.S.-91	002350	083.577	087.858	N	1993	3.00	2.70	43	2.82		
						1994	3.00	2.60	43	2.76	0.35	
						1995	3.00	2.50	35	2.70	0.35	
						1996	3.50	5.00	34	4.37	0.25	SEALCOAT
						1997	3.40	2.50	40	2.87	0.24	
						1998	3.30	2.50	40	2.83	0.29	
						1999	3.30	2.50	44	2.83	0.28	SEALCOAT
						2000	3.40	2.40	44	2.81	0.30	
						2001	3.30	2.40	44	2.77	0.30	
						2002	3.10	2.40	44	2.69	0.32	
5	U.S.-91	002350	087.858	089.000	N	1993	2.70	2.00	46	2.29		
						1994	2.80	2.00	46	2.33	0.45	
						1995	2.80	2.00	41	2.33	0.45	
						1996	3.10	2.00	40	2.45	0.41	SEALCOAT
						1997	2.90	2.00	31	2.37	0.40	
						1998	2.80	2.00	31	2.33	0.45	
						*1999	2.80	2.00	51	2.33	0.46	SEALCOAT
						2000	2.70	2.00	51	2.29	0.29	
						2001	2.60	2.00	51	2.25	0.30	
						2002	2.70	2.00	51	2.29	0.33	
5	U.S.-91	002350	089.000	095.000	N	1993	2.70	2.00	46	2.29		
						1994	2.80	2.00	46	2.33	0.45	
						1995	2.80	2.00	41	2.33	0.45	
						1996	3.10	2.00	40	2.45	0.41	
						1997	2.90	2.00	31	2.37	0.40	
						1998	2.80	2.00	31	2.33	0.45	
						*1999	2.80	2.00	51	2.33	0.46	SEALCOAT
						2000	3.00	5.00	50	4.16	0.55	MILL AND INLAY
						2001	4.00	5.00	50	4.58	0.03	
						2002	3.90	5.00	50	4.54	0.03	
5	U.S.-91	002350	095.000	097.052	N	1993	2.70	1.50	49	1.99		
						1994	2.80	1.50	49	2.04	0.39	
						1995	2.80	1.50	39	2.04	0.39	
						1996	3.10	1.50	39	2.16	0.45	
						1997	2.90	1.50	34	2.08	0.46	
						1998	2.80	1.50	34	2.04	0.47	
						*1999	2.70	1.50	48	2.00	0.53	SEALCOAT
						2000	3.20	1.50	48	2.20	0.39	
						2001	3.20	1.50	48	2.20	0.40	
						2002	3.00	1.50	48	2.12	0.39	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
5	U.S.-91	002350	100.700	101.064	N	1993	3.30	1.50	59	2.20		
						1994	2.70	1.50	59	1.96	0.29	
						1995	2.70	1.50	44	1.96	0.29	
						1996	3.50	1.50	43	2.28	0.16	
						1997	4.00	5.00	47	4.60	0.03	MILL AND INLAY
						1998	4.00	5.00	47	4.60	0.04	
						1999	3.90	5.00	50	4.56	0.03	
						2000	3.90	5.00	50	4.56	0.05	
						2001	3.90	5.00	50	4.56	0.03	
						2002	3.80	4.80	50	4.40	0.04	
5	U.S.-91	002350	101.064	101.652	N	1997	3.60	5.00	47	4.40	0.06	MILL AND INLAY
						1998	3.50	5.00	47	4.36	0.06	
						1999	3.60	5.00	46	4.40	0.07	
						2000	3.60	4.80	46	4.29	0.06	
						2001	3.40	4.80	46	4.20	0.07	
						2002	3.60	4.40	46	4.06	0.08	
5	U.S.-91	002350	101.652	101.836	N	1993	2.40	3.00	28	2.74		
						1994	2.30	3.00	28	2.70	0.38	
						1995	2.30	3.00	28	2.70	0.38	
						*1996	3.20	3.00	39	3.08	0.31	
						1997	3.10	3.00	31	3.04	0.21	
						1998	2.90	3.00	31	2.95	0.23	
						1999	2.90	3.00	31	2.95	0.23	
						2000	2.90	3.00	31	2.95	0.27	
						2001	2.80	2.70	46	2.74	0.26	
						2002	3.40	5.00	46	4.32	0.09	
5	U.S.-91	002350	101.836	102.450	N	1993	3.20	3.00	49	3.08		
						1994	3.10	3.00	49	3.04	0.26	
						1995	3.10	3.00	41	3.04	0.26	
						1996	3.60	3.00	40	3.25	0.24	
						1997	3.50	3.00	37	3.20	0.25	
						1998	3.30	3.00	37	3.12	0.28	
						*1999	3.40	3.00	47	3.16	0.32	
						2000	3.20	3.00	35	3.08	0.32	
						2001	3.20	3.00	35	3.08	0.38	
						2002	3.00	3.00	35	3.00	0.36	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH			REMARKS						
5	U.S.-91	002350	102.450	104.266	N	1993	3.20	3.00	49	3.08									
						1994	3.10	3.00	49	3.04	0.26	SEALCOAT	1994						
						1995	3.10	3.00	41	3.04	0.26								
						1996	3.60	3.00	40	3.25	0.24								
						1997	3.50	3.00	37	3.20	0.25								
						1998	3.30	3.00	37	3.12	0.28								
						*1999	3.40	3.00	47	3.16	0.32	PLANT MIX OVERLAY	1999						
						2000	3.60	5.00	51	4.41	0.10								
						2001	3.60	5.00	51	4.41	0.12								
						2002	3.40	5.00	51	4.32	0.14								
						5	U.S.-91	002350	104.266	107.289	N	1993	3.00	3.50	48	3.29			
												1994	3.00	3.50	48	3.29	0.28	SEALCOAT	1994
												1995	3.00	3.50	47	3.29	0.28		
												1996	3.60	3.50	46	3.54	0.24		
1997	3.50	3.50	41	3.50	0.22														
1998	3.50	3.50	41	3.50	0.29														
1999	3.40	3.50	49	3.45	0.31							PLANT MIX OVERLAY	1999						
2000	3.80	5.00	49	4.49	0.07														
2001	3.90	5.00	49	4.54	0.11														
2002	3.70	5.00	49	4.45	0.12														
5	U.S.-91	002350	107.289	111.900	N							*1993	3.00	2.50	48	2.69			
												1994	3.10	2.50	49	2.75	0.28	SEALCOAT	1994
												1995	3.10	2.50	48	2.75	0.28		
												1996	3.70	2.70	48	3.11	0.27		
						1997	3.60	2.60	43	3.01	0.28								
						1998	3.60	2.60	43	3.01	0.32								
						1999	3.50	2.60	52	2.97	0.33	PLANT MIX OVERLAY	1999						
						2000	3.80	5.00	52	4.49	0.05								
						2001	3.90	5.00	52	4.54	0.07								
						2002	3.70	5.00	52	4.45	0.09								
						5	U.S.-91	002350	111.900	112.600	N	*1993	3.00	2.50	48	2.69			
												1994	3.00	5.00	43	4.23	0.11	NEW CONST OR RECONST (FLEX)	1994
												1995	3.00	5.00	39	4.23	0.11		
												1996	3.70	5.00	39	4.50	0.12		
1997	3.50	5.00	37	4.42	0.12														
1998	3.40	5.00	37	4.38	0.13														
1999	3.40	5.00	45	4.38	0.17														
2000	3.60	5.00	45	4.41	0.16														
2001	3.50	5.00	45	4.42	0.19														
2002	3.30	5.00	45	4.34	0.20														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS						
										INDEX	DEPTH								
5	U.S.-91	002350	112.600	113.000	N	*1993	3.10	2.30	45	2.63									
						1994	3.10	3.50	45	3.33	0.27	SEALCOAT	1994						
						1995	3.10	3.50	44	3.33	0.27								
						1996	3.70	3.50	44	3.58	0.25								
						1997	3.60	3.00	38	3.25	0.23								
						1998	3.60	2.50	38	2.96	0.30								
						*1999	3.50	2.50	50	2.92	0.31								
						2000	3.10	2.50	45	2.75	0.35								
						2001	2.90	2.40	45	2.60	0.34								
						2002	2.80	2.40	45	2.56	0.36								
						5	U.S.-91	002350	113.000	117.100	N	*1993	3.10	2.30	45	2.63			
												1994	3.10	3.50	45	3.33	0.27	SEALCOAT	1994
												1995	3.10	3.50	44	3.33	0.27		
1996	3.70	3.50	44	3.58	0.25														
1997	3.60	3.00	38	3.25	0.23														
1998	3.60	2.50	38	2.96	0.30														
*1999	3.50	2.50	50	2.92	0.31														
2000	3.70	5.00	50	4.45	0.32							PLANT MIX OVERLAY	2000						
2001	3.80	5.00	50	4.49	0.12														
2002	3.60	5.00	50	4.41	0.13														
5	U.S.-91	002350	117.100	117.561	N							*1993	3.10	2.30	45	2.63			
												1994	3.10	3.50	45	3.33	0.27	SEALCOAT	1994

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
						1995	3.10	3.50	44	3.33	0.27	
						1996	3.70	3.50	44	3.58	0.25	
						1997	3.60	3.00	38	3.25	0.23	
						1998	3.60	2.50	38	2.96	0.30	
						*1999	3.50	2.50	50	2.92	0.31	
						2000	3.80	2.50	43	3.04	0.30	
						2001	3.80	2.50	43	3.04	0.30	
						2002	3.60	2.40	43	2.90	0.33	
5	U.S.-91	002350	117.561	117.998	N	1993	2.70	3.20	37	3.00		
						1994	2.80	3.20	37	3.04	0.14	SEALCOAT
						1995	2.80	3.20	37	3.04	0.14	
						1996	3.10	5.00	44	4.25	0.16	
						1997	2.60	4.50	34	3.75	0.20	
						1998	2.90	2.70	34	2.77	0.19	
						1999	3.00	2.70	34	2.81	0.20	
						2000	1.70	2.70	34	2.30	0.22	
						2001	2.50	2.70	43	2.62	0.22	
						2002	1.80	2.40	43	2.16	0.24	
5	U.S.-91	002350	117.998	118.250	N	2002	2.20	3.00	54	2.68	0.20	
5	U.S.-91	002350	117.998	118.404	N	1993	1.80	3.00	44	2.53		
						1994	1.90	3.00	44	2.57	0.22	SEALCOAT
						1995	1.90	3.00	35	2.57	0.22	
						1996	3.30	3.00	35	3.11	0.20	
						1997	2.90	3.00	34	2.96	0.13	
						1998	2.90	3.00	34	2.96	0.15	
						1999	2.90	3.00	54	2.96	0.29	
						2000	2.50	3.00	54	2.80	0.18	
						*2001	2.50	3.00	54	2.80	0.19	
5	U.S.-91	002350	118.250	118.404	N	2002	3.00	5.00	54	4.22	0.10	NEW CONST OR RECONST (FLEX)
5	U.S.-91	002350	118.404	118.696	N	1993	3.60	3.50	28	3.53		
						1994	3.30	3.50	28	3.42	0.27	SEALCOAT
						1995	3.30	3.50	24	3.42	0.27	
						1996	4.10	3.50	23	3.73	0.36	
						1997	3.90	3.50	21	3.65	0.26	
						1998	4.10	3.50	21	3.73	0.45	
						1999	4.00	3.50	17	3.69	0.39	
						2000	4.10	3.50	17	3.73	0.46	
						2001	4.10	3.50	17	3.73	0.37	
						2002	3.10	5.00	17	4.26	0.27	NEW CONST OR RECONST (FLEX)
											2002	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
5	U.S.-91	002350	118.696	118.990	N	2002	2.80	5.00	17	4.07	0.52	NEW CONST OR RECONST (FLEX)	2002
5	U.S.-91	002350	118.696	120.561	N	1993	3.30	3.00	42	3.12			1994
						1994	3.10	3.00	42	3.04	0.41	SEALCOAT	
						1995	3.10	3.00	43	3.04	0.41		
						1996	3.90	3.50	42	3.66	0.38		
						1997	3.60	3.50	32	3.54	0.33		
						1998	3.70	3.50	32	3.58	0.38		
						1999	3.60	3.50	43	3.54	0.48		
						2000	3.70	3.50	43	3.58	0.46		
						*2001	3.60	3.50	43	3.54	0.44		
5	U.S.-91	002350	118.990	120.561	N	2002	3.50	3.50	43	3.50	0.43		
5	U.S.-91	015993	013.790	014.690	N	1994	2.70	5.00	56	3.97	0.15		
						1995	2.70	5.00	46	3.97	0.15		
						1996	3.80	5.00	45	4.46	0.10		
						1997	3.40	5.00	41	4.28	0.10		
						1998	3.40	5.00	41	4.28	0.15	SEALCOAT	1998
						1999	3.50	5.00	40	4.33	0.10		
						2000	3.40	5.00	40	4.28	0.11		
						2001	3.50	5.00	40	4.33	0.11		
						2002	3.50	5.00	40	4.33	0.12		
5	U.S.-91	016377	030.070	030.620	N	1996	3.50	5.00	52	4.33	0.08		
						1997	3.00	5.00	42	4.10	0.09		
						*1998	3.00	5.00	42	4.10	0.09		
						1999	3.00	5.00	58	4.10	0.07		
						2000	2.90	5.00	58	4.06	0.09		
						2001	3.00	4.70	58	3.94	0.09		
						2002	2.90	4.50	58	3.78	0.08		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1993-2002

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH	REMARKS
---	-------	--------------	-----------------------	--------------------	-----	------	----	----	----	--------------------------	---------